

Index

| Title | Page |
|-----------------------------|------|
| Polyurethane Wheel Assembly | 2 |
| Lost Core Wheel Hub | 12 |
| Polyurethane Tire | 14 |
| | |
| Terms | 30 |

 Polyurethane Wheel Assembly
Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|--------------|-------------|-------------|---------|-----------|------------|
| M00010011AAA | 4 | 1 | A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010012AAA | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010012AAB | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Blk |
| M00010012AAC | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Red |
| M00010012AAD | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blu |
| M00010014AAA | 4.3 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010014AAB | 4.3 | 1 | Hollow3spk-A | Smooth | 0.806 | 1 | Blk | Blk |
| M00010015AAA | 5 | 1 | Hollow3spk-A | Pyramid | 1 | 0.3125 | Blk | Dk Gry |
| M00010015AAB | 5 | 1 | Hollow3spk-A | Pyramid | 1 | 0.3125 | Blk | Dk Gry |
| M00010015AAC | 5 | 1 | Hollow3spk-A | Pyramid | 1 | 0.75 | Blk | Dk Gry |
| M00010016AAA | 5 | 1 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Dk Gry |
| M00010016AAB | 5 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Dk Gry |
| M00010016AAC | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Dk Gry |
| M00010016AAD | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Red |
| M00010016AAF | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Ylw |
| M00010016AAF | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Blu |
| M00010016AAG | 5 | 1 | Hollow3spk-A | Smooth | 0.806 | 1 | Blk | Red |
| M00010020AAA | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Blk |
| M00010020AAB | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Red |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|--------------|-------------|-------------|---------|-----------|------------|
| M00010020AAC | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Ylw |
| M00010020AAD | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Blu |
| M00010020AAF | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Dk Gry |
| M00010020AAF | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Blk |
| M00010024AAA | 6 | 1.25 | Hollow3spk-A | Pyramid | 0.975 | 0.3125 | Blk | Dk Gry |
| M00010024AAC | 6 | 1.25 | Hollow3spk-A | Rib | 0.975 | 0.3125 | Blk | Ylw |
| M00010024AAE | 6 | 1.25 | Hollow3spk-A | Rib | 0.975 | 0.3125 | Blk | Blk |
| M00010024AAF | 6 | 1.25 | Hollow3spk-A | Rib | 0.975 | 0.875 | Blk | Blk |
| M00010027AAD | 6 | 1.5 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010027AAE | 6 | 1.5 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Dk Gry |
| M00010027AAF | 6 | 1.5 | Hollow3spk-A | Smooth | 1 | 0.875 | Blk | Blk |
| M00020029AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020029AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020029AAD | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020038AAA | 7 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020045AAA | 8 | 2 | 2pc-A | Smooth | 2.9 | 0.4375 | Blk | Dk Gry |
| M00020046AAA | 8 | 2 | 2pc-A | Rib | 0.906 | 0.375 | Blk | Lt Gry |
| M00020046AAB | 8 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Dk Gry |
| M00020046AAC | 8 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00020047AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |
| M00020048AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |
| M00020048AAC | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Dk Gry |
| M00020048AAD | 8 | 2 | 2pc-A | Smooth | 2.43 | 0.4375 | Blk | Blk |
| M00020048AAE | 8 | 2 | 2pc-A | Rib | 2.43 | 0.875 | Blk | Lt Gry |
| M00020457AAA | 6 | 2 | 2pc-A | Rib | 1 | 0.875 | Blk | Blk |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|--------------|-------------|-------------|---------|-----------|------------|
| M00020513AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Blk |
| M00020513AAB | 8 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Blk | Lt Gry |
| M00020602AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Blk | Blk |
| M00030029AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Dk Gry |
| M00030029AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Lt Gry |
| M00030032AAA | 6 | 2 | 2pc-A | Rib | 0.806 | 1 | Blk | Lt Gry |
| M00030038AAA | 7 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Dk Gry |
| M00030038AAB | 7 | 2 | 2pc-A | Rib | 1 | 0.75 | Blk | Blk |
| M00030045AAB | 8 | 2 | 2pc-A | Smooth | 2.4 | 0.3125 | Blk | Dk Gry |
| M00030046AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00030048AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00030048AAB | 8 | 2 | 5Spk-A | Rib | 0.906 | 0.3125 | Blk | Lt Gry |
| M00030457AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.75 | Blk | Blk |
| M00030457AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Blk |
| M00030457AAC | 6 | 2 | 2pc-A | Rib | 0.806 | 1 | Blk | Blk |
| M00040031AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 1.375 | Blk | Lt Gry |
| M00040031AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Slvr | Lt Gry |
| M00040031AAC | 8 | 2 | 2pc-A | Rib | 2.43 | 1.375 | Blk | Lt Gry |
| M00040031AAD | 6 | 2 | 2pc-A | Rib | 2.4 | 0.625 | Slvr | Blk |
| M00040031AAE | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Blk | Blk |
| M00040047AAA | 8 | 2 | 2pc-A | Rib | 2.4 | 0.906 | Blk | Lt Gry |
| M00050031AAA | 6 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |
| M00050031AAB | 6 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00050031AAC | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Pnt Slv | Lt Gry |
| M00050031AAD | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |
| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
| M00050031AAE | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Slvr | Lt Gry |
| M00050031AAF | 6 | 2 | 2pc-A | Smooth | 2.4 | 0.875 | Blk | Blk |
| M00050031AAG | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Slvr | Blk |
| M00060043AAA | 8 | 1.25 | 3Spk-D | Rib | 1.495 | 0.3125 | Blk | Dk Gry |
| M00060044AAA | 8 | 1.75 | 3Spk-D | 2rib | 1.495 | 0.3125 | Blk | Dk Gry |
| M00500016AAF | 5 | 1 | Hollow3spk-A | Round | 0.866 | 0.3125 | Blk | Dk Gry |
| M00500020AAE | 5 | 1 | Hollow3spk-A | Oval | 0.866 | 0.3125 | Blk | Dk Gry |
| M00500024AAF | 6 | 1.25 | Hollow3spk-A | Rib | 0.866 | 0.3125 | Blk | Lt Gry |
| M00500027AAE | 6 | 1 | Hollow3spk-A | Oval | 0.866 | 0.3125 | Blk | Dk Gry |
| M00510025AAA | 5 | 1 | 8spk-B | Rib | 0.866 | 0.3125 | Blk | Dk Gry |
| M00520019AAA | 5 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00520026AAA | 5 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00540021AAA | 6 | 1.5 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00550041AAA | 8 | 1.5 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00550041AAB | 8 | 1 | 5Spk-A | Smooth | 1.5 | 0.75 | Blk | Dk Gry |
| M00560037AAA | 8 | 1.5 | Hollow3spk-A | Oval | 1.5 | 0.3125 | Blk | Dk Gry |
| M00600043AAA | 8 | 1.25 | 8Spk-A | Rib | 0.906 | 0.3125 | Blk | Dk Gry |
| M00600044AAB | 8 | 1 | 5Spk-A | Rib | 1 | 0.3125 | Blk | Dk Gry |
| M00680011AAA | 4 | 1 | 3Spk-A | Smooth | 1 | 0.75 | Blk | Red |
| M00680011AAB | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Ylw |
| M00680011AAE | 4 | 1 | Hollow3spk-A | Smooth | 0.866 | 0.3125 | Blk | Blk |
| M00680011AAF | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Blk |
| M00680014AAA | 4 | 1.25 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Red |
| M00680014AAB | 4 | 1.25 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Ylw |
| M00680014AAC | 4 | 1.25 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Blu |
| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
| M00680014AAD | 4 | 1.25 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Blk |
| M00680014AAE | 4 | 1.25 | Hollow3spk-A | Smooth | 0.866 | 0.3125 | Blk | Blk |
| M00690033AAA | 8 | 1.25 | 5Spk-A | Smooth | 1 | 0.3125 | Blk | Dk Gry |
| M00700103AAA | 9 | 3 | 2pc-A | Rib | 2.25 | 1.375 | Blk | Dk Gry |
| M00730054AAA | 11.5 | 1.5 | 5Spk-A | Street | 1.5 | 0.5 | Blk | Dk Gry |
| M00730056AAA | 12.5 | 2.25 | 5Spk-A | Knobby | 1.125 | 0.5 | Blk | Lt Gry |

| | | | | | | | | |
|------------------------------|------|------|--------|--------|-------|--------|-----|--------|
| M0074003AAA | 14 | 2 | 3Spk-A | Block | 2 | 1.125 | Blk | Dk Gry |
| M00740054AAA | 12.5 | 2.25 | Rib | Idle | 2.125 | 0.5 | Blk | Lt Gry |
| M00740056AAA | 12.5 | 2.25 | 3Spk-D | Knobby | 2.125 | 0.5 | Blk | Dk Gry |
| M00740056AAB | 12.5 | 2.25 | 3Spk-D | Knobby | 2.125 | 0.5 | Blk | Lt Gry |
| M00840056AAA | 12.5 | 2.25 | 5Spk-A | Knobby | 2.18 | 0.625 | Blk | Lt Gry |
| M00870060AAA | 16 | 1.6 | 5Spk-A | Street | 1.125 | 0.5 | Blk | Dk Gry |
| M00870060AAB | 16 | 1.75 | 5Spk-A | Street | 1.125 | 0.5 | Blk | Dk Gry |
| M00890036AAC | 7.5 | 1 | 8Spk-A | Smooth | 0.911 | 0.4375 | Blk | Dk Gry |
| M00930041AAA | 8 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00930041AAB | 8 | 1 | 5Spk-A | Smooth | 0.906 | 0.4375 | Blk | Dk Gry |
| M00950033AAA | 8 | 1.25 | 8spk-C | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00950033AAB | 8 | 1 | 8spk-C | Smooth | 1.5 | 0.75 | Blk | Dk Gry |
| M00950035AAA | 8 | 1.25 | 8spk-C | Round | 0.866 | 0.3125 | Blk | Dk Gry |
| M00950035AAB | 8 | 1 | 8spk-C | Round | 1.5 | 0.75 | Blk | Dk Gry |
| M00950037AAA | 8 | 1.25 | 8spk-C | Oval | 0.866 | 0.3125 | Blk | Dk Gry |
| M00950037AAB | 7.5 | 1 | 8spk-C | Oval | 1.5 | 0.75 | Blk | Dk Gry |
| M00950043AAA | 8 | 1.25 | 8spk-C | Rib | 0.906 | 0.3125 | Blk | Dk Gry |
| M00950043AAD | 8 | 1.25 | 8spk-C | Rib | 1.5 | 0.75 | Blk | Dk Gry |
| M00950043AAE | 8 | 1 | 8spk-C | Smooth | 1.5 | 0.3125 | Blk | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M00950044AAB | 8 | 1.75 | 8spk-C | Rib | 0.906 | 0.3125 | Blk | Dk Gry |
| M00950044AAC | 8 | 1 | 8spk-C | Rib | 1.5 | 0.75 | Blk | Dk Gry |
| M00960033AAA | 8 | 1.25 | 5Spk-A | Smooth | 1.5 | 0.3125 | Blk | Dk Gry |
| M00960036AAA | 8 | 1.25 | 5Spk-A | Round | 0.866 | 0.3125 | Blk | Dk Gry |
| M00960037AAA | 7.5 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M03150036AAA | 7.5 | 1 | 8Spk-A | Smooth | 2.125 | 0.875 | Blk | Dk Gry |
| M04120040AAA | 8 | 1 | 8Spk-A | Pyramid | 1.5 | 0.3125 | Blk | Dk Gry |
| M04160043AAA | 8 | 1.25 | 5Spk-A | Rib | 1.5 | 0.75 | Blk | Dk Gry |
| M04210029AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Dk Gry |
| M06500182RAA | 9.75 | 3 | X10-A | Sawtooth | 2.575 | 0.625 | Blk | Blk |
| M08860007RAA | 20 | 2 | 7Spk-A | Knobby | 2.285 | 0.625 | Blk | Blk |
| M08860007RAB | 20 | 2 | 7Spk-A | Knobby | 2.285 | 0.625 | Blk | Blk |
| M08860007WAA | 20 | 2 | 7Spk-A | Knobby | 2.285 | 0.625 | Blk | Blk |
| M70050000RAI | 24 | 1 | 5SpkLC-B | - | 2.125 | 0.5 | Blk | Dk Gry |
| M70050087AAA | 24 | 1 | 5SpkLC-B | Street | 3 | 0.5 | Blk | Dk Gry |
| M70050087AAB | 24 | 1 | 5SpkLC-B | Street | 3 | 0.5 | Blk | Lt Gry |
| M70050087AAC | 24 | 1 | 5SpkLC-B | Street | 1.125 | 0.5 | Wht | Dk Gry |
| M70050087AAD | 24 | 1 | 5SpkLC-B | Street | 1.125 | 0.5 | Blu | Dk Gry |
| M70050087AAE | 24 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70050087AAF | 24 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70050087AAG | 24 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70050089AAD | 24 | 1 | 5SpkLC-B | Touring | 2.125 | 0.5 | Blk | Dk Gry |
| M70050089AAG | 24 | 1 | 5SpkLC-B | Touring | 3 | 0.625 | Blk | Dk Gry |
| M70050089AAH | 24 | 1 | 5SpkLC-B | Street | 2.25 | 1.38 | Blk | Lt Gry |
| M70050089AAJ | 24 | 1 | 5SpkLC-B | Touring | 2.125 | 0.5 | Blk | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M70050089AAK | 24 | 1 | 5SpkLC-B | Touring | 2.25 | 1.25 | Blk | Lt Gry |
| M70050089AAL | 24 | 1 | 5SpkLC-B | Touring | 2.25 | 1.125 | Blk | Lt Gry |
| M70050129AAC | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.25 | Blk | Red |
| M70050129AAD | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.25 | Blk | Blk |
| M70050129AAE | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Blk |
| M70050129AAF | 24 | 1 | 5SpkLC-A | Herringbone | 3 | 0.5 | Blk | Blk |
| M70050129AAJ | 24 | 1 | 5SpkLC-A | Herringbone | 3 | 0.4375 | Blk | Blk |
| M70050129AAK | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blu | Blk |
| M70050129AAL | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Red | Blk |
| M70050129AAM | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Wht | Blk |
| M70050129AAN | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Blk |
| M70050129AAO | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Red |
| M70050129AAP | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Red |

| | | | | | | | | |
|------------------------------|------|-------|----------|-------------|-------|-------|-----------|-----|
| M70050129AAO | 24 | 1 | 5SpkLC-B | Herringbone | 1 | 1.125 | Red | Red |
| M70050129AAR | 24 | 1 | 5SpkLC-B | Herringbone | 1 | 1.125 | Blu | Blu |
| M70050129AAS | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Gloss Blk | Red |
| M70050129AAT | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Wht | Red |
| M70050129AAU | 24 | 1 | 5SpkLC-B | Herringbone | 1.125 | 0.5 | Wht | Blu |
| M70050129AAV | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 0.5 | Blk | Blk |
| M70050129AAW | 24 | 1 | 5SpkLC-B | Herringbone | 1.125 | 0.5 | Blk | Red |
| M70050129AAX | 24 | 1 | 5SpkLC-B | Herringbone | 1.125 | 0.5 | Wht | Pnk |
| M70070007AAA | 20.5 | 2.15 | 5SpkLC-A | Knobby | 2.25 | 0.625 | Blk | Blk |
| M70070007AAC | 20.5 | 2.15 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070007AAF | 20.5 | 2.15 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070007RAA | 20.5 | 2.125 | 5SpkLC-A | Knobby | 1.375 | 0.5 | Blk | Blk |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M70070007RAF | 20.5 | 1 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070007RAE | 20.5 | 2.25 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070007RAG | 20.5 | 1 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070066AAC | 20 | 1.75 | 5SpkLC-A | Street | 2.25 | 1.38 | Blk | Dk Gry |
| M70070066AAG | 20 | 1.75 | 5SpkLC-A | Round | 2.25 | 0.5 | Blk | Lt Gry |
| M70070066AAI | 20 | 2 | 5SpkLC-A | Street | 2.25 | 1.375 | Blk | Dk Gry |
| M70070067AAA | 20 | 2.125 | 5SpkLC-A | Lug | 2.25 | 0.5 | Blk | Dk Gry |
| M70070465AAA | 20 | 2.25 | 5SpkLC-A | Knobby | 2.25 | 1.38 | Blk | Blk |
| M70070466AAD | 20.5 | 2.15 | 5SpkLC-A | Street | 2.25 | 0.625 | Blk | Blk |
| M70070466AAH | 20.5 | 1.75 | 5SpkLC-A | Street | 2.25 | 1.375 | Blk | Lt Gry |
| M70070466AAJ | 20.5 | 1.75 | 5SpkLC-A | Smooth | 2.75 | 1.36 | Blk | Lt Gry |
| M70080064RAA | 20 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Blk | Dk Gry |
| M70080064RAB | 20 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Wht | Blk |
| M70080064RAC | 20 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Blu | Blk |
| M70080064RAD | 20 | 1 | 5SpkLC-B | Street | 3 | 1.125 | Gloss Blk | Blk |
| M70080064RAE | 20 | 1 | 5SpkLC-B | Street | 3 | 1.125 | Red | Blk |
| M70080064RAF | 20 | 1 | 5SpkLC-B | Street | 3 | 0.625 | Gloss Blk | Dk Gry |
| M70080064RAG | 20 | 1 | 5SpkLC-B | Street | 1.625 | 0.5 | Wht | Dk Gry |
| M70080064RAH | 20 | 1 | 5SpkLC-B | Street | 1.625 | 0.5 | Pnk | Pnk |
| M70080064RAI | 20 | 1 | 5SpkLC-B | Street | 1.625 | 0.5 | Blu | Blu |
| M70080064RAJ | 20 | 1 | 5SpkLC-B | Street | 1.375 | 0.625 | Blk | Dk Gry |
| M70080064RAK | 20 | 1 | 5SpkLC-B | Street | 1.125 | 0.5 | Pnk | Dk Gry |
| M70080064RAL | 20 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70080064RAM | 20 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70080064RAN | 20 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blkk | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M70080605AAA | 20 | 1 | 5SpkLC-B | Herringbone | 1.625 | 0.5 | Red | Blk |
| M70080605AAB | 20 | 1 | 5SpkLC-B | Herringbone | 1.625 | 0.5 | Blu | Blu |
| M70080605AAC | 20 | 1 | 5SpkLC-B | Herringbone | 1.625 | 0.5 | Wht | Blk |
| M70080605AAD | 20 | 1 | 5SpkLC-B | Herringbone | 1.375 | 0.625 | Blk | Blk |
| M70090070RAA | 22 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Blk | Dk Gry |
| M70090070RAB | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.625 | Blk | Dk Gry |
| M70090070RAC | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.5 | Red | Blk |
| M70090070RAD | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.5 | Blu | Blk |
| M70090070RAE | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.5 | Wht | Blk |
| M70090070RAF | 22 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70090070RAG | 22 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70170129AAA | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Gloss Blk | Red |
| M70170129AAB | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Wht | Blk |
| M70170129AAC | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Red | Blk |
| M70170129AAD | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Red | Red |
| M70170129AAE | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Blk | Blk |
| M70170129AAF | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Wht | Red |
| M70170129AAG | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 0.5 | Ylw | Blk |
| M70170129AAH | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 0.5 | Blu | Blu |
| M70180129AAC | 24 | 1 | 3spkLC-B | Herringbone | 1 | 1.24 | Gloss Blk | Red |
| M80440057AAA | 14 | 1.5 | 3Spk-D | Herringbone | 2.207 | 0.5 | Blk | Dk Gry |

| | | | | | | | | |
|------------------------------|----|------|--------|-------------|-------|--------|-----|--------|
| M80450060AAA | 16 | 1.75 | 5Spk-A | Herringbone | 2.25 | 0.5625 | Blk | Dk Gry |
| M80460065AAA | 20 | 1.5 | 5Spk-A | Street | 2.34 | 0.5625 | Blk | Dk Gry |
| M80470066AAA | 20 | 1.75 | 5Spk-A | Street | 2.295 | 0.5 | Blk | Dk Gry |
| M80480060AAA | 16 | 1.75 | 5Spk-A | Herringbone | 1.85 | 0.5 | Blk | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M80490129ACX | 24 | 1 | WireSpk | Herringbone | 2.5 | 0.5 | Slvr | Dk Gry |
| M80500064AAB | 20 | 1.25 | WireSpk | Street | 2.5 | 0.5 | Slvr | Dk Gry |
| M80750056AAA | 12.5 | 2.25 | 5Spk-A | Knobby | - | - | Blk | Dk Gry |
| M90010014AAC | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Red |
| M90010014AAD | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Ylw |
| M90010016AAA | 5 | 1 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Blu |
| M90010016AAB | 5 | 1 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Ylw |
| M90010016AAC | 4 | 1 | 3Spk-D | Round | 1 | 0.3125 | Silver | Blk |
| M90010020AAA | 5 | 1.5 | 3Spk-D | Oval | 1 | 0.75 | Slvr | Blk |
| M90010024AAA | 6 | 1.25 | 3Spk-D | Rib | 1 | 0.875 | Slvr | Blk |
| M90040016AAC | 5 | 1 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Red |
| M90040020AAA | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.875 | Slvr | Blu |
| M90040020AAB | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.875 | Slvr | Blk |
| M90040020AAC | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Red |
| M90040020AAD | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.75 | Blk | Ylw |
| M90040024AAB | 6 | 1.25 | 3Spk-D | Rib | 1 | 0.875 | Slvr | Blk |
| M90040027AAA | 6 | 1.5 | 3Spk-D | Oval | 1 | 0.875 | Slvr | Blk |
| M90040027AAB | 6 | 1.5 | 3Spk-D | Oval | 1 | 0.875 | Slvr | Red |
| M90040027AAC | 6 | 1.5 | 3Spk-D | Oval | 1 | 0.875 | Slvr | Ylw |
| M90050099AAA | 8 | 2.5 | 3pc-A | Rib | 1.375 | 0.625 | Slvr | Blk |
| M90050300AAA | 16 | 4 | 1pc-A | Diamond | 2.5 | 0.375 | Wht | Dk Gry |
| M90060098AAB | 10 | 2.75 | 3pc-A | Sawtooth | 1.375 | 0.625 | Slvr | Blk |
| M99980001AAA | 35 | 1 | WireSpk | Street | 2.25 | 1.375 | Slvr | Dk Gry |
| M99990011AAA | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Red |
| M99990011AAB | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blu |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M99990011AAC | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blk |
| M99990011AAD | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Ylw |
| M99990014AAA | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blu |
| M99990014AAB | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blk |
| M99990098AAB | 10 | 3 | 3pc-A | Sawtooth | 2.25 | 1.375 | Slvr | Blk |
| M99990100AAA | 14 | 4 | 3Spk-D | Sawtooth | 4 | 0.75 | Wht | Blk |
| M90030089AAA | 24 | 1 | WireSpk | Street | 1 | 0.5 | Slvr | Lt Gry |

 Lost Core Wheel Hub



X-Core wheels are manufactured following a very unique molding process known as *lost core*. The wheels manufactured using the *lost core* method will be extremely sturdy and lightweight. Moreover, those wheels will be unrivaled in performance and durability. CEW specializes in high-volume production.

| Part Number | Wheel OD | Wheel Width | Hub Style | Bore Length | Bore ID | Hub Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|
| Y7001XXXXRAA | 25 | 1.4 | 5SpkLC-C | 1.6 | 1.8 | Blk |
| Y7002XXXXRAA | 24 | 1.4 | 5SpkLC-C | 1.6 | 0.625 | Blk |
| Y70050000RAA | 24 | 1 | 5SpkLC-A | 3 | 0.5 | Blk |
| Y70050000RAB | 24 | 1 | 5SpkLC-A | 3 | 0.5 | Blk |
| Y70050000RAC | 24 | 1 | 5SpkLC-A | 3 | 0.4375 | Blk |
| Y70050000RAD | 24 | 1 | 5SpkLC-A | 3 | 0.4375 | Blk |
| Y70050000RAE | 24 | 1 | 5SpkLC-A | 3 | 0.4375 | Blk |
| Y70050000RAI | 24 | 1 | 5SpkLC-A | 3 | 0.4375 | Blk |
| Y70050000RAL | 24 | 1 | 5SpkLC-A | 3 | 0.5 | Blk |
| Y70050000RAO | 24 | 1 | 5SpkLC-A | - | 0.5 | Blk |

| Part Number | Wheel OD | Wheel Width | Hub Style | Bore Length | Bore ID | Hub Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|
| Y70050000RAR | 24 | 1 | 5SpkLC-A | 3 | 0.5 | Blk |

| | | | | | | |
|------------------------------|----|-------|----------|-------|--------|--------------|
| Y70050000RAU | 25 | 1.375 | 5SpkLC-B | 2.08 | 1.125 | Wht |
| Y70050000RAV | 25 | 1.375 | 5SpkLC-B | 2.25 | 1.125 | Red |
| Y70050000RAW | 24 | 1 | 5SpkLC-B | 2.25 | 0.5 | Red |
| Y70050000RAX | 25 | 1.375 | 5SpkLC-B | 2.25 | 1.125 | Blu |
| Y70050000RAY | 25 | 1.375 | 5SpkLC-B | 2.25 | 1.125 | Blk |
| Y70050000RAZ | 25 | 1.375 | 5SpkLC-B | 1.125 | 0.4375 | Blk |
| Y70050000RBA | 25 | 1.375 | 5SpkLC-B | 2.25 | 1.375 | Wht |
| Y70050000RBB | 25 | 1.375 | 5SpkLC-B | 1.125 | 0.5 | Blk |
| Y70070000RAA | 20 | 1.75 | 5SpkLC-A | 2.25 | 1.375 | Blk |
| Y70070000RAB | 20 | 1 | 5SpkLC-A | 2.3 | 0.625 | Blk |
| Y70070000RAC | 20 | 1 | 5SpkLC-A | 2.3 | 0.625 | Blk |
| Y7007XXXXRAA | 20 | 1.75 | 5SpkLC-A | 2.25 | 1.375 | Blk |
| Y7007XXXXRAB | 20 | 1.75 | 5SpkLC-A | 2.25 | 1.375 | Blk |
| Y70080000AAC | 20 | 1 | 5SpkLC-B | 2.25 | 1.125 | Blk |
| Y70080000AAD | 20 | 1 | 5SpkLC-B | 2.25 | 1.125 | PNTWht |
| Y70080000AAF | 20 | 1 | 5SpkLC-B | 3 | 1.375 | PNTPIN |
| Y70080000AAG | 20 | 1 | 5SpkLC-B | 3 | 1.375 | PNTBLU |
| Y70080000RAA | 20 | 1 | 5SpkLC-A | 3 | 0.5 | Blk |
| Y70080000RAC | 20 | 1 | 5SpkLC-B | 3 | 1.375 | Metallic Blu |
| Y70080000RAD | 20 | 1 | 5SpkLC-B | 3 | 1.375 | Red |
| Y70080000RAE | 20 | 1 | 5SpkLC-B | 3 | 1.375 | Wht |
| Y70080000RAF | 20 | 1 | 5SpkLC-B | 3 | 1.375 | Pnk |
| Y70090000RAA | 22 | 1.75 | 5SpkLC-B | 1.375 | 0.625 | Blk |
| Y70090000RAD | 22 | 1 | 5SpkLC-B | 1 | 1.125 | Blk |

| Part Number | Wheel OD | Wheel Width | Hub Style | Bore Length | Bore ID | Hub Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|----------------|------------------|
| Y70090000RAE | 22 | 1 | 5SpkLC-B | 3 | 1.375 | Wht |
| Y70090000RAF | 22 | 1 | 5SpkLC-B | 3 | 1.375 | Pnk |
| Y70090000RAG | 22 | 1 | 5SpkLC-B | 3 | 1.375 | Metallic Blu |
| Y70090000RAH | 22 | 1 | 5SpkLC-B | 3 | 1.375 | Red |
| Y70090000RAI | 22 | 1.75 | 5SpkLC-B | 3 | 1.375 | Red |
| Y70170000RAB | 24 | 1 | 3spkLC-B | 1.125 | 0.5 | Gloss Blk |
| Y70170000RAC | 24 | 1 | 3spkLC-B | 1.125 | 0.5 | Blu |
| Y70170000RAD | 24 | 1 | 3spkLC-B | 1.125 | 0.5 | Ylw |
| Y70170000RAE | 24 | 1 | 3spkLC-B | 1.125 | 0.5 | Wht |
| Y70170000RAF | 24 | 1 | 3spkLC-B | 1.125 | 0.5 | Blk |
| Y70170000RAG | 24 | 1 | 3spkLC-B | 1.125 | 0.5 | Red |
| Y7018XXXXRAA | 24 | 1 | 3spkLC-B | 1.125 | 0.5 | Blk |

 Polyurethane Tire
 Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|----------------|------------------|-------------------|
| UXXXX0001AAA | 27 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0002AAA | 6 | 1.5 | - | Smooth | - | - | Blk |
| UXXXX0003AAA | 14 | 2 | - | Block | - | - | Dk Gry |
| UXXXX0004AAA | 9 | 2 | - | Smooth | - | - | Dk Gry |
| UXXXX0005AAA | 9 | 2 | - | Smooth | - | - | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|----------------|------------------|-------------------|
| UXXXX0006AAA | 24 | 1 | - | Pyramid | - | - | Lt Gry |
| UXXXX0007AAB | 20.5 | 2.125 | - | Knobby | - | - | Blk |
| UXXXX0009AAA | 14 | 3 | - | Smooth | - | - | Blk |
| UXXXX0011AAA | 4 | 1 | - | Smooths | - | - | Blk |
| UXXXX0011AAB | 4 | 1 | - | Smooth | - | - | Red |
| UXXXX0011AAC | 4 | 1 | - | Smooth | - | - | Ylw |
| UXXXX0011AAD | 4 | 1 | - | Smooth | - | - | Blu |
| UXXXX0011AAE | 4 | 1 | - | Smooth | - | - | Blk |
| UXXXX0012AAB | 4 | 1 | - | Smooth | - | - | Blk |
| UXXXX0012AAC | 4 | 1 | - | Smooth | - | - | Red |
| UXXXX0012AAD | 4 | 1 | - | Smooth | - | - | Blu |

| | | | | | | | |
|------------------------------|-----|------|---|---------|---|---|--------|
| UXXXX0014AAA | 4.3 | 1.25 | - | Smooth | - | - | Blk |
| UXXXX0014AAB | 4.3 | 1.25 | - | Smooth | - | - | Red |
| UXXXX0014AAC | 4.3 | 1.25 | - | Smooth | - | - | Ylw |
| UXXXX0014AAD | 4.3 | 1.25 | - | Smooth | - | - | Blu |
| UXXXX0014AAE | 4.3 | 1.25 | - | Smooth | - | - | Blk |
| UXXXX0015AAA | 5 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0016AAA | 5 | 1 | - | Round | - | - | Dk Gry |
| UXXXX0016AAB | 5 | 1 | - | Smooth | - | - | Red |
| UXXXX0016AAC | 5 | 1 | - | Smooth | - | - | Ylw |
| UXXXX0016AAD | 5 | 1 | - | Smooth | - | - | Blu |
| UXXXX0017AAA | 5 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0018AAA | 5 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0020AAA | 5 | 1.5 | - | Oval | - | - | Dk Gry |
| UXXXX0020AAC | 5 | 1.5 | - | Oval | - | - | Ylw |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|----------------|------------------|-------------------|
| UXXXX0020AAD | 5 | 1.5 | - | Oval | - | - | Blu |
| UXXXX0020AAE | 5 | 1.5 | - | Oval | - | - | Blk |
| UXXXX0021AAA | 6 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0023AAA | 6 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0024AAA | 6 | 1.25 | - | Rib | - | - | Dk Gry |
| UXXXX0024AAB | 6 | 1.25 | - | Rib | - | - | Lt Gry |
| UXXXX0024AAD | 6 | 1.25 | - | Rib | - | - | Ylw |
| UXXXX0024AAF | 6 | 1.25 | - | Rib | - | - | Blk |
| UXXXX0024AAG | 6 | 1.25 | - | Rib | - | - | Blk |
| UXXXX0025AAA | 6 | 1.25 | - | Rib | - | - | Dk Gry |
| UXXXX0026AAA | 6 | 1.25 | - | Rib | - | - | Lt Gry |
| UXXXX0026AAB | 6 | 1.25 | - | Rib | - | - | Dk Gry |
| UXXXX0027AAA | 6 | 1.5 | - | Oval | - | - | Dk Gry |
| UXXXX0027AAC | 6 | 1.5 | - | Oval | - | - | Ylw |
| UXXXX0028AAA | 6 | 1.25 | - | Smooth | - | - | Blk |
| UXXXX0029AAA | 6 | 2 | - | Rib | - | LT Gry | Lt Gry |
| UXXXX0029AAC | 6 | 2 | - | Rib | - | - | Lt Gry |
| UXXXX0030AAA | 6 | 2 | - | Rib | - | - | Lt Gry |
| UXXXX0031AAB | 6 | 2 | - | Smooth | - | - | Blk |
| UXXXX0032AAA | 6.75 | 2 | - | Rib | - | - | Lt Gry |
| UXXXX0033AAA | 7 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0033AAB | 7 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0033AAC | 7 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0034AAA | 7 | 1 | - | Rib | - | - | Dk Gry |
| UXXXX0037AAA | 7.5 | 1.6 | - | Oval | - | - | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|----------------|------------------|-------------------|
| UXXXX0037AAC | 7.5 | 1.6 | - | Oval | - | - | Dk Gry |
| UXXXX0038AAA | 7 | 2 | - | Rib | - | - | Dk Gry |
| UXXXX0039AAA | 8 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0041AAA | 8 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0041AAB | 8 | 1 | - | Smooth | - | - | Blk |
| UXXXX0043AAA | 8 | 1.25 | - | Rib | - | - | Dk Gry |
| UXXXX0043AAB | 8 | 1.25 | - | Rib | - | - | Lt Gry |
| UXXXX0043AAC | 8 | 1.25 | - | Rib | - | - | Dk Gry |
| UXXXX0043AAE | 8 | 1.25 | - | Rib | - | - | Lt Gry |
| UXXXX0043AAF | 8 | 1.25 | - | Rib | - | - | Dk Gry |
| UXXXX0044AAA | 8 | 1.75 | - | 2rib | - | - | Dk Gry |
| UXXXX0044AAC | 8 | 1.75 | - | 2rib | - | - | Lt Gry |
| UXXXX0045AAA | 8 | 2 | - | Smooth | - | - | Dk Gry |
| UXXXX0045AAB | 8 | 2 | - | Smooth | - | - | Dk Gry |
| UXXXX0046AAA | 8 | 2 | - | Rib | - | - | Dk Gry |
| UXXXX0046AAB | 8 | 2 | - | Rib | - | - | Lt Gry |
| UXXXX0046AAC | 8 | 2 | - | Rib | - | - | Blu |
| UXXXX0047AAA | 8 | 2 | - | Rib | - | - | Lt Gry |
| UXXXX0047AAB | 8 | 2 | - | Rib | - | - | Lt Gry |

| UXXXX0047AAD | 8 | 2 | - | Rib | - | - | Lt Gry |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0047AAE | 8 | 2 | - | Rib | - | - | Lt Gry |
| UXXXX0048AAB | 8 | 2 | - | Rib | - | - | Dk Gry |
| UXXXX0050AAA | 8 | 1.75 | - | Rib | - | - | Dk Gry |
| UXXXX0051AAA | 8 | 1.75 | - | Rib | - | - | Lt Gry |
| UXXXX0051AAB | 8 | 1.75 | - | Rib | - | - | Dk Gry |
| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
| UXXXX0051AAC | 8 | 1.75 | - | Rib | - | - | Lt Gry |
| UXXXX0052AAA | 10 | 3 | - | Rib | - | - | Dk Gry |
| UXXXX0053AAA | 10.5 | 1.5 | - | Rib | - | - | Dk Gry |
| UXXXX0054AAA | 11.5 | 1.5 | - | Rib | - | - | Dk Gry |
| UXXXX0054AAB | 11.5 | 1.5 | - | Rib | - | - | Blk |
| UXXXX0054AAD | 11.5 | 1.5 | - | Rib | - | - | Lt Gry |
| UXXXX0055AAA | 12.5 | 2 | - | Smooth | - | - | Dk Gry |
| UXXXX0056AAA | 12.5 | 2.25 | - | Knobby | - | - | Dk Gry |
| UXXXX0056AAB | 12.5 | 2.25 | - | Knobby | - | - | Lt Gry |
| UXXXX0057AAA | 12.5 | 2.25 | - | Street | - | - | Dk Gry |
| UXXXX0058AAA | 14 | 1.5 | - | Street | - | - | Dk Gry |
| UXXXX0059AAA | 14 | 1.5 | - | Smooth | - | - | Dk Gry |
| UXXXX0060AAA | 16 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0060AAB | 16 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0060AAC | 16 | 1.75 | - | Street | - | - | Blk |
| UXXXX0060AAD | 16 | 1.75 | - | Street | - | - | Lt Gry |
| UXXXX0060AAE | 16 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0060AAF | 16 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0061AAA | 18 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0062AAA | 20 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0062AAB | 20 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0063AAA | 20 | 1.375 | - | Touring | - | - | Lt Gry |
| UXXXX0063AAB | 20 | 1.375 | - | Touring | - | - | Dk Gry |
| UXXXX0064AAA | 20 | 1.25 | - | Street | - | - | Dk Gry |
| UXXXX0064AAB | 20 | 1.25 | - | Street | - | - | Dk Gry |
| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
| UXXXX0064AAC | 20 | 1.25 | - | Street | - | - | Lt Gry |
| UXXXX0064AAE | 20 | 1.25 | - | Street | - | - | Pnk |
| UXXXX0064AAG | 20 | 1.25 | - | Street | - | - | Blk |
| UXXXX0064AAH | 20 | 1.25 | - | Street | - | - | Blu |
| UXXXX0065AAA | 20 | 1.5 | - | Street | - | - | Dk Gry |
| UXXXX0066AAA | 20 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0066AAB | 20 | 1.75 | - | Street | - | - | Blk |
| UXXXX0066AAC | 20 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0066AAE | 20 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0067AAA | 20 | 2.125 | - | Lug | - | - | Dk Gry |
| UXXXX0067AAC | 20 | 2.125 | - | Lug | - | - | Dk Gry |
| UXXXX0068AAA | 20 | 2.75 | - | All Terrain | - | - | Dk Gry |
| UXXXX0069AAA | 22 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0069AAB | 22 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0069AAC | 22 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0070AAA | 22 | 1.25 | - | Street | - | - | Dk Gry |
| UXXXX0071AAA | 22 | 1.25 | - | Street | - | - | Lt Gry |
| UXXXX0071AAB | 22 | 1.25 | - | Street | - | - | Dk Gry |
| UXXXX0071AAC | 22 | 1.375 | - | Street | - | - | Lt Gry |
| UXXXX0072AAB | 22 | 1.65 | - | Chevron | - | - | Dk Gry |
| UXXXX0072AAC | 22 | 1.65 | - | Chevron | - | - | Blk |
| UXXXX0072AAD | 22 | 1.65 | - | Chevron | - | - | Red |
| UXXXX0072AAF | 22 | 1.65 | - | Chevron | - | - | Blu |
| UXXXX0072AAI | 22 | 1.375 | - | Chevron | - | - | Dk Gry |
| UXXXX0072AAJ | 22 | 1.375 | - | Chevron | - | - | Blk |
| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |

| | | | | | | | |
|------------------------------|----|-------|---|-------------|---|---|---------|
| UXXXX0072AAK | 22 | 1.65 | - | Herringbone | - | - | Pnk |
| UXXXX0072AAO | 22 | 1.65 | - | Herringbone | - | - | Blk |
| UXXXX0072AAP | 22 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0073AAA | 22 | 1.375 | - | Touring | - | - | Dk Gry |
| UXXXX0073AAB | 22 | 1.375 | - | Touring | - | - | Lt Gry |
| UXXXX0073AAC | 22 | 1.375 | - | Touring | - | - | Med Gry |
| UXXXX0073AAD | 22 | 1.375 | - | Touring | - | - | Lt Gry |
| UXXXX0074AAA | 22 | 1.375 | - | Street | - | - | Dk Gry |
| UXXXX0074AAB | 22 | 1.375 | - | Street | - | - | Lt Gry |
| UXXXX0074AAC | 22 | 1.375 | - | Street | - | - | Lt Gry |
| UXXXX0074AAD | 22 | 1.375 | - | Street | - | - | Dk Gry |
| UXXXX0075AAA | 22 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0076AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0077AAB | 24 | 1 | - | Pyramid | - | - | Lt Gry |
| UXXXX0077AAC | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0078AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0078AAB | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0078AAC | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0079AAB | 24 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0080AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0082AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0082AAB | 24 | 1 | - | Pyramid | - | - | Lt Gry |
| UXXXX0082AAC | 26 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0082AAD | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0082AAG | 24 | 1 | - | Pyramid | - | - | Blu |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0083AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0084AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0085AAA | 24 | 1 | - | Turbo | - | - | Dk Gry |
| UXXXX0085AAC | 25 | 1 | - | Turbo | - | - | Dk Gry |
| UXXXX0085AAD | 26 | 1 | - | Turbo | - | - | Dk Gry |
| UXXXX0085AAE | 25 | 1 | - | Turbo | - | - | Lt Gry |
| UXXXX0085AAF | 25 | 1 | - | Turbo | - | - | Lt Gry |
| UXXXX0086AAA | 24 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0086AAC | 26 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0087AAA | 24 | 1.25 | - | Street | - | - | Dk Gry |
| UXXXX0087AAB | 24 | 1.25 | - | Street | - | - | Lt Gry |
| UXXXX0087AAC | 24 | 1.25 | - | Street | - | - | Lt Gry |
| UXXXX0087AAE | 24 | 1.25 | - | Street | - | - | Lt Gry |
| UXXXX0088AAA | 24 | 1.5 | - | Street | - | - | Dk Gry |
| UXXXX0089AAA | 24 | 1.375 | - | Touring | - | - | Dk Gry |
| UXXXX0089AAB | 24 | 1.375 | - | Touring | - | - | Dk Gry |
| UXXXX0089AAC | 24 | 1.375 | - | Touring | - | - | Lt Gry |
| UXXXX0089AAD | 26 | 1.375 | - | Touring | - | - | Dk Gry |
| UXXXX0089AAE | 25 | 1.375 | - | Touring | - | - | Dk Gry |
| UXXXX0089AAF | 25 | 1.375 | - | Touring | - | - | Blk |
| UXXXX0089AAG | 24 | 1.375 | - | Touring | - | - | Dk Gry |
| UXXXX0089AAH | 24 | 1.375 | - | Touring | - | - | Lt Gry |
| UXXXX0090AAA | 14 | 3 | - | Knobby | - | - | Dk Gry |
| UXXXX0090AAB | 14 | 3 | - | Knobby | - | - | Lt Gry |
| UXXXX0091AAA | 14 | 3 | - | Knobby | - | - | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0093AAA | 14 | 3 | - | Knobby | - | - | Lt Gry |
| UXXXX0094AAA | 14 | 3 | - | VTrack | - | - | Lt Gry |
| UXXXX0094AAC | 14 | 3 | - | VTrack | - | - | Lt Gry |
| UXXXX0095AAA | 14 | 3 | - | Knobby | - | - | Lt Gry |
| UXXXX0095AAB | 14 | 3 | - | Knobby | - | - | Dk Gry |
| UXXXX0096AAA | 8 | 2.5 | - | Sawtooth | - | - | Blk |
| UXXXX0096AAB | 8 | 2.5 | - | Sawtooth | - | - | Lt Gry |
| UXXXX0098AAA | 10 | 3 | - | Sawtooth | - | - | Blk |

| | | | | | | | |
|------------------------------|------|-----|---|--------|---|--------|--------|
| UXXXX0099AAA | 10 | 3 | - | Rib | - | - | Blk |
| UXXXX0099AAB | 10 | 3 | - | Rib | - | - | Blk |
| UXXXX0100AAA | 14 | 4 | - | Rib | - | - | Blk |
| UXXXX0102AAA | 9 | 3 | - | Smooth | - | - | Blk |
| UXXXX0103AAB | 9 | 2.8 | - | Rib | - | - | Lt Gry |
| UXXXX0103AAD | 9 | 2.8 | - | Rib | - | - | Blk |
| UXXXX0105AAA | 8.5 | 2 | - | Lug | - | - | Dk Gry |
| UXXXX0106AAA | 9 | 2.8 | - | Lug | - | - | Dk Gry |
| UXXXX0107AAA | 9 | 3 | - | Lug | - | - | Dk Gry |
| UXXXX0108AAA | 10 | 3 | - | Lug | - | - | Dk Gry |
| UXXXX0108AAB | 10 | 3 | - | Lug | - | - | Dk Gry |
| UXXXX0108AAD | 10 | 2 | - | Lug | - | - | Dk Gry |
| UXXXX0109AAA | 10.5 | 3 | - | Lug | - | - | Dk Gry |
| UXXXX0110AAA | 10.5 | 3 | - | Lug | - | - | Dk Gry |
| UXXXX0111AAA | 6 | 1 | - | Smooth | - | Dk Gry | Dk Gry |
| UXXXX0112AAA | 6 | 1 | - | Smooth | - | Dk Gry | Dk Gry |
| UXXXX0113AAA | 8 | 1 | - | Smooth | - | - | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0114AAA | 8 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0115AAA | 12 | 2.25 | - | Smooth | - | - | Dk Gry |
| UXXXX0115AAB | 12 | 2.25 | - | Smooth | - | - | Wht |
| UXXXX0116AAA | 12 | 2.25 | - | Smooth | - | - | Dk Gry |
| UXXXX0117AAA | 16 | 1.75 | - | Smooth | - | - | Dk Gry |
| UXXXX0118AAA | 20 | 1.75 | - | Smooth | - | - | Dk Gry |
| UXXXX0119AAA | 20 | 1.25 | - | Smooth | - | - | Dk Gry |
| UXXXX0119AAC | 20 | 2.125 | - | Smooth | - | - | Wht |
| UXXXX0119AAE | 18 | 1.25 | - | Smooth | - | - | Dk Gry |
| UXXXX0119AAF | 20 | 1.25 | - | Smooth | - | - | Wht |
| UXXXX0120AAA | 20 | 2.125 | - | Smooth | - | - | Dk Gry |
| UXXXX0121AAA | 20 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0121AAB | 20 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0122AAA | 22 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0122AAB | 22 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0123AAA | 24 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0123AAB | 24 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0123AAC | 24 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0123AAE | 26 | 1.375 | - | Smooth | - | - | Wht |
| UXXXX0124AAA | 24 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0125AAA | 24 | 1.75 | - | Smooth | - | - | Dk Gry |
| UXXXX0126AAA | 24 | 2.125 | - | Smooth | - | - | Dk Gry |
| UXXXX0126AAB | 24 | 2 | - | Smooth | - | - | Dk Gry |
| UXXXX0128AAA | 25 | 1.375 | - | Smooth | - | - | Dk Gry |
| UXXXX0129AAA | 24 | 1 | - | Herringbone | - | - | Dk Gry |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0129AAB | 24 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129AAC | 24 | 1 | - | Herringbone | - | - | Red |
| UXXXX0129AAD | 24 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129AAE | 24 | 1 | - | Herringbone | - | - | Blu |
| UXXXX0129AAF | 24 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129AAH | 24 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129AAJ | 24 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129AAL | 24 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129AAM | 24 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0129AAN | 24 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129AAP | 24 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129AAR | 24 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129AAS | 24 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0129AAT | 24 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129AAU | 24 | 1 | - | Herringbone | - | - | Red |

| | | | | | | | |
|------------------------------|----|---|---|-------------|---|---|--------|
| UXXXX0129AAV | 24 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129AAW | 24 | 1 | - | Herringbone | - | - | Blu |
| UXXXX0129AAX | 25 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129AAY | 25 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0129AAZ | 25 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ABA | 25 | 1 | - | Herringbone | - | - | Red |
| UXXXX0129ABB | 25 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129ABC | 25 | 1 | - | Herringbone | - | - | Blu |
| UXXXX0129ABD | 25 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ABF | 25 | 1 | - | Herringbone | - | - | Blk |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0129ABH | 25 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129ABJ | 25 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ABL | 25 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129ABN | 25 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129ABO | 25 | 1 | - | Herringbone | - | - | Blu |
| UXXXX0129ABP | 25 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ABR | 25 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129ABT | 25 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129ABU | 25 | 1 | - | Herringbone | - | - | Blu |
| UXXXX0129ABV | 25 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ABW | 26 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0129ABX | 26 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129ABY | 26 | 1 | - | Herringbone | - | - | Red |
| UXXXX0129ACA | 26 | 1 | - | Herringbone | - | - | Blu |
| UXXXX0129ACB | 26 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ACD | 26 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129ACF | 26 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129ACJ | 26 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129ACL | 26 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129ACN | 26 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ACO | 26 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0129ACP | 26 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0129ACQ | 26 | 1 | - | Herringbone | - | - | Red |
| UXXXX0129ACR | 26 | 1 | - | Herringbone | - | - | Ylw |
| UXXXX0129ACS | 26 | 1 | - | Herringbone | - | - | Blu |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------------|-------------|--------------|-------------|---------|-----------|------------|
| UXXXX0129ACT | 26 | 1 | - | Herringbone | - | - | Lt Gry |
| UXXXX0129ACU | 24 | 1 | - | Herringbone | - | - | Pnk |
| UXXXX0129ACV | 25 | 1 | - | Herringbone | - | - | Pnk |
| UXXXX0129ACW | 26 | 1 | - | Herringbone | - | - | Pnk |
| UXXXX0129ACX | 24 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0135AAA | 5 | 1 | Hollow3spk-A | Oval | 0.3125 | Blk | Dk Gry |
| UXXXX0226AAA | 12 | 3 | - | Knobby | - | - | Lt Gry |
| UXXXX0229AAA | 14 | 3 | - | Knobby | - | - | Lt Gry |
| UXXXX0243AAA | 14 | 3 | - | Knobby | - | - | Lt Gry |
| UXXXX0260AAA | Obsolete M00900441AAA | - | - | - | - | - | - |
| UXXXX0261AAA | 8.5 | 2 | - | Lug | - | - | Blk |
| UXXXX0300AAA | 16 | 4 | - | Diamond | - | - | Blk |
| UXXXX0301AAA | 24 | 1 | - | Pyramid | - | - | Blk |
| UXXXX0448AAA | 24 | 1 | - | Pyramid | - | - | Blk |
| UXXXX0453AAA | 8 | 1 | - | Smooth | - | - | Lt Gry |
| UXXXX0455AAA | 5 | 1 | - | Smooth | - | - | Blk |
| UXXXX0456AAA | 6 | 1.5 | - | Smooth | - | - | Lt Gry |
| UXXXX0457AAA | 6 | 2 | - | Smooth | - | - | Blk |
| UXXXX0459AAA | 8 | 1.75 | - | Rib | - | - | Lt Gry |
| UXXXX0460AAA | 8 | 2 | - | Smooth | - | - | Blk |
| UXXXX0461AAA | 8 | 2 | - | Smooth | - | - | Lt Gry |
| UXXXX0462AAA | 12.5 | 2.25 | - | Knobby | - | - | Blk |

| | | | | | | | |
|------------------------------|----|------|---|--------|---|---|--------|
| UXXXX0463AAA | 20 | 1.25 | - | Street | - | - | Lt Gry |
| UXXXX0464AAA | 20 | 1.75 | - | Knobby | - | - | Blk |
| UXXXX0465AAA | 20 | 1.75 | - | Knobby | - | - | Blk |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0467AAA | 20 | 1.375 | - | Street | - | - | Lt Gry |
| UXXXX0468AAA | 22 | 1.375 | - | Street | - | - | Lt Gry |
| UXXXX0469AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0470AAA | 24 | 1.375 | - | Herringbone | - | - | Lt Gry |
| UXXXX0471AAA | 12 | 2.125 | - | Smooth | - | - | Dk Gry |
| UXXXX0472AAA | 16 | 1.75 | - | Smooth | - | - | Wht |
| UXXXX0479AAA | 26 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0481AAA | 24 | 1 | - | Street | - | - | Dk Gry |
| UXXXX0483AAA | 24 | 1.5 | - | Street | - | - | Lt Gry |
| UXXXX0484AAA | 24 | 1 | - | Pyramid | - | - | Dk Gry |
| UXXXX0533AAA | 26 | 1.25 | - | Smooth | - | - | Wht |
| UXXXX0534AAA | 4 | 1 | - | Smooth | - | - | Dk Gry |
| UXXXX0535AAA | 14 | 2.125 | - | Smooth | - | - | Dk Gry |
| UXXXX0535AAB | 14 | 2.125 | - | Smooth | - | - | Wht |
| UXXXX0600AAA | 24 | 1 | - | All Terrain | - | - | Pnk |
| UXXXX0601AAA | 24 | 1 | - | All Terrain | - | - | Dk Gry |
| UXXXX0601AAB | 24 | 1 | - | All Terrain | - | - | Blk |
| UXXXX0601AAC | 24 | 1 | - | All Terrain | - | - | Red |
| UXXXX0601AAD | 24 | 1 | - | All Terrain | - | - | Ylw |
| UXXXX0601AAE | 24 | 1 | - | All Terrain | - | - | Blu |
| UXXXX0601AAF | 24 | 1 | - | All Terrain | - | - | Lt Gry |
| UXXXX0601AAG | 24 | 1 | - | All Terrain | - | - | Pnk |
| UXXXX0601AAH | 25 | 1 | - | All Terrain | - | - | Dk Gry |
| UXXXX0601AAI | 25 | 1 | - | All Terrain | - | - | Blk |
| UXXXX0601AAJ | 25 | 1 | - | All Terrain | - | - | Red |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0601AAK | 25 | 1 | - | All Terrain | - | - | Ylw |
| UXXXX0601AAL | 25 | 1 | - | All Terrain | - | - | Blu |
| UXXXX0601AAM | 25 | 1 | - | All Terrain | - | - | Lt Gry |
| UXXXX0601AAN | 25 | 1 | - | All Terrain | - | - | Pnk |
| UXXXX0601AAP | 26 | 1 | - | All Terrain | - | - | Dk Gry |
| UXXXX0601AAQ | 26 | 1 | - | All Terrain | - | - | Blk |
| UXXXX0601AAR | 26 | 1 | - | All Terrain | - | - | Red |
| UXXXX0601AAS | 26 | 1 | - | All Terrain | - | - | Ylw |
| UXXXX0601AAT | 26 | 1 | - | All Terrain | - | - | Blu |
| UXXXX0601AAU | 26 | 1 | - | All Terrain | - | - | Lt Gry |
| UXXXX0601AAV | 26 | 1 | - | All Terrain | - | - | Pnk |
| UXXXX0601AAW | 24 | 1 | - | All Terrain | - | - | Blk |
| UXXXX0601AAX | 24 | 1 | - | Herringbone | - | - | Dk Gry |
| UXXXX0602AAA | 6 | 2 | - | Rib | - | - | Blk |
| UXXXX0603AAA | 10.5 | 3 | - | Lug | - | - | Dk Gry |
| UXXXX0604AAA | 10 | 3 | - | Sawtooth | - | - | Blk |
| UXXXX0605AAA | 20 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0605AAB | 20 | 1 | - | Herringbone | - | - | Blu |
| UXXXX0605AAC | 20 | 1 | - | Herringbone | - | - | Pnk |
| UXXXX0606AAA | 10 | 3 | - | Knobby | - | - | Dk Gry |
| UXXXX0607AAA | 10 | 3 | - | Aqua | - | - | Lt Gry |
| UXXXX0607AAB | 10 | 3 | - | Aqua | - | - | Dk Gry |
| UXXXX0610AAA | 20 | 1.75 | - | Street | - | - | Dk Gry |
| UXXXX0611AAA | 24 | 1 | - | Street | - | - | Blk |
| UXXXX0612AAA | 24 | 1 | - | Herringbone | - | - | Blk |

| Part Number | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|---------|-----------|------------|
| UXXXX0613AAA | 25 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0614AAA | 26 | 1 | - | Herringbone | - | - | Blk |
| UXXXX0615AAA | 8 | 2.5 | - | Rib | - | - | Blk |

Ordering Information

To place an order, please contact our knowledgeable and professional customer service team:

- PHONE: 800-479-4335
- EMAIL: customerservice@cewmail.com

If you cannot find what you need or require a custom part, simply call and speak to one of our knowledgeable wheel specialists. They can walk you through the ordering process quickly and professionally.