

Flat Free PU**Polyurethane Wheel Assembly**

Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|--------------------|----------------|------------------|-------------------|
| M00010011AAA | 4 | 1 | A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010012AAA | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010012AAB | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Blk |
| M00010012AAC | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Red |
| M00010012AAD | 4 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blu |
| M00010014AAA | 4.3 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010014AAB | 4.3 | 1 | Hollow3spk-A | Smooth | 0.806 | 1 | Blk | Blk |
| M00010015AAA | 5 | 1 | Hollow3spk-A | Pyramid | 1 | 0.3125 | Blk | Dk Gry |
| M00010015AAB | 5 | 1 | Hollow3spk-A | Pyramid | 1 | 0.3125 | Blk | Dk Gry |
| M00010015AAC | 5 | 1 | Hollow3spk-A | Pyramid | 1 | 0.75 | Blk | Dk Gry |
| M00010016AAA | 5 | 1 | Hollow3spk-A | Smooth | 1 | 0.75 | Blk | Dk Gry |
| M00010016AAB | 5 | 1 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Dk Gry |
| M00010016AAC | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Dk Gry |
| M00010016AAD | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Red |
| M00010016AAE | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Ylw |
| M00010016AAF | 5 | 1 | Hollow3spk-A | Smooth | 0.975 | 0.3125 | Blk | Blu |
| M00010016AAG | 5 | 1 | Hollow3spk-A | Smooth | 0.806 | 1 | Blk | Red |
| M00010020AAA | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Blk |
| M00010020AAB | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Red |

| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|--------------------|----------------|------------------|-------------------|
| M00010020AAC | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Ylw |
| M00010020AAD | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Blu |
| M00010020AAE | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Dk Gry |
| M00010020AAF | 5 | 1.5 | Hollow3spk-A | Oval | 0.975 | 0.3125 | Blk | Blk |
| M00010024AAA | 6 | 1.25 | Hollow3spk-A | Pyramid | 0.975 | 0.3125 | Blk | Dk Gry |
| M00010024AAC | 6 | 1.25 | Hollow3spk-A | Rib | 0.975 | 0.3125 | Blk | Ylw |
| M00010024AAE | 6 | 1.25 | Hollow3spk-A | Rib | 0.975 | 0.3125 | Blk | Blk |
| M00010024AAF | 6 | 1.25 | Hollow3spk-A | Rib | 0.975 | 0.875 | Blk | Blk |
| M00010027AAD | 6 | 1.5 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Blk |
| M00010027AAE | 6 | 1.5 | Hollow3spk-A | Smooth | 1 | 0.3125 | Blk | Dk Gry |
| M00010027AAF | 6 | 1.5 | Hollow3spk-A | Smooth | 1 | 0.875 | Blk | Blk |
| M00020029AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020029AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020029AAD | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020038AAA | 7 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Lt Gry |
| M00020045AAA | 8 | 2 | 2pc-A | Smooth | 2.9 | 0.4375 | Blk | Dk Gry |
| M00020046AAA | 8 | 2 | 2pc-A | Rib | 0.906 | 0.375 | Blk | Lt Gry |
| M00020046AAB | 8 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Dk Gry |
| M00020046AAC | 8 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00020047AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |
| M00020048AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |
| M00020048AAC | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Dk Gry |
| M00020048AAD | 8 | 2 | 2pc-A | Smooth | 2.43 | 0.4375 | Blk | Blk |
| M00020048AAE | 8 | 2 | 2pc-A | Rib | 2.43 | 0.875 | Blk | Lt Gry |
| M00020457AAA | 6 | 2 | 2pc-A | Rib | 1 | 0.875 | Blk | Blk |

| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|------------------|--------------------|--------------------|----------------|------------------|-------------------|
| M00020513AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Blk |
| M00020513AAB | 8 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Blk | Lt Gry |
| M00020602AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Blk | Blk |
| M00030029AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Dk Gry |
| M00030029AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Lt Gry |
| M00030032AAA | 6 | 2 | 2pc-A | Rib | 0.806 | 1 | Blk | Lt Gry |
| M00030038AAA | 7 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Dk Gry |
| M00030038AAB | 7 | 2 | 2pc-A | Rib | 1 | 0.75 | Blk | Blk |
| M00030045AAB | 8 | 2 | 2pc-A | Smooth | 2.4 | 0.3125 | Blk | Dk Gry |

| | | | | | | | | |
|------------------------------|---|---|--------|-----|-------|--------|---------|--------|
| M00030046AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00030048AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00030048AAB | 8 | 2 | 5Spk-A | Rib | 0.906 | 0.3125 | Blk | Lt Gry |
| M00030457AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.75 | Blk | Blk |
| M00030457AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.3125 | Blk | Blk |
| M00030457AAC | 6 | 2 | 2pc-A | Rib | 0.806 | 1 | Blk | Blk |
| M00040031AAA | 8 | 2 | 2pc-A | Rib | 2.43 | 1.375 | Blk | Lt Gry |
| M00040031AAB | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Slvr | Lt Gry |
| M00040031AAC | 8 | 2 | 2pc-A | Rib | 2.43 | 1.375 | Blk | Lt Gry |
| M00040031AAD | 6 | 2 | 2pc-A | Rib | 2.4 | 0.625 | Slvr | Blk |
| M00040031AAF | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Blk | Blk |
| M00040047AAA | 8 | 2 | 2pc-A | Rib | 2.4 | 0.906 | Blk | Lt Gry |
| M00050031AAA | 6 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |
| M00050031AAB | 6 | 2 | 2pc-A | Rib | 2.43 | 0.3125 | Blk | Lt Gry |
| M00050031AAC | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Pnt Slv | Lt Gry |
| M00050031AAD | 8 | 2 | 2pc-A | Rib | 2.43 | 0.4375 | Blk | Lt Gry |

| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|---------------------|--------------------|--------------------|----------------|------------------|-------------------|
| M00050031AAF | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Slvr | Lt Gry |
| M00050031AAF | 6 | 2 | 2pc-A | Smooth | 2.4 | 0.875 | Blk | Blk |
| M00050031AAG | 6 | 2 | 2pc-A | Rib | 2.4 | 0.4375 | Slvr | Blk |
| M00060043AAA | 8 | 1.25 | 3Spk-D | Rib | 1.495 | 0.3125 | Blk | Dk Gry |
| M00060044AAA | 8 | 1.75 | 3Spk-D | 2rib | 1.495 | 0.3125 | Blk | Dk Gry |
| M00500016AAF | 5 | 1 | Hollow3spk-A Round | | 0.866 | 0.3125 | Blk | Dk Gry |
| M00500020AAF | 5 | 1 | Hollow3spk-A Oval | | 0.866 | 0.3125 | Blk | Dk Gry |
| M00500024AAF | 6 | 1.25 | Hollow3spk-A Rib | | 0.866 | 0.3125 | Blk | Lt Gry |
| M00500027AAF | 6 | 1 | Hollow3spk-A Oval | | 0.866 | 0.3125 | Blk | Dk Gry |
| M00510025AAA | 5 | 1 | 8spk-B | Rib | 0.866 | 0.3125 | Blk | Dk Gry |
| M00520019AAA | 5 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00520026AAA | 5 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00540021AAA | 6 | 1.5 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00550041AAA | 8 | 1.5 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00550041AAB | 8 | 1 | 5Spk-A | Smooth | 1.5 | 0.75 | Blk | Dk Gry |
| M00560037AAA | 8 | 1.5 | Hollow3spk-A Oval | | 1.5 | 0.3125 | Blk | Dk Gry |
| M00600043AAA | 8 | 1.25 | 8Spk-A | Rib | 0.906 | 0.3125 | Blk | Dk Gry |
| M00600044AAB | 8 | 1 | 5Spk-A | Rib | 1 | 0.3125 | Blk | Dk Gry |
| M00680011AAA | 4 | 1 | 3Spk-A | Smooth | 1 | 0.75 | Blk | Red |
| M00680011AAB | 4 | 1 | Hollow3spk-A Smooth | | 1 | 0.75 | Blk | Ylw |
| M00680011AAF | 4 | 1 | Hollow3spk-A Smooth | | 0.866 | 0.3125 | Blk | Blk |
| M00680011AAF | 4 | 1 | Hollow3spk-A Smooth | | 1 | 0.75 | Blk | Blk |
| M00680014AAA | 4 | 1.25 | Hollow3spk-A Smooth | | 1 | 0.75 | Blk | Red |
| M00680014AAB | 4 | 1.25 | Hollow3spk-A Smooth | | 1 | 0.75 | Blk | Ylw |
| M00680014AAC | 4 | 1.25 | Hollow3spk-A Smooth | | 1 | 0.75 | Blk | Blu |

| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|-----------------|--------------------|---------------------|--------------------|--------------------|----------------|------------------|-------------------|
| M00680014AAD | 4 | 1.25 | Hollow3spk-A Smooth | | 1 | 0.75 | Blk | Blk |
| M00680014AAF | 4 | 1.25 | Hollow3spk-A Smooth | | 0.866 | 0.3125 | Blk | Blk |
| M00690033AAA | 8 | 1.25 | 5Spk-A | Smooth | 1 | 0.3125 | Blk | Dk Gry |
| M00700103AAA | 9 | 3 | 2pc-A | Rib | 2.25 | 1.375 | Blk | Dk Gry |
| M00730054AAA | 11.5 | 1.5 | 5Spk-A | Street | 1.5 | 0.5 | Blk | Dk Gry |
| M00730056AAA | 12.5 | 2.25 | 5Spk-A | Knobby | 1.125 | 0.5 | Blk | Lt Gry |
| M00740003AAA | 14 | 2 | 3Spk-A | Block | 2 | 1.125 | Blk | Dk Gry |
| M00740054AAA | 12.5 | 2.25 | Rib | Idle | 2.125 | 0.5 | Blk | Lt Gry |
| M00740056AAA | 12.5 | 2.25 | 3Spk-D | Knobby | 2.125 | 0.5 | Blk | Dk Gry |
| M00740056AAB | 12.5 | 2.25 | 3Spk-D | Knobby | 2.125 | 0.5 | Blk | Lt Gry |
| M00840056AAA | 12.5 | 2.25 | 5Spk-A | Knobby | 2.18 | 0.625 | Blk | Lt Gry |
| M00870060AAA | 16 | 1.6 | 5Spk-A | Street | 1.125 | 0.5 | Blk | Dk Gry |
| M00870060AAB | 16 | 1.75 | 5Spk-A | Street | 1.125 | 0.5 | Blk | Dk Gry |
| M00890036AAC | 7.5 | 1 | 8Spk-A | Smooth | 0.911 | 0.4375 | Blk | Dk Gry |
| M00930041AAA | 8 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M00930041AAB | 8 | 1 | 5Spk-A | Smooth | 0.906 | 0.4375 | Blk | Dk Gry |
| M00950033AAA | 8 | 1.25 | 8spk-C | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |

| | | | | | | | | |
|------------------------------|-----|------|--------|--------|-------|--------|-----|--------|
| M00950033AAB | 8 | 1 | 8spk-C | Smooth | 1.5 | 0.75 | Blk | Dk Gry |
| M00950035AAB | 8 | 1.25 | 8spk-C | Round | 0.866 | 0.3125 | Blk | Dk Gry |
| M00950035AAB | 8 | 1 | 8spk-C | Round | 1.5 | 0.75 | Blk | Dk Gry |
| M00950037AAA | 8 | 1.25 | 8spk-C | Oval | 0.866 | 0.3125 | Blk | Dk Gry |
| M00950037AAB | 7.5 | 1 | 8spk-C | Oval | 1.5 | 0.75 | Blk | Dk Gry |
| M00950043AAA | 8 | 1.25 | 8spk-C | Rib | 0.906 | 0.3125 | Blk | Dk Gry |
| M00950043AAD | 8 | 1.25 | 8spk-C | Rib | 1.5 | 0.75 | Blk | Dk Gry |
| M00950043AAE | 8 | 1 | 8spk-C | Smooth | 1.5 | 0.3125 | Blk | Dk Gry |

| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M00950044AAB | 8 | 1.75 | 8spk-C | Rib | 0.906 | 0.3125 | Blk | Dk Gry |
| M00950044AAC | 8 | 1 | 8spk-C | Rib | 1.5 | 0.75 | Blk | Dk Gry |
| M00960033AAA | 8 | 1.25 | 5Spk-A | Smooth | 1.5 | 0.3125 | Blk | Dk Gry |
| M00960036AAA | 8 | 1.25 | 5Spk-A | Round | 0.866 | 0.3125 | Blk | Dk Gry |
| M00960037AAA | 7.5 | 1 | 5Spk-A | Smooth | 0.866 | 0.3125 | Blk | Dk Gry |
| M03150036AAA | 7.5 | 1 | 8Spk-A | Smooth | 2.125 | 0.875 | Blk | Dk Gry |
| M04120040AAA | 8 | 1 | 8Spk-A | Pyramid | 1.5 | 0.3125 | Blk | Dk Gry |
| M04160043AAA | 8 | 1.25 | 5Spk-A | Rib | 1.5 | 0.75 | Blk | Dk Gry |
| M04210029AAA | 6 | 2 | 2pc-A | Rib | 2.4 | 0.875 | Blk | Dk Gry |
| M06500182RAA | 9.75 | 3 | X10-A | Sawtooth | 2.575 | 0.625 | Blk | Blk |
| M08860007RAA | 20 | 2 | 7Spk-A | Knobby | 2.285 | 0.625 | Blk | Blk |
| M08860007RAB | 20 | 2 | 7Spk-A | Knobby | 2.285 | 0.625 | Blk | Blk |
| M08860007WAA | 20 | 2 | 7Spk-A | Knobby | 2.285 | 0.625 | Blk | Blk |
| M70050000RAI | 24 | 1 | 5SpkLC-B | - | 2.125 | 0.5 | Blk | Dk Gry |
| M70050087AAA | 24 | 1 | 5SpkLC-B | Street | 3 | 0.5 | Blk | Dk Gry |
| M70050087AAB | 24 | 1 | 5SpkLC-B | Street | 3 | 0.5 | Blk | Lt Gry |
| M70050087AAC | 24 | 1 | 5SpkLC-B | Street | 1.125 | 0.5 | Wht | Dk Gry |
| M70050087AAD | 24 | 1 | 5SpkLC-B | Street | 1.125 | 0.5 | Blu | Dk Gry |
| M70050087AAE | 24 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70050087AAF | 24 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70050087AAG | 24 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70050089AAD | 24 | 1 | 5SpkLC-B | Touring | 2.125 | 0.5 | Blk | Dk Gry |
| M70050089AAG | 24 | 1 | 5SpkLC-B | Touring | 3 | 0.625 | Blk | Dk Gry |
| M70050089AAH | 24 | 1 | 5SpkLC-B | Street | 2.25 | 1.38 | Blk | Lt Gry |
| M70050089AAJ | 24 | 1 | 5SpkLC-B | Touring | 2.125 | 0.5 | Blk | Dk Gry |

| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
|------------------------------|----------|-------------|-----------|-------------|-------------|---------|-----------|------------|
| M70050089AAK | 24 | 1 | 5SpkLC-B | Touring | 2.25 | 1.25 | Blk | Lt Gry |
| M70050089AAL | 24 | 1 | 5SpkLC-B | Touring | 2.25 | 1.125 | Blk | Lt Gry |
| M70050129AAC | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.25 | Blk | Red |
| M70050129AAD | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.25 | Blk | Blk |
| M70050129AAE | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Blk |
| M70050129AAF | 24 | 1 | 5SpkLC-A | Herringbone | 3 | 0.5 | Blk | Blk |
| M70050129AAJ | 24 | 1 | 5SpkLC-A | Herringbone | 3 | 0.4375 | Blk | Blk |
| M70050129AAK | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blu | Blk |
| M70050129AAL | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Red | Blk |
| M70050129AAM | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Wht | Blk |
| M70050129AAN | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Blk |
| M70050129AAO | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Red |
| M70050129AAP | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Blk | Red |
| M70050129AAQ | 24 | 1 | 5SpkLC-B | Herringbone | 1 | 1.125 | Red | Red |
| M70050129AAR | 24 | 1 | 5SpkLC-B | Herringbone | 1 | 1.125 | Blu | Blu |
| M70050129AAS | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Gloss Blk | Red |
| M70050129AAT | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 1.125 | Wht | Red |
| M70050129AAU | 24 | 1 | 5SpkLC-B | Herringbone | 1.125 | 0.5 | Wht | Blu |
| M70050129AAV | 24 | 1 | 5SpkLC-B | Herringbone | 2.25 | 0.5 | Blk | Blk |
| M70050129AAW | 24 | 1 | 5SpkLC-B | Herringbone | 1.125 | 0.5 | Blk | Red |
| M70050129AAX | 24 | 1 | 5SpkLC-B | Herringbone | 1.125 | 0.5 | Wht | Pnk |
| M70070007AAA | 20.5 | 2.15 | 5SpkLC-A | Knobby | 2.25 | 0.625 | Blk | Blk |
| M70070007AAC | 20.5 | 2.15 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070007AAF | 20.5 | 2.15 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |

| | | | | | | | | |
|------------------------------|-----------------|--------------------|------------------|--------------------|--------------------|----------------|------------------|-------------------|
| M70070007RAA | 20.5 | 2.125 | 5SpkLC-A | Knobby | 1.375 | 0.5 | Blk | Blk |
| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
| M70070007RAE | 20.5 | 1 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070007RAF | 20.5 | 2.25 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070007RAG | 20.5 | 1 | 5SpkLC-A | Knobby | 2.3 | 0.625 | Blk | Blk |
| M70070066AAC | 20 | 1.75 | 5SpkLC-A | Street | 2.25 | 1.38 | Blk | Dk Gry |
| M70070066AAG | 20 | 1.75 | 5SpkLC-A | Round | 2.25 | 0.5 | Blk | Lt Gry |
| M70070066AAI | 20 | 2 | 5SpkLC-A | Street | 2.25 | 1.375 | Blk | Dk Gry |
| M70070067AAA | 20 | 2.125 | 5SpkLC-A | Lug | 2.25 | 0.5 | Blk | Dk Gry |
| M70070465AAA | 20 | 2.25 | 5SpkLC-A | Knobby | 2.25 | 1.38 | Blk | Blk |
| M70070466AAD | 20.5 | 2.15 | 5SpkLC-A | Street | 2.25 | 0.625 | Blk | Blk |
| M70070466AAH | 20.5 | 1.75 | 5SpkLC-A | Street | 2.25 | 1.375 | Blk | Lt Gry |
| M70070466AAJ | 20.5 | 1.75 | 5SpkLC-A | Smooth | 2.75 | 1.36 | Blk | Lt Gry |
| M70080064RAA | 20 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Blk | Dk Gry |
| M70080064RAB | 20 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Wht | Blk |
| M70080064RAC | 20 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Blu | Blk |
| M70080064RAD | 20 | 1 | 5SpkLC-B | Street | 3 | 1.125 | Gloss Blk | Blk |
| M70080064RAE | 20 | 1 | 5SpkLC-B | Street | 3 | 1.125 | Red | Blk |
| M70080064RAF | 20 | 1 | 5SpkLC-B | Street | 3 | 0.625 | Gloss Blk | Dk Gry |
| M70080064RAG | 20 | 1 | 5SpkLC-B | Street | 1.625 | 0.5 | Wht | Dk Gry |
| M70080064RAH | 20 | 1 | 5SpkLC-B | Street | 1.625 | 0.5 | Pnk | Pnk |
| M70080064RAI | 20 | 1 | 5SpkLC-B | Street | 1.625 | 0.5 | Blu | Blu |
| M70080064RAJ | 20 | 1 | 5SpkLC-B | Street | 1.375 | 0.625 | Blk | Dk Gry |
| M70080064RAK | 20 | 1 | 5SpkLC-B | Street | 1.125 | 0.5 | Pnk | Dk Gry |
| M70080064RAL | 20 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70080064RAM | 20 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70080064RAN | 20 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blkk | Dk Gry |
| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
| M70080605AAA | 20 | 1 | 5SpkLC-B | Herringbone | 1.625 | 0.5 | Red | Blk |
| M70080605AAB | 20 | 1 | 5SpkLC-B | Herringbone | 1.625 | 0.5 | Blu | Blu |
| M70080605AAC | 20 | 1 | 5SpkLC-B | Herringbone | 1.625 | 0.5 | Wht | Blk |
| M70080605AAD | 20 | 1 | 5SpkLC-B | Herringbone | 1.375 | 0.625 | Blk | Blk |
| M70090070RAA | 22 | 1 | 5SpkLC-B | Street | 3 | 1.375 | Blk | Dk Gry |
| M70090070RAB | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.625 | Blk | Dk Gry |
| M70090070RAC | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.5 | Red | Blk |
| M70090070RAD | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.5 | Blu | Blk |
| M70090070RAE | 22 | 1 | 5SpkLC-B | Street | 1.375 | 0.5 | Wht | Blk |
| M70090070RAF | 22 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70090070RAG | 22 | 1 | 5SpkLC-B | Street | 2.25 | 0.5 | Blk | Dk Gry |
| M70170129AAA | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Gloss Blk | Red |
| M70170129AAB | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Wht | Blk |
| M70170129AAC | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Red | Blk |
| M70170129AAD | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Red | Red |
| M70170129AAE | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Blk | Blk |
| M70170129AAF | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 1.6 | Wht | Red |
| M70170129AAG | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 0.5 | Ylw | Blk |
| M70170129AAH | 24 | 1 | 3spkLC-B | Herringbone | 1.125 | 0.5 | Blu | Blu |
| M70180129AAC | 24 | 1 | 3spkLC-B | Herringbone | 1 | 1.24 | Gloss Blk | Red |
| M80440057AAA | 14 | 1.5 | 3Spk-D | Herringbone | 2.207 | 0.5 | Blk | Dk Gry |
| M80450060AAA | 16 | 1.75 | 5Spk-A | Herringbone | 2.25 | 0.5625 | Blk | Dk Gry |
| M80460065AAA | 20 | 1.5 | 5Spk-A | Street | 2.34 | 0.5625 | Blk | Dk Gry |
| M80470066AAA | 20 | 1.75 | 5Spk-A | Street | 2.295 | 0.5 | Blk | Dk Gry |
| M80480060AAA | 16 | 1.75 | 5Spk-A | Herringbone | 1.85 | 0.5 | Blk | Dk Gry |
| Part # | Wheel OD | Wheel Width | Hub Style | Tread Style | Bore Length | Bore ID | Hub Color | Tire Color |
| M80490129ACX | 24 | 1 | WireSpk | Herringbone | 2.5 | 0.5 | Slvr | Dk Gry |
| M80500064AAB | 20 | 1.25 | WireSpk | Street | 2.5 | 0.5 | Slvr | Dk Gry |
| M80750056AAA | 12.5 | 2.25 | 5Spk-A | Knobby | - | - | Blk | Dk Gry |
| M90010014AAC | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Red |
| M90010014AAD | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Ylw |

800-478-4335 customerservice@cewmail.com ce-wheeling.com

| | | | | | | | | |
|------------------------------|----|------|---------|----------|-------|--------|--------|--------|
| M90010016AAA | 5 | 1 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Blu |
| M90010016AAB | 5 | 1 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Ylw |
| M90010016AAC | 4 | 1 | 3Spk-D | Round | 1 | 0.3125 | Silver | Blk |
| M90010020AAA | 5 | 1.5 | 3Spk-D | Oval | 1 | 0.75 | Slvr | Blk |
| M90010024AAA | 6 | 1.25 | 3Spk-D | Rib | 1 | 0.875 | Slvr | Blk |
| M90040016AAC | 5 | 1 | 3Spk-D | Smooth | 1 | 0.75 | Slvr | Red |
| M90040020AAA | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.875 | Slvr | Blu |
| M90040020AAB | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.875 | Slvr | Blk |
| M90040020AAC | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Red |
| M90040020AAD | 5 | 1.5 | 3Spk-D | Smooth | 1 | 0.75 | Blk | Ylw |
| M90040024AAB | 6 | 1.25 | 3Spk-D | Rib | 1 | 0.875 | Slvr | Blk |
| M90040027AAA | 6 | 1.5 | 3Spk-D | Oval | 1 | 0.875 | Slvr | Blk |
| M90040027AAB | 6 | 1.5 | 3Spk-D | Oval | 1 | 0.875 | Slvr | Red |
| M90040027AAC | 6 | 1.5 | 3Spk-D | Oval | 1 | 0.875 | Slvr | Ylw |
| M90050099AAA | 8 | 2.5 | 3pc-A | Rib | 1.375 | 0.625 | Slvr | Blk |
| M90050300AAA | 16 | 4 | 1pc-A | Diamond | 2.5 | 0.375 | Wht | Dk Gry |
| M90060098AAB | 10 | 2.75 | 3pc-A | Sawtooth | 1.375 | 0.625 | Slvr | Blk |
| M99980001AAA | 35 | 1 | WireSpk | Street | 2.25 | 1.375 | Slvr | Dk Gry |
| M99990011AAA | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Red |
| M99990011AAB | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blu |

Part # Wheel OD Wheel Width Hub Style Tread Style Bore Length Bore ID Hub Color Tire Color

| | | | | | | | | |
|------------------------------|-----|------|---------|----------|------|--------|------|--------|
| M99990011AAC | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blk |
| M99990011AAD | 4 | 1 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Ylw |
| M99990014AAA | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blu |
| M99990014AAB | 4.3 | 1.25 | 3Spk-D | Smooth | 1 | 0.3125 | Slvr | Blk |
| M99990098AAB | 10 | 3 | 3pc-A | Sawtooth | 2.25 | 1.375 | Slvr | Blk |
| M99990100AAA | 14 | 4 | 3Spk-D | Sawtooth | 4 | 0.75 | Wht | Blk |
| M90030089AAA | 24 | 1 | WireSpk | Street | 1 | 0.5 | Slvr | Lt Gry |