

**Flat Free PU****Polyurethane Wheel Assembly**

Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M00010011AAA</a>	4	1	A	Smooth	1	0.3125	Blk	Blk
<a href="#">M00010012AAA</a>	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
<a href="#">M00010012AAB</a>	4	1	Hollow3spk-A	Smooth	1	0.75	Blk	Blk
<a href="#">M00010012AAC</a>	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Red
<a href="#">M00010012AAD</a>	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blu
<a href="#">M00010014AAA</a>	4.3	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
<a href="#">M00010014AAB</a>	4.3	1	Hollow3spk-A	Smooth	0.806	1	Blk	Blk
<a href="#">M00010015AAA</a>	5	1	Hollow3spk-A	Pyramid	1	0.3125	Blk	Dk Gry
<a href="#">M00010015AAB</a>	5	1	Hollow3spk-A	Pyramid	1	0.3125	Blk	Dk Gry
<a href="#">M00010015AAC</a>	5	1	Hollow3spk-A	Pyramid	1	0.75	Blk	Dk Gry
<a href="#">M00010016AAA</a>	5	1	Hollow3spk-A	Smooth	1	0.75	Blk	Dk Gry
<a href="#">M00010016AAB</a>	5	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Dk Gry
<a href="#">M00010016AAC</a>	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Dk Gry
<a href="#">M00010016AAD</a>	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Red
<a href="#">M00010016AAE</a>	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Ylw
<a href="#">M00010016AAF</a>	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Blu
<a href="#">M00010016AAG</a>	5	1	Hollow3spk-A	Smooth	0.806	1	Blk	Red
<a href="#">M00010020AAA</a>	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blk
<a href="#">M00010020AAB</a>	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Red

<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M00010020AAC</a>	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Ylw
<a href="#">M00010020AAD</a>	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blu
<a href="#">M00010020AAE</a>	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Dk Gry
<a href="#">M00010020AAF</a>	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blk
<a href="#">M00010024AAA</a>	6	1.25	Hollow3spk-A	Pyramid	0.975	0.3125	Blk	Dk Gry
<a href="#">M00010024AAC</a>	6	1.25	Hollow3spk-A	Rib	0.975	0.3125	Blk	Ylw
<a href="#">M00010024AAE</a>	6	1.25	Hollow3spk-A	Rib	0.975	0.3125	Blk	Blk
<a href="#">M00010024AAF</a>	6	1.25	Hollow3spk-A	Rib	0.975	0.875	Blk	Blk
<a href="#">M00010027AAD</a>	6	1.5	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
<a href="#">M00010027AAE</a>	6	1.5	Hollow3spk-A	Smooth	1	0.3125	Blk	Dk Gry
<a href="#">M00010027AAF</a>	6	1.5	Hollow3spk-A	Smooth	1	0.875	Blk	Blk
<a href="#">M00020029AAA</a>	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
<a href="#">M00020029AAB</a>	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
<a href="#">M00020029AAD</a>	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
<a href="#">M00020038AAA</a>	7	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
<a href="#">M00020045AAA</a>	8	2	2pc-A	Smooth	2.9	0.4375	Blk	Dk Gry
<a href="#">M00020046AAA</a>	8	2	2pc-A	Rib	0.906	0.375	Blk	Lt Gry
<a href="#">M00020046AAB</a>	8	2	2pc-A	Rib	2.4	0.875	Blk	Dk Gry
<a href="#">M00020046AAC</a>	8	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
<a href="#">M00020047AAA</a>	8	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry
<a href="#">M00020048AAA</a>	8	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry
<a href="#">M00020048AAC</a>	8	2	2pc-A	Rib	2.43	0.4375	Blk	Dk Gry
<a href="#">M00020048AAD</a>	8	2	2pc-A	Smooth	2.43	0.4375	Blk	Blk
<a href="#">M00020048AAE</a>	8	2	2pc-A	Rib	2.43	0.875	Blk	Lt Gry
<a href="#">M00020457AAA</a>	6	2	2pc-A	Rib	1	0.875	Blk	Blk

<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M00020513AAA</a>	8	2	2pc-A	Rib	2.43	0.4375	Blk	Blk
<a href="#">M00020513AAB</a>	8	2	2pc-A	Rib	2.4	0.4375	Blk	Lt Gry
<a href="#">M00020602AAA</a>	6	2	2pc-A	Rib	2.4	0.4375	Blk	Blk
<a href="#">M00030029AAA</a>	6	2	2pc-A	Rib	2.4	0.3125	Blk	Dk Gry
<a href="#">M00030029AAB</a>	6	2	2pc-A	Rib	2.4	0.3125	Blk	Lt Gry
<a href="#">M00030032AAA</a>	6	2	2pc-A	Rib	0.806	1	Blk	Lt Gry
<a href="#">M00030038AAA</a>	7	2	2pc-A	Rib	2.4	0.3125	Blk	Dk Gry
<a href="#">M00030038AAB</a>	7	2	2pc-A	Rib	1	0.75	Blk	Blk
<a href="#">M00030045AAB</a>	8	2	2pc-A	Smooth	2.4	0.3125	Blk	Dk Gry

<a href="#">M00030046AAA</a>	8	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
<a href="#">M00030048AAA</a>	8	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
<a href="#">M00030048AAB</a>	8	2	5Spk-A	Rib	0.906	0.3125	Blk	Lt Gry
<a href="#">M00030457AAA</a>	6	2	2pc-A	Rib	2.4	0.75	Blk	Blk
<a href="#">M00030457AAB</a>	6	2	2pc-A	Rib	2.4	0.3125	Blk	Blk
<a href="#">M00030457AAC</a>	6	2	2pc-A	Rib	0.806	1	Blk	Blk
<a href="#">M00040031AAA</a>	8	2	2pc-A	Rib	2.43	1.375	Blk	Lt Gry
<a href="#">M00040031AAB</a>	6	2	2pc-A	Rib	2.4	0.4375	Slvr	Lt Gry
<a href="#">M00040031AAC</a>	8	2	2pc-A	Rib	2.43	1.375	Blk	Lt Gry
<a href="#">M00040031AAD</a>	6	2	2pc-A	Rib	2.4	0.625	Slvr	Blk
<a href="#">M00040031AAF</a>	6	2	2pc-A	Rib	2.4	0.4375	Blk	Blk
<a href="#">M00040047AAA</a>	8	2	2pc-A	Rib	2.4	0.906	Blk	Lt Gry
<a href="#">M00050031AAA</a>	6	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry
<a href="#">M00050031AAB</a>	6	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
<a href="#">M00050031AAC</a>	6	2	2pc-A	Rib	2.4	0.875	Pnt Slv	Lt Gry
<a href="#">M00050031AAD</a>	8	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry

<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M00050031AAF</a>	6	2	2pc-A	Rib	2.4	0.875	Slvr	Lt Gry
<a href="#">M00050031AAF</a>	6	2	2pc-A	Smooth	2.4	0.875	Blk	Blk
<a href="#">M00050031AAG</a>	6	2	2pc-A	Rib	2.4	0.4375	Slvr	Blk
<a href="#">M00060043AAA</a>	8	1.25	3Spk-D	Rib	1.495	0.3125	Blk	Dk Gry
<a href="#">M00060044AAA</a>	8	1.75	3Spk-D	2rib	1.495	0.3125	Blk	Dk Gry
<a href="#">M00500016AAF</a>	5	1	Hollow3spk-A Round		0.866	0.3125	Blk	Dk Gry
<a href="#">M00500020AAF</a>	5	1	Hollow3spk-A Oval		0.866	0.3125	Blk	Dk Gry
<a href="#">M00500024AAF</a>	6	1.25	Hollow3spk-A Rib		0.866	0.3125	Blk	Lt Gry
<a href="#">M00500027AAF</a>	6	1	Hollow3spk-A Oval		0.866	0.3125	Blk	Dk Gry
<a href="#">M00510025AAA</a>	5	1	8spk-B	Rib	0.866	0.3125	Blk	Dk Gry
<a href="#">M00520019AAA</a>	5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
<a href="#">M00520026AAA</a>	5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
<a href="#">M00540021AAA</a>	6	1.5	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
<a href="#">M00550041AAA</a>	8	1.5	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
<a href="#">M00550041AAB</a>	8	1	5Spk-A	Smooth	1.5	0.75	Blk	Dk Gry
<a href="#">M00560037AAA</a>	8	1.5	Hollow3spk-A Oval		1.5	0.3125	Blk	Dk Gry
<a href="#">M00600043AAA</a>	8	1.25	8Spk-A	Rib	0.906	0.3125	Blk	Dk Gry
<a href="#">M00600044AAB</a>	8	1	5Spk-A	Rib	1	0.3125	Blk	Dk Gry
<a href="#">M00680011AAA</a>	4	1	3Spk-A	Smooth	1	0.75	Blk	Red
<a href="#">M00680011AAB</a>	4	1	Hollow3spk-A Smooth		1	0.75	Blk	Ylw
<a href="#">M00680011AAF</a>	4	1	Hollow3spk-A Smooth		0.866	0.3125	Blk	Blk
<a href="#">M00680011AAF</a>	4	1	Hollow3spk-A Smooth		1	0.75	Blk	Blk
<a href="#">M00680014AAA</a>	4	1.25	Hollow3spk-A Smooth		1	0.75	Blk	Red
<a href="#">M00680014AAB</a>	4	1.25	Hollow3spk-A Smooth		1	0.75	Blk	Ylw
<a href="#">M00680014AAC</a>	4	1.25	Hollow3spk-A Smooth		1	0.75	Blk	Blu

<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M00680014AAD</a>	4	1.25	Hollow3spk-A Smooth		1	0.75	Blk	Blk
<a href="#">M00680014AAF</a>	4	1.25	Hollow3spk-A Smooth		0.866	0.3125	Blk	Blk
<a href="#">M00690033AAA</a>	8	1.25	5Spk-A	Smooth	1	0.3125	Blk	Dk Gry
<a href="#">M00700103AAA</a>	9	3	2pc-A	Rib	2.25	1.375	Blk	Dk Gry
<a href="#">M00730054AAA</a>	11.5	1.5	5Spk-A	Street	1.5	0.5	Blk	Dk Gry
<a href="#">M00730056AAA</a>	12.5	2.25	5Spk-A	Knobby	1.125	0.5	Blk	Lt Gry
<a href="#">M00740003AAA</a>	14	2	3Spk-A	Block	2	1.125	Blk	Dk Gry
<a href="#">M00740054AAA</a>	12.5	2.25	Rib	Idle	2.125	0.5	Blk	Lt Gry
<a href="#">M00740056AAA</a>	12.5	2.25	3Spk-D	Knobby	2.125	0.5	Blk	Dk Gry
<a href="#">M00740056AAB</a>	12.5	2.25	3Spk-D	Knobby	2.125	0.5	Blk	Lt Gry
<a href="#">M00840056AAA</a>	12.5	2.25	5Spk-A	Knobby	2.18	0.625	Blk	Lt Gry
<a href="#">M00870060AAA</a>	16	1.6	5Spk-A	Street	1.125	0.5	Blk	Dk Gry
<a href="#">M00870060AAB</a>	16	1.75	5Spk-A	Street	1.125	0.5	Blk	Dk Gry
<a href="#">M00890036AAC</a>	7.5	1	8Spk-A	Smooth	0.911	0.4375	Blk	Dk Gry
<a href="#">M00930041AAA</a>	8	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
<a href="#">M00930041AAB</a>	8	1	5Spk-A	Smooth	0.906	0.4375	Blk	Dk Gry
<a href="#">M00950033AAA</a>	8	1.25	8spk-C	Smooth	0.866	0.3125	Blk	Dk Gry

<a href="#">M00950033AAB</a>	8	1	8spk-C	Smooth	1.5	0.75	Blk	Dk Gry
<a href="#">M00950035AAB</a>	8	1.25	8spk-C	Round	0.866	0.3125	Blk	Dk Gry
<a href="#">M00950035AAB</a>	8	1	8spk-C	Round	1.5	0.75	Blk	Dk Gry
<a href="#">M00950037AAA</a>	8	1.25	8spk-C	Oval	0.866	0.3125	Blk	Dk Gry
<a href="#">M00950037AAB</a>	7.5	1	8spk-C	Oval	1.5	0.75	Blk	Dk Gry
<a href="#">M00950043AAA</a>	8	1.25	8spk-C	Rib	0.906	0.3125	Blk	Dk Gry
<a href="#">M00950043AAD</a>	8	1.25	8spk-C	Rib	1.5	0.75	Blk	Dk Gry
<a href="#">M00950043AAE</a>	8	1	8spk-C	Smooth	1.5	0.3125	Blk	Dk Gry

<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M00950044AAB</a>	8	1.75	8spk-C	Rib	0.906	0.3125	Blk	Dk Gry
<a href="#">M00950044AAC</a>	8	1	8spk-C	Rib	1.5	0.75	Blk	Dk Gry
<a href="#">M00960033AAA</a>	8	1.25	5Spk-A	Smooth	1.5	0.3125	Blk	Dk Gry
<a href="#">M00960036AAA</a>	8	1.25	5Spk-A	Round	0.866	0.3125	Blk	Dk Gry
<a href="#">M00960037AAA</a>	7.5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
<a href="#">M03150036AAA</a>	7.5	1	8Spk-A	Smooth	2.125	0.875	Blk	Dk Gry
<a href="#">M04120040AAA</a>	8	1	8Spk-A	Pyramid	1.5	0.3125	Blk	Dk Gry
<a href="#">M04160043AAA</a>	8	1.25	5Spk-A	Rib	1.5	0.75	Blk	Dk Gry
<a href="#">M04210029AAA</a>	6	2	2pc-A	Rib	2.4	0.875	Blk	Dk Gry
<a href="#">M06500182RAA</a>	9.75	3	X10-A	Sawtooth	2.575	0.625	Blk	Blk
<a href="#">M08860007RAA</a>	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
<a href="#">M08860007RAB</a>	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
<a href="#">M08860007WAA</a>	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
<a href="#">M70050000RAI</a>	24	1	5SpkLC-B	-	2.125	0.5	Blk	Dk Gry
<a href="#">M70050087AAA</a>	24	1	5SpkLC-B	Street	3	0.5	Blk	Dk Gry
<a href="#">M70050087AAB</a>	24	1	5SpkLC-B	Street	3	0.5	Blk	Lt Gry
<a href="#">M70050087AAC</a>	24	1	5SpkLC-B	Street	1.125	0.5	Wht	Dk Gry
<a href="#">M70050087AAD</a>	24	1	5SpkLC-B	Street	1.125	0.5	Blu	Dk Gry
<a href="#">M70050087AAE</a>	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
<a href="#">M70050087AAF</a>	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
<a href="#">M70050087AAG</a>	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
<a href="#">M70050089AAD</a>	24	1	5SpkLC-B	Touring	2.125	0.5	Blk	Dk Gry
<a href="#">M70050089AAG</a>	24	1	5SpkLC-B	Touring	3	0.625	Blk	Dk Gry
<a href="#">M70050089AAH</a>	24	1	5SpkLC-B	Street	2.25	1.38	Blk	Lt Gry
<a href="#">M70050089AAJ</a>	24	1	5SpkLC-B	Touring	2.125	0.5	Blk	Dk Gry

<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M70050089AAK</a>	24	1	5SpkLC-B	Touring	2.25	1.25	Blk	Lt Gry
<a href="#">M70050089AAL</a>	24	1	5SpkLC-B	Touring	2.25	1.125	Blk	Lt Gry
<a href="#">M70050129AAC</a>	24	1	5SpkLC-B	Herringbone	2.25	1.25	Blk	Red
<a href="#">M70050129AAD</a>	24	1	5SpkLC-B	Herringbone	2.25	1.25	Blk	Blk
<a href="#">M70050129AAE</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Blk
<a href="#">M70050129AAF</a>	24	1	5SpkLC-A	Herringbone	3	0.5	Blk	Blk
<a href="#">M70050129AAJ</a>	24	1	5SpkLC-A	Herringbone	3	0.4375	Blk	Blk
<a href="#">M70050129AAK</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blu	Blk
<a href="#">M70050129AAL</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Red	Blk
<a href="#">M70050129AAM</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Wht	Blk
<a href="#">M70050129AAN</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Blk
<a href="#">M70050129AAO</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Red
<a href="#">M70050129AAP</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Red
<a href="#">M70050129AAQ</a>	24	1	5SpkLC-B	Herringbone	1	1.125	Red	Red
<a href="#">M70050129AAR</a>	24	1	5SpkLC-B	Herringbone	1	1.125	Blu	Blu
<a href="#">M70050129AAS</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Gloss Blk	Red
<a href="#">M70050129AAT</a>	24	1	5SpkLC-B	Herringbone	2.25	1.125	Wht	Red
<a href="#">M70050129AAU</a>	24	1	5SpkLC-B	Herringbone	1.125	0.5	Wht	Blu
<a href="#">M70050129AAV</a>	24	1	5SpkLC-B	Herringbone	2.25	0.5	Blk	Blk
<a href="#">M70050129AAW</a>	24	1	5SpkLC-B	Herringbone	1.125	0.5	Blk	Red
<a href="#">M70050129AAX</a>	24	1	5SpkLC-B	Herringbone	1.125	0.5	Wht	Pnk
<a href="#">M70070007AAA</a>	20.5	2.15	5SpkLC-A	Knobby	2.25	0.625	Blk	Blk
<a href="#">M70070007AAC</a>	20.5	2.15	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
<a href="#">M70070007AAF</a>	20.5	2.15	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk

<a href="#">M70070007RAA</a>	20.5	2.125	5SpkLC-A	Knobby	1.375	0.5	Blk	Blk
<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M70070007RAE</a>	20.5	1	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
<a href="#">M70070007RAF</a>	20.5	2.25	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
<a href="#">M70070007RAG</a>	20.5	1	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
<a href="#">M70070066AAC</a>	20	1.75	5SpkLC-A	Street	2.25	1.38	Blk	Dk Gry
<a href="#">M70070066AAG</a>	20	1.75	5SpkLC-A	Round	2.25	0.5	Blk	Lt Gry
<a href="#">M70070066AAI</a>	20	2	5SpkLC-A	Street	2.25	1.375	Blk	Dk Gry
<a href="#">M70070067AAA</a>	20	2.125	5SpkLC-A	Lug	2.25	0.5	Blk	Dk Gry
<a href="#">M70070465AAA</a>	20	2.25	5SpkLC-A	Knobby	2.25	1.38	Blk	Blk
<a href="#">M70070466AAD</a>	20.5	2.15	5SpkLC-A	Street	2.25	0.625	Blk	Blk
<a href="#">M70070466AAH</a>	20.5	1.75	5SpkLC-A	Street	2.25	1.375	Blk	Lt Gry
<a href="#">M70070466AAJ</a>	20.5	1.75	5SpkLC-A	Smooth	2.75	1.36	Blk	Lt Gry
<a href="#">M70080064RAA</a>	20	1	5SpkLC-B	Street	3	1.375	Blk	Dk Gry
<a href="#">M70080064RAB</a>	20	1	5SpkLC-B	Street	3	1.375	Wht	Blk
<a href="#">M70080064RAC</a>	20	1	5SpkLC-B	Street	3	1.375	Blu	Blk
<a href="#">M70080064RAD</a>	20	1	5SpkLC-B	Street	3	1.125	Gloss Blk	Blk
<a href="#">M70080064RAE</a>	20	1	5SpkLC-B	Street	3	1.125	Red	Blk
<a href="#">M70080064RAF</a>	20	1	5SpkLC-B	Street	3	0.625	Gloss Blk	Dk Gry
<a href="#">M70080064RAG</a>	20	1	5SpkLC-B	Street	1.625	0.5	Wht	Dk Gry
<a href="#">M70080064RAH</a>	20	1	5SpkLC-B	Street	1.625	0.5	Pnk	Pnk
<a href="#">M70080064RAI</a>	20	1	5SpkLC-B	Street	1.625	0.5	Blu	Blu
<a href="#">M70080064RAJ</a>	20	1	5SpkLC-B	Street	1.375	0.625	Blk	Dk Gry
<a href="#">M70080064RAK</a>	20	1	5SpkLC-B	Street	1.125	0.5	Pnk	Dk Gry
<a href="#">M70080064RAL</a>	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
<a href="#">M70080064RAM</a>	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
<a href="#">M70080064RAN</a>	20	1	5SpkLC-B	Street	2.25	0.5	Blkk	Dk Gry
<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M70080605AAA</a>	20	1	5SpkLC-B	Herringbone	1.625	0.5	Red	Blk
<a href="#">M70080605AAB</a>	20	1	5SpkLC-B	Herringbone	1.625	0.5	Blu	Blu
<a href="#">M70080605AAC</a>	20	1	5SpkLC-B	Herringbone	1.625	0.5	Wht	Blk
<a href="#">M70080605AAD</a>	20	1	5SpkLC-B	Herringbone	1.375	0.625	Blk	Blk
<a href="#">M70090070RAA</a>	22	1	5SpkLC-B	Street	3	1.375	Blk	Dk Gry
<a href="#">M70090070RAB</a>	22	1	5SpkLC-B	Street	1.375	0.625	Blk	Dk Gry
<a href="#">M70090070RAC</a>	22	1	5SpkLC-B	Street	1.375	0.5	Red	Blk
<a href="#">M70090070RAD</a>	22	1	5SpkLC-B	Street	1.375	0.5	Blu	Blk
<a href="#">M70090070RAE</a>	22	1	5SpkLC-B	Street	1.375	0.5	Wht	Blk
<a href="#">M70090070RAF</a>	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
<a href="#">M70090070RAG</a>	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
<a href="#">M70170129AAA</a>	24	1	3spkLC-B	Herringbone	1.125	1.6	Gloss Blk	Red
<a href="#">M70170129AAB</a>	24	1	3spkLC-B	Herringbone	1.125	1.6	Wht	Blk
<a href="#">M70170129AAC</a>	24	1	3spkLC-B	Herringbone	1.125	1.6	Red	Blk
<a href="#">M70170129AAD</a>	24	1	3spkLC-B	Herringbone	1.125	1.6	Red	Red
<a href="#">M70170129AAE</a>	24	1	3spkLC-B	Herringbone	1.125	1.6	Blk	Blk
<a href="#">M70170129AAF</a>	24	1	3spkLC-B	Herringbone	1.125	1.6	Wht	Red
<a href="#">M70170129AAG</a>	24	1	3spkLC-B	Herringbone	1.125	0.5	Ylw	Blk
<a href="#">M70170129AAH</a>	24	1	3spkLC-B	Herringbone	1.125	0.5	Blu	Blu
<a href="#">M70180129AAC</a>	24	1	3spkLC-B	Herringbone	1	1.24	Gloss Blk	Red
<a href="#">M80440057AAA</a>	14	1.5	3Spk-D	Herringbone	2.207	0.5	Blk	Dk Gry
<a href="#">M80450060AAA</a>	16	1.75	5Spk-A	Herringbone	2.25	0.5625	Blk	Dk Gry
<a href="#">M80460065AAA</a>	20	1.5	5Spk-A	Street	2.34	0.5625	Blk	Dk Gry
<a href="#">M80470066AAA</a>	20	1.75	5Spk-A	Street	2.295	0.5	Blk	Dk Gry
<a href="#">M80480060AAA</a>	16	1.75	5Spk-A	Herringbone	1.85	0.5	Blk	Dk Gry
<b>Part #</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">M80490129ACX</a>	24	1	WireSpk	Herringbone	2.5	0.5	Slvr	Dk Gry
<a href="#">M80500064AAB</a>	20	1.25	WireSpk	Street	2.5	0.5	Slvr	Dk Gry
<a href="#">M80750056AAA</a>	12.5	2.25	5Spk-A	Knobby	-	-	Blk	Dk Gry
<a href="#">M90010014AAC</a>	4.3	1.25	3Spk-D	Smooth	1	0.75	Slvr	Red
<a href="#">M90010014AAD</a>	4.3	1.25	3Spk-D	Smooth	1	0.75	Slvr	Ylw

800-478-4335 customerservice@cewmail.com ce-wheeling.com

<a href="#">M90010016AAA</a>	5	1	3Spk-D	Smooth	1	0.75	Slvr	Blu
<a href="#">M90010016AAB</a>	5	1	3Spk-D	Smooth	1	0.75	Slvr	Ylw
<a href="#">M90010016AAC</a>	4	1	3Spk-D	Round	1	0.3125	Silver	Blk
<a href="#">M90010020AAA</a>	5	1.5	3Spk-D	Oval	1	0.75	Slvr	Blk
<a href="#">M90010024AAA</a>	6	1.25	3Spk-D	Rib	1	0.875	Slvr	Blk
<a href="#">M90040016AAC</a>	5	1	3Spk-D	Smooth	1	0.75	Slvr	Red
<a href="#">M90040020AAA</a>	5	1.5	3Spk-D	Smooth	1	0.875	Slvr	Blu
<a href="#">M90040020AAB</a>	5	1.5	3Spk-D	Smooth	1	0.875	Slvr	Blk
<a href="#">M90040020AAC</a>	5	1.5	3Spk-D	Smooth	1	0.3125	Slvr	Red
<a href="#">M90040020AAD</a>	5	1.5	3Spk-D	Smooth	1	0.75	Blk	Ylw
<a href="#">M90040024AAB</a>	6	1.25	3Spk-D	Rib	1	0.875	Slvr	Blk
<a href="#">M90040027AAA</a>	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Blk
<a href="#">M90040027AAB</a>	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Red
<a href="#">M90040027AAC</a>	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Ylw
<a href="#">M90050099AAA</a>	8	2.5	3pc-A	Rib	1.375	0.625	Slvr	Blk
<a href="#">M90050300AAA</a>	16	4	1pc-A	Diamond	2.5	0.375	Wht	Dk Gry
<a href="#">M90060098AAB</a>	10	2.75	3pc-A	Sawtooth	1.375	0.625	Slvr	Blk
<a href="#">M99980001AAA</a>	35	1	WireSpk	Street	2.25	1.375	Slvr	Dk Gry
<a href="#">M99990011AAA</a>	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Red
<a href="#">M99990011AAB</a>	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Blu

**Part # Wheel OD Wheel Width Hub Style Tread Style Bore Length Bore ID Hub Color Tire Color**

<a href="#">M99990011AAC</a>	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Blk
<a href="#">M99990011AAD</a>	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Ylw
<a href="#">M99990014AAA</a>	4.3	1.25	3Spk-D	Smooth	1	0.3125	Slvr	Blu
<a href="#">M99990014AAB</a>	4.3	1.25	3Spk-D	Smooth	1	0.3125	Slvr	Blk
<a href="#">M99990098AAB</a>	10	3	3pc-A	Sawtooth	2.25	1.375	Slvr	Blk
<a href="#">M99990100AAA</a>	14	4	3Spk-D	Sawtooth	4	0.75	Wht	Blk
<a href="#">M90030089AAA</a>	24	1	WireSpk	Street	1	0.5	Slvr	Lt Gry