

# Index

Title	Page
Tread Cap Wheel Assembly	2
Tread Cap Tire	12
Terms	13



## Tread Cap Wheel Assembly

Our Tread Cap™ assembly is altogether different. Neither inflated air nor air pockets are involved. It's the cellular structure of the hub that provides the support, strength and exceptional durability. The injection molded tread cap™ is stretched, mounted and fit firmly onto the hub. CEW specializes in high-volume production.

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
-------------	----------	-------------	-----------	-------------	-------------	---------	-----------	------------

<a href="#">A03410260AAA</a>	6	1.5	Mag-A	Diamond	1.5	0.5	Wht	Blk
<a href="#">A03410260AAB</a>	6	1.5	Mag-A	Diamond	1.5	0.5	Gry	Blk
<a href="#">A03410261AAA</a>	6	1.5	Mag-A	Rib	1.5	0.5	Blk	Gry
<a href="#">A03420260AAC</a>	6	1.5	Mag-A	Diamond	1.375	0.5	Brn Wht	Blk
<a href="#">A03420260AAD</a>	6	1.5	Mag-A	Diamond	1.375	0.5	10082 Gry	Blk
<a href="#">A03420260AAE</a>	6	1.5	Mag-A	Diamond	1.375	0.5	Blk	Blk
<a href="#">A03420260AAF</a>	6	1.5	Mag-A	Diamond	1.375	0.5	14191 Gry	Blk
<a href="#">A03420260AAG</a>	6	1.5	Mag-A	Diamond	1.375	0.5	Dk Gry	Blk
<a href="#">A03420260AHC</a>	6	1.5	Mag-A	Diamond	1.375	0.5	Brn Wht	Blk
<a href="#">A03430260AAA</a>	6	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
<a href="#">A03450260AAA</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
<a href="#">A03450260AAC</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Wht	Blk
<a href="#">A03450260AAE</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Orange	Blk
<a href="#">A03450261AAA</a>	6	1.5	Mag-A	Rib	1.5	0.375	Blk	Blk
<a href="#">A03450261AAC</a>	6	1.5	Mag-A	Rib	1.5	0.375	Wht	Blk
<a href="#">A03480260AAA</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Wht	Blk
<a href="#">A03480260AAC</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Brn Wht	Blk
<a href="#">A03480260AAE</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
<a href="#">A03480260AAF</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Quick Slvr	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
-------------	----------	-------------	-----------	-------------	-------------	---------	-----------	------------

<a href="#">A03480260AAG</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
<a href="#">A03480260AHE</a>	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
<a href="#">A03480261AAB</a>	6	1.5	Mag-A	Rib	1.5	0.375	Quick Slvr	Blk
<a href="#">A03480261AAD</a>	6	1.5	Mag-A	Rib	1.5	0.375	Beige	Blk
<a href="#">A03490260AAA</a>	6	1.5	Mag-A	Diamond	1.5	0.4375	Gry	Blk
<a href="#">A03510270AAA</a>	7	1.5	Mag-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A03510270AAB</a>	7	1.5	Mag-A	Diamond	1.5	0.5	Gry	Blk
<a href="#">A03510270AAC</a>	7	1.5	Mag-A	Diamond	1.5	0.5	11308 Gry	Blk
<a href="#">A03510270AAD</a>	7	1.5	Mag-A	Diamond	1.5	0.5	Mocha	Blk
<a href="#">A03510270AAE</a>	7	1.5	Mag-A	Diamond	1.5	0.5	10082 Gry	Blk
<a href="#">A03510270AHC</a>	7	1.5	Mag-A	Diamond	1.5	0.5	11308 Gry	Blk
<a href="#">A03510271AAC</a>	7	1.5	Mag-A	Rib	1.5	0.5	Wht	Blk
<a href="#">A03510271AHC</a>	7	1.5	Mag-A	Rib	1.5	0.5	Wht	Blk
<a href="#">A03520270AAA</a>	7	1.5	Mag-A	Diamond	1.375	0.5	Blk	Blk
<a href="#">A03520270AAB</a>	7	1.5	Mag-A	Diamond	1.375	0.5	10082 Gry	Blk
<a href="#">A03520270AAC</a>	7	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
<a href="#">A03520270AAD</a>	7	1.5	Mag-A	Diamond	1.375	0.5	Cream	Blk
<a href="#">A03520270AAE</a>	7	1.5	Mag-A	Diamond	1.375	0.5	Gry	Blk
<a href="#">A03520270AHC</a>	7	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
<a href="#">A03540271AAA</a>	7	1.5	Mag-A	Rib	1.43	0.5	Wht	Blk
<a href="#">A03550270AAD</a>	7	1.5	Mag-A	Diamond	1.625	0.5	10079 Gry	Blk
<a href="#">A03550270AAH</a>	7	1.5	Mag-A	Diamond	1.625	0.5	Wht	Blk
<a href="#">A03550270AAJ</a>	7	1.5	Mag-A	Diamond	1.625	0.5	Brn Ylw	Blk
<a href="#">A03560270AAA</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03560270AAB</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Brn Ylw	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
<a href="#">A03560270AAC</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
<a href="#">A03560270AAD</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03560270AAF</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
<a href="#">A03560270ARD</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03560270BAD</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03560270BRD</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03560270TAA</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03560270TAB</a>	7	1.5	Mag-A	Diamond	1.595	0.5	BrT Ylw	Blk
<a href="#">A03560270TAC</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
<a href="#">A03560270WAD</a>	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03580271AAB</a>	7	1.5	Mag-A	Rib	1.5	0.5625	Gry	Gry
<a href="#">A03600286AAA</a>	8	1.75	Titan-A	Rib	2.105	0.625	Blk	Blk
<a href="#">A03600286AHA</a>	8	1.75	Titan-A	Rib	2.105	0.625	Blk	Blk
<a href="#">A03610280AAB</a>	8	1.7	Mag-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A03610280AAD</a>	8	1.7	Mag-A	Diamond	1.5	0.5	Wht	Blk
<a href="#">A03610280AAF</a>	8	1.7	Mag-A	Diamond	1.5	0.5	16131 Ylw	Blk
<a href="#">A03610280AAF</a>	8	1.7	Mag-A	Diamond	1.5	0.5	Pewter	Blk
<a href="#">A03610280AAG</a>	8	1.75	Mag-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A03610280AAH</a>	8	1.7	Mag-A	Diamond	1.5	0.5	180014 Ylw	Blk
<a href="#">A03610280AAI</a>	8	1.7	Mag-A	Diamond	1.5	0.5	Gry	Blk
<a href="#">A03610280AAJ</a>	8	1.7	Mag-A	Diamond	1.5	0.5	180018 Ylw	Blk
<a href="#">A03610281AAA</a>	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Blk
<a href="#">A03610281AAC</a>	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Gry
<a href="#">A03610281AAE</a>	8	1.75	Mag-A	Rib	1.5	0.5	10082 Gry	Blk
<a href="#">A03610281AAF</a>	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
<a href="#">A03610281AAG</a>	8	1.7	Mag-A	Rib	1.5	0.5	Wht	Blk
<a href="#">A03610281AHF</a>	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry
<a href="#">A03610281BAC</a>	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Gry
<a href="#">A03610287AAA</a>	8	1.75	Mag-A	Offset Bar	1.5	0.5	Gry	Blk
<a href="#">A03610287AAB</a>	8	1.75	Mag-A	Offset Bar	1.5	0.5	Blk	Blk
<a href="#">A03620280AAA</a>	8	1.75	Mag-A	Diamond	1.375	0.5	Blk	Blk
<a href="#">A03620280AAC</a>	8	1.75	Mag-A	Diamond	1.375	0.5	Wht	Blk
<a href="#">A03620280AAE</a>	8	1.75	Mag-A	Diamond	1.375	0.5	Dk Gry	Blk
<a href="#">A03620280AHC</a>	8	1.75	Mag-A	Diamond	1.375	0.5	Wht	Blk
<a href="#">A03620281AAB</a>	8	1.75	Mag-A	Rib	1.375	0.5	Wht	Blk
<a href="#">A03620281AAD</a>	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
<a href="#">A03620281AAE</a>	8	1.75	Mag-A	Rib	1.375	0.5	10082 Gry	Blk
<a href="#">A03620281AAF</a>	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
<a href="#">A03620281AHD</a>	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
<a href="#">A03640280AAA</a>	8	1.75	Mag-A	Diamond	1.43	0.5	10079 Gry	Blk
<a href="#">A03640281AAB</a>	8	1.75	Mag-A	Rib	1.43	0.5	Wht	Blk
<a href="#">A03640283AAB</a>	8	1.75	Mag-A	Bar Rib	1.43	0.5	12724 Gry	Blk
<a href="#">A03640283AAC</a>	8	1.75	Mag-A	Bar Rib	1.43	0.5	10079 Gry	Blk
<a href="#">A03640283AAD</a>	8	1.75	Mag-A	Bar Rib	1.43	0.5	16046 Grn	Blk
<a href="#">A03640283AHC</a>	8	1.75	Mag-A	Bar Rib	1.43	0.5	10079 Gry	Blk
<a href="#">A03650280AAB</a>	8	1.75	Mag-A	Diamond	1.1625	0.5	Wht	Blk
<a href="#">A03650280AAD</a>	8	1.75	Mag-A	Diamond	1.1625	0.5	Pewter	Blk
<a href="#">A03670286AAA</a>	8	1.75	Titan-A	Rib	2.12	0.625	Blk	Blk
<a href="#">A03680280AAA</a>	8	1.7	Mag-A	Diamond	2.25	0.625	Wht	Blk
<a href="#">A03690280AAB</a>	8	1.75	Mag-A	Diamond	1.66	0.5	LT Gry	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
<a href="#">A03720270AHA</a>	7	1.5	Mag-A	Diamond	1.5	0.5	BrT Wht	Blk
<a href="#">A03730280AAA</a>	8	1.75	Mag-A	Diamond	1.595	0.5	Gry	Blk
<a href="#">A03740275AAA</a>	7	1.75	Mag-A	Brick	1.75	0.375	Blk	Blk
<a href="#">A03740275AHA</a>	7	1.75	Mag-A	Brick	1.75	0.375	Blk	Blk
<a href="#">A03770275AAB</a>	7	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
<a href="#">A03770275AAE</a>	7	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk

<a href="#">A03770275AAF</a>	7	1.75	Mag-A	Brick	1.5	0.5	Grip Gry	Blk
<a href="#">A03770275AHB</a>	7	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
<a href="#">A03770275AHE</a>	7	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
<a href="#">A03780274AAA</a>	8	1.75	Mag-A	Brick	1.5	0.5	Blk	Blk
<a href="#">A03780274AAB</a>	8	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
<a href="#">A03780274AAF</a>	8	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
<a href="#">A03780274AHE</a>	8	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
<a href="#">A03790292AAA</a>	9	2	Mag-A	Brick	1.5	0.5	Blk	Blk
<a href="#">A03790292AAD</a>	9	2	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
<a href="#">A03790292AAF</a>	9	2	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
<a href="#">A03790292AAG</a>	9	2	Mag-A	Brick	1.5	0.5	Gry	Blk
<a href="#">A03790292AHD</a>	9	2	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
<a href="#">A03790292AHF</a>	9	2	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
<a href="#">A03800292AAA</a>	9	2	Mag-A	Brick	1.8	0.5	Blk	Blk
<a href="#">A03850283AAA</a>	8	1.75	Mag-A	Bar Rib	1.625	0.375	Blk	Blk
<a href="#">A03860276AAA</a>	8.5	1.25	Smooth-B	Rib	1.5	0.375	Wht	Blk
<a href="#">A03910284AAA</a>	8	2	Smooth-A	Bar Groove	1.375	0.5	10082 Gry	Blk
<a href="#">A03910284AAD</a>	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
<a href="#">A03910284AAF</a>	8	2	Smooth-A	Bar Groove	1.375	0.5	Brk Ylw	Blk

<b>Part Number</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">A03910284AHD</a>	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
<a href="#">A03940284AAA</a>	8	2	Smooth-A	Bar Groove	1.525	0.625	Blk	Blk
<a href="#">A03980297AAA</a>	8	2	Smooth-A	Bar Rib	1.407	0.5	Gry	Blk
<a href="#">A04010286AAA</a>	8	1.75	Titan-A	Rib	2.12	0.5	Blk	Blk
<a href="#">A04010305AAA</a>	8	1.75	Titan-A	Rib	2.12	0.5	Blk	Blk
<a href="#">A04040280AAA</a>	8	1.75	Mag-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A04040281BHA</a>	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry
<a href="#">A04060260AAA</a>	6	1.5	3Spk-A	Diamond	1.5	0.5	Ylw	Blk
<a href="#">A04060260AAF</a>	6	1.5	3Spk-A	Diamond	1.5	0.5	10082 Gry	Blk
<a href="#">A04060260AHE</a>	6	1.5	3Spk-A	Diamond	1.5	0.5	10082 Gry	Blk
<a href="#">A04060261AAB</a>	6	1.5	3Spk-A	Rib	1.5	0.5	Wht	Blk
<a href="#">A04060264AAA</a>	6	1.5	3Spk-A	Smooth	1.5	0.5	12724 Gry	Blk
<a href="#">A04070270AAA</a>	7	1.5	3Spk-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A04070270AAB</a>	7	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
<a href="#">A04070270AAC</a>	7	1.5	3Spk-A	Diamond	1.5	0.5	Brk Ylw	Blk
<a href="#">A04070270AAD</a>	7	1.5	3Spk-A	Diamond	1.5	0.5	McKinley Wht	Blk
<a href="#">A04070271AAA</a>	7	1.5	3Spk-A	Bar Rib	1.5	0.5	10082 Gry	Gry
<a href="#">A04070271AAB</a>	7	1.5	3Spk-A	Bar Rib	1.5	0.5	Wht	Blk
<a href="#">A04080280AAA</a>	8	1.75	3Spk-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A04080280AAB</a>	8	1.5	3Spk-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A04080280AAD</a>	8	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
<a href="#">A04080280ARD</a>	8	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
<a href="#">A04080281AAA</a>	8	1.5	3Spk-A	Rib	1.5	0.5	Wht	Blk
<a href="#">A04080303AAA</a>	8	1.75	3Spk-A	Smooth	1.5	0.5	Quick Slvr	Gry
<a href="#">A04090270AAC</a>	7	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk

<b>Part Number</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">A04090270AHD</a>	7	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
<a href="#">A04090271AAB</a>	7	1.5	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
<a href="#">A04090271AHB</a>	7	1.5	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
<a href="#">A04110281AAA</a>	8	1.75	3Spk-A	Rib	1.5	0.625	Blk	Blk
<a href="#">A04160270AAA</a>	7	1.5	3Spk-A	Diamond	1.625	0.5	Gry	Blk
<a href="#">A04170270AAB</a>	7	2	3Spk-A	Diamond	1.63	0.5	Wht	Blk
<a href="#">A04180280AAB</a>	8	2	3Spk-A	Diamond	1.52	0.5	10082 Gry	Blk
<a href="#">A04180280AHB</a>	8	2	3Spk-A	Diamond	1.52	0.5	10082 Gry	Blk
<a href="#">A04180280BAA</a>	8	2	3Spk-A	Diamond	1.52	0.5	11261 Blk	Blk
<a href="#">A04180280BAB</a>	8	2	3Spk-A	Diamond	1.52	0.5	11261 Blk	Blk
<a href="#">A04190275AAA</a>	7	1.75	Mag-A	Brick	1.5	0.375	Blk	Blk
<a href="#">A04210292AAA</a>	9	2	Mag-A	Brick	1.5	0.625	Wht	Blk
<a href="#">A04230260AAA</a>	6	1.5	3Spk-A	Diamond	1.375	0.5	Brk Wht	Blk

<a href="#">A04240270AAA</a>	7	1.5	Mag-A	Diamond	1.4	0.5	Gry	Blk
<a href="#">A04260260AAB</a>	6	1.5	3Spk-A	Diamond	1.5	0.375	Brk Wht	Blk
<a href="#">A04260261AAA</a>	6	1.5	3Spk-A	Rib	1.5	0.375	Blk	Blk
<a href="#">A04260264AAA</a>	6	1.5	3Spk-A	Smooth	1.5	0.375	Blk	Blk
<a href="#">A04260264AAB</a>	6	1.5	3Spk-A	Smooth	1.5	0.375	Brk Ylw	Blk
<a href="#">A04270275AAA</a>	7	1.75	Mag-A	Brick	1.39	0.5	Gry	Blk
<a href="#">A04270275AAB</a>	7	1.75	Mag-A	Brick	1.39	0.5	Brk Wht	Blk
<a href="#">A04270275AAC</a>	7	1.75	Mag-A	Brick	1.39	0.5	Brk Ylw	Blk
<a href="#">A04280274AAA</a>	8	1.75	Mag-A	Brick	1.39	0.5	Gry	Blk
<a href="#">A04280274AAB</a>	8	1.75	Mag-A	Brick	1.39	0.5	Brk Wht	Blk
<a href="#">A04280274AAC</a>	8	1.75	Mag-A	Brick	1.39	0.5	Brk Ylw	Blk
<a href="#">A04280274AAD</a>	8	1.75	Mag-A	Brick	1.39	0.5	Marigold	Blk

<b>Part Number</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">A04280274AAF</a>	8	1.75	Mag-A	Brick	1.39	0.5	Storm Gry	Blk
<a href="#">A04280274AAF</a>	8	1.75	Mag-A	Brick	1.39	0.5	Blk	Blk
<a href="#">A04290284AAA</a>	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
<a href="#">A04290284AHA</a>	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
<a href="#">A04370270AAA</a>	7	1.5	3Spk-A	Diamond	1.39	0.5	Gry	Blk
<a href="#">A04370270AAB</a>	7	1.5	3Spk-A	Diamond	1.39	0.5	Wht	Blk
<a href="#">A04370270AAC</a>	7	1.5	3Spk-A	Diamond	1.39	0.5	Marigold	Blk
<a href="#">A04370270AAD</a>	7	1.5	3Spk-A	Diamond	1.39	0.5	Brk Ylw	Blk
<a href="#">A04370270AAF</a>	7	1.5	3Spk-A	Diamond	1.39	0.5	Lime Grn	Blk
<a href="#">A04370270AAG</a>	7	1.5	3Spk-A	Diamond	1.39	0.5	Blk	Blk
<a href="#">A04370270ARB</a>	7	1.5	3Spk-A	Diamond	1.39	0.5	Wht	Blk
<a href="#">A04400280AAA</a>	8	1.75	Mag-A	Diamond	1.5	0.375	11309 Gry	Blk
<a href="#">A04400280AAC</a>	8	1.75	Mag-A	Diamond	1.5	0.375	Wht	Blk
<a href="#">A04400280AAE</a>	8	1.75	Mag-A	Diamond	1.5	0.375	Blk	Blk
<a href="#">A04400280AHE</a>	8	1.75	Mag-A	Diamond	1.5	0.375	Blk	Blk
<a href="#">A04400281AAA</a>	8	1.75	Mag-A	Rib	1.5	0.375	16035 Gry	Blk
<a href="#">A04400283AAA</a>	8	1.75	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
<a href="#">A04410274AAB</a>	8	1.75	Mag-A	Brick	1.5	0.375	Wht	Blk
<a href="#">A04410274AHB</a>	8	1.75	Mag-A	Brick	1.5	0.375	Wht	Blk
<a href="#">A04430281AAA</a>	8	1.75	Mag-A	Rib	1.5	0.4375	Blk	Gry
<a href="#">A04440280AAA</a>	8	1.75	3Spk-A	Diamond	1.625	0.5	Wht	Blk
<a href="#">A04490281AAA</a>	8	2	3Spk-A	Rib	1.5	0.5	Blk	Gry
<a href="#">A04490281AAC</a>	8	2	3Spk-A	Rib	1.5	0.5	Wht	Gry
<a href="#">A04510311AAA</a>	10	1.75	3Spk-A	Diamond	1.5	0.5	Blk	Blk
<a href="#">A04510311AAB</a>	10	1.75	3Spk-A	Diamond	1.5	0.5	Gry	Blk

<b>Part Number</b>	<b>Wheel OD</b>	<b>Wheel Width</b>	<b>Hub Style</b>	<b>Tread Style</b>	<b>Bore Length</b>	<b>Bore ID</b>	<b>Hub Color</b>	<b>Tire Color</b>
<a href="#">A04510311AAC</a>	10	1.75	3Spk-A	Diamond	1.5	0.5	Wht	Blk
<a href="#">A04510311ARC</a>	10	1.75	3Spk-A	Diamond	1.5	0.5	Wht	Blk
<a href="#">A04510761AAA</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Gry
<a href="#">A04510761AAC</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Blk
<a href="#">A04510761AAF</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Wht	Blk
<a href="#">A04510761AAG</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Wht	Gry
<a href="#">A04510761AAH</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Blk
<a href="#">A04510761AAJ</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Gry
<a href="#">A04510761ABA</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Gry
<a href="#">A04510761AHJ</a>	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Gry
<a href="#">A04520311AAA</a>	10	1.72	3Spk-A	Diamond	1.5	0.5	Gry	Blk
<a href="#">A04530761AAB</a>	10	1.75	3Spk-A	Rib	1.5	0.3125	Wht	Blk
<a href="#">A04550281AAA</a>	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
<a href="#">A04590311AAB</a>	10	1.75	3Spk-A	Diamond	1.9	0.375	Ylw	Blk
<a href="#">A04660260AAA</a>	6	1.5	3Spk-A	Diamond	1.512	0.5	Wht	Blk
<a href="#">A04660260ARA</a>	6	1.5	3Spk-A	Diamond	1.512	0.5	Wht	Blk
<a href="#">A05010780AAA</a>	8	1.75	3Spk-B	Brick	1.695	0.5	Blk	Blk
<a href="#">A05020780AAA</a>	8	1.75	3Spk-B	Brick	1.395	0.5	Blk	Blk
<a href="#">A05100790AAA</a>	12	1.75	3Spk-B	Brick	1.745	0.5	Gry	Blk
<a href="#">A05400291AAA</a>	10	1.75	Titan-A	Rib	2.02	0.625	Blk	Blk
<a href="#">A05400291AAC</a>	10	1.75	Titan-A	Rib	2.02	0.625	Wht	Blk



<a href="#">A054400761AAA</a>	10	1.75	Titan-A	Rib	2.02	0.625	Wht	Blk
<a href="#">A05420291AAA</a>	10	1.75	Titan-A	Rib	2	0.75	Blk	Blk
<a href="#">A05440291AAA</a>	10	1.75	Titan-A	Rib	1.8959	0.625	Wht	Blk
<a href="#">A05450291AAA</a>	10	1.75	Titan-A	Rib	1.645	0.75	Blk	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
<a href="#">A05460291AAB</a>	10	1.75	Titan-A	Rib	2.02	0.5	Cream	Blk
<a href="#">A05470761AAA</a>	10	1.75	Titan-A	Rib	1.74	0.5	Blk	Gry
<a href="#">A05490312AAA</a>	10	1.75	Titan-A	Diamond	2	0.5	Cream	Blk
<a href="#">A05500311AAA</a>	10	1.75	Titan-A	Diamond	1.76	0.625	Blk	Blk
<a href="#">A05500311AAB</a>	10	1.75	Titan-A	Diamond	1.76	0.625	Blk	Blk
<a href="#">A05510312AAA</a>	10	1.75	Titan-A	Diamond	2	0.75	Blk	Blk
<a href="#">A05520312AAA</a>	10	1.75	Titan-A	Diamond	2.225	0.625	Blk	Blk
<a href="#">A05530761AAA</a>	10	1.75	Titan-A	Rib	2.51	0.75	Blk	Blk
<a href="#">A05580315AAA</a>	9.75	2.75	X10-A	Knobby	2.17	0.5	Gry	Blk
<a href="#">A05590315AAA</a>	9.75	2.75	X10-A	Knobby	2.17	0.5	Gry	Blk
<a href="#">A05620604AAA</a>	9.75	2.75	X10-A	Sawtooth	2.17	0.625	Blk	Blk
<a href="#">A05660790BAA</a>	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
<a href="#">A05660790BRA</a>	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
<a href="#">A05660790CAA</a>	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
<a href="#">A05660790CAB</a>	12	1.75	3Spk-B	Brick	1.755	0.5	Blk	Blk
<a href="#">A05660790CAW</a>	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
<a href="#">A05660790CRA</a>	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
<a href="#">A05660790WAA</a>	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
<a href="#">A05690790AAA</a>	12	1.75	5Spk-B	Brick	1.755	0.5	Dk Gry	Blk
<a href="#">A05690790AAB</a>	12	1.75	5Spk-B	Brick	1.755	0.5	LT Gry	Blk
<a href="#">A05690790RAA</a>	12	1.75	5Spk-B	Brick	1.755	0.5	Dk Gry	Blk
<a href="#">A05690790RAB</a>	12	1.75	5Spk-B	Brick	1.755	0.5	LT Gry	Blk
<a href="#">A05720295AAA</a>	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Blk
<a href="#">A05720295AAC</a>	12	1.75	Titan-A	Rib	2.22	0.625	Americart	Grn Blk
<a href="#">A05720295AAE</a>	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
<a href="#">A05720295AAF</a>	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Pantone 425C
<a href="#">A05740295AAA</a>	12	1.75	Titan-A	Rib	2.2	0.75	Blk	Blk
<a href="#">A05740295AAC</a>	12	1.75	Titan-A	Rib	2.2	0.75	Blk	Gry
<a href="#">A05900300AAA</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
<a href="#">A05900300AAB</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
<a href="#">A05900300AAC</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
<a href="#">A05900300AAD</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Gry	Blk
<a href="#">A05900300AAE</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Gry	Blk
<a href="#">A05900300AAG</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Dk Gry	Blk
<a href="#">A05900300AAI</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Wht	Blk
<a href="#">A05900300AAN</a>	14	1.75	5Spk-A	Diamond	2.6	0.625	Wht	Blk
<a href="#">A05900300AAP</a>	14	1.75	5Spk-A	Diamond	2.515	0.625	Wht	Blk
<a href="#">A05900300AHA</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
<a href="#">A05900300AHB</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
<a href="#">A05900300AHC</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
<a href="#">A05910300AAA</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
<a href="#">A05910300AAD</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Wht	Blk
<a href="#">A05910300AAJ</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
<a href="#">A05920300AAA</a>	14	1.75	5Spk-A	Diamond	2.454	0.375	Blk	Blk
<a href="#">A05940300AAA</a>	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
<a href="#">A05950300AAA</a>	14	1.75	5Spk-A	Diamond	2.468	0.5	10079 Gry	Blk
<a href="#">A05950300AAB</a>	14	1.75	5Spk-A	Diamond	2.468	0.5	Blk	Blk
<a href="#">A05960300AAA</a>	14	1.75	5Spk-A	Diamond	2.23	0.375	Blk	Blk

## Ordering Information

To place an order, please contact our knowledgeable and professional customer service team:

- PHONE: 800-479-4335
- EMAIL: [customerservice@cewmail.com](mailto:customerservice@cewmail.com)

If you cannot find what you need or require a custom part, simply call and speak to one of our knowledgeable wheel specialists. They can walk you through the ordering process quickly and professionally.