

Index

Title	Page
Tread Cap Wheel Assembly	2
Tread Cap Tire	12
Terms	13



Tread Cap Wheel Assembly

Our Tread Cap™ assembly is altogether different. Neither inflated air nor air pockets are involved. It's the cellular structure of the hub that provides the support, strength and exceptional durability. The injection molded tread cap™ is stretched, mounted and fit firmly onto the hub. CEW specializes in high-volume production.

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
-------------	----------	-------------	-----------	-------------	-------------	---------	-----------	------------

A03410260AAA	6	1.5	Mag-A	Diamond	1.5	0.5	Wht	Blk
A03410260AAB	6	1.5	Mag-A	Diamond	1.5	0.5	Gry	Blk
A03410261AAA	6	1.5	Mag-A	Rib	1.5	0.5	Blk	Gry
A03420260AAC	6	1.5	Mag-A	Diamond	1.375	0.5	Brnt Wht	Blk
A03420260AAD	6	1.5	Mag-A	Diamond	1.375	0.5	10082 Gry	Blk
A03420260AAE	6	1.5	Mag-A	Diamond	1.375	0.5	Blk	Blk
A03420260AAF	6	1.5	Mag-A	Diamond	1.375	0.5	14191 Gry	Blk
A03420260AAG	6	1.5	Mag-A	Diamond	1.375	0.5	Dk Gry	Blk
A03420260AHC	6	1.5	Mag-A	Diamond	1.375	0.5	Brnt Wht	Blk
A03430260AAA	6	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03450260AAA	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03450260AAC	6	1.5	Mag-A	Diamond	1.5	0.375	Wht	Blk
A03450260AAE	6	1.5	Mag-A	Diamond	1.5	0.375	Orange	Blk
A03450261AAA	6	1.5	Mag-A	Rib	1.5	0.375	Blk	Blk
A03450261AAC	6	1.5	Mag-A	Rib	1.5	0.375	Wht	Blk
A03480260AAA	6	1.5	Mag-A	Diamond	1.5	0.375	Wht	Blk
A03480260AAC	6	1.5	Mag-A	Diamond	1.5	0.375	Brnt Wht	Blk
A03480260AAE	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03480260AAF	6	1.5	Mag-A	Diamond	1.5	0.375	Quick Slvr	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
-------------	----------	-------------	-----------	-------------	-------------	---------	-----------	------------

A03480260AAG	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03480260AHE	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03480261AAB	6	1.5	Mag-A	Rib	1.5	0.375	Quick Slvr	Blk
A03480261AAD	6	1.5	Mag-A	Rib	1.5	0.375	Beige	Blk
A03490260AAA	6	1.5	Mag-A	Diamond	1.5	0.4375	Gry	Blk
A03510270AAA	7	1.5	Mag-A	Diamond	1.5	0.5	Blk	Blk
A03510270AAB	7	1.5	Mag-A	Diamond	1.5	0.5	Gry	Blk
A03510270AAC	7	1.5	Mag-A	Diamond	1.5	0.5	11308 Gry	Blk
A03510270AAD	7	1.5	Mag-A	Diamond	1.5	0.5	Mocha	Blk
A03510270AAE	7	1.5	Mag-A	Diamond	1.5	0.5	10082 Gry	Blk
A03510270AHC	7	1.5	Mag-A	Diamond	1.5	0.5	11308 Gry	Blk
A03510271AAC	7	1.5	Mag-A	Rib	1.5	0.5	Wht	Blk
A03510271AHC	7	1.5	Mag-A	Rib	1.5	0.5	Wht	Blk
A03520270AAA	7	1.5	Mag-A	Diamond	1.375	0.5	Blk	Blk
A03520270AAB	7	1.5	Mag-A	Diamond	1.375	0.5	10082 Gry	Blk
A03520270AAC	7	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03520270AAD	7	1.5	Mag-A	Diamond	1.375	0.5	Cream	Blk
A03520270AAE	7	1.5	Mag-A	Diamond	1.375	0.5	Gry	Blk
A03520270AHC	7	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03540271AAA	7	1.5	Mag-A	Rib	1.43	0.5	Wht	Blk
A03550270AAD	7	1.5	Mag-A	Diamond	1.625	0.5	10079 Gry	Blk
A03550270AAH	7	1.5	Mag-A	Diamond	1.625	0.5	Wht	Blk
A03550270AAJ	7	1.5	Mag-A	Diamond	1.625	0.5	Brnt Ylw	Blk
A03560270AAA	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270AAB	7	1.5	Mag-A	Diamond	1.595	0.5	Brnt Ylw	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A03560270AAC	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
A03560270AAD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270AAF	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
A03560270ARD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270BAD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270BRD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270TAA	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270TAB	7	1.5	Mag-A	Diamond	1.595	0.5	BrT Ylw	Blk
A03560270TAC	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
A03560270WAD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03580271AAB	7	1.5	Mag-A	Rib	1.5	0.5625	Gry	Gry
A03600286AAA	8	1.75	Titan-A	Rib	2.105	0.625	Blk	Blk
A03600286AHA	8	1.75	Titan-A	Rib	2.105	0.625	Blk	Blk
A03610280AAB	8	1.7	Mag-A	Diamond	1.5	0.5	Blk	Blk
A03610280AAD	8	1.7	Mag-A	Diamond	1.5	0.5	Wht	Blk
A03610280AAF	8	1.7	Mag-A	Diamond	1.5	0.5	16131 Ylw	Blk
A03610280AAF	8	1.7	Mag-A	Diamond	1.5	0.5	Pewter	Blk
A03610280AAG	8	1.75	Mag-A	Diamond	1.5	0.5	Blk	Blk
A03610280AAH	8	1.7	Mag-A	Diamond	1.5	0.5	180014 Ylw	Blk
A03610280AAI	8	1.7	Mag-A	Diamond	1.5	0.5	Gry	Blk
A03610280AAJ	8	1.7	Mag-A	Diamond	1.5	0.5	180018 Ylw	Blk
A03610281AAA	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Blk
A03610281AAC	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Gry
A03610281AAE	8	1.75	Mag-A	Rib	1.5	0.5	10082 Gry	Blk
A03610281AAF	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A03610281AAG	8	1.7	Mag-A	Rib	1.5	0.5	Wht	Blk
A03610281AHF	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry
A03610281BAC	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Gry
A03610287AAA	8	1.75	Mag-A	Offset Bar	1.5	0.5	Gry	Blk
A03610287AAB	8	1.75	Mag-A	Offset Bar	1.5	0.5	Blk	Blk
A03620280AAA	8	1.75	Mag-A	Diamond	1.375	0.5	Blk	Blk
A03620280AAC	8	1.75	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03620280AAE	8	1.75	Mag-A	Diamond	1.375	0.5	Dk Gry	Blk
A03620280AHC	8	1.75	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03620281AAB	8	1.75	Mag-A	Rib	1.375	0.5	Wht	Blk
A03620281AAD	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A03620281AAE	8	1.75	Mag-A	Rib	1.375	0.5	10082 Gry	Blk
A03620281AAF	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A03620281AHD	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A03640280AAA	8	1.75	Mag-A	Diamond	1.43	0.5	10079 Gry	Blk
A03640281AAB	8	1.75	Mag-A	Rib	1.43	0.5	Wht	Blk
A03640283AAB	8	1.75	Mag-A	Bar Rib	1.43	0.5	12724 Gry	Blk
A03640283AAC	8	1.75	Mag-A	Bar Rib	1.43	0.5	10079 Gry	Blk
A03640283AAD	8	1.75	Mag-A	Bar Rib	1.43	0.5	16046 Grn	Blk
A03640283AHC	8	1.75	Mag-A	Bar Rib	1.43	0.5	10079 Gry	Blk
A03650280AAB	8	1.75	Mag-A	Diamond	1.1625	0.5	Wht	Blk
A03650280AAD	8	1.75	Mag-A	Diamond	1.1625	0.5	Pewter	Blk
A03670286AAA	8	1.75	Titan-A	Rib	2.12	0.625	Blk	Blk
A03680280AAA	8	1.7	Mag-A	Diamond	2.25	0.625	Wht	Blk
A03690280AAB	8	1.75	Mag-A	Diamond	1.66	0.5	LT Gry	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A03720270AHA	7	1.5	Mag-A	Diamond	1.5	0.5	BrT Wht	Blk
A03730280AAA	8	1.75	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03740275AAA	7	1.75	Mag-A	Brick	1.75	0.375	Blk	Blk
A03740275AHA	7	1.75	Mag-A	Brick	1.75	0.375	Blk	Blk
A03770275AAB	7	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03770275AAE	7	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk

A03770275AAF	7	1.75	Mag-A	Brick	1.5	0.5	Grip Gry	Blk
A03770275AHB	7	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03770275AHE	7	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03780274AAA	8	1.75	Mag-A	Brick	1.5	0.5	Blk	Blk
A03780274AAB	8	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03780274AAF	8	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03780274AHE	8	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03790292AAA	9	2	Mag-A	Brick	1.5	0.5	Blk	Blk
A03790292AAD	9	2	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03790292AAF	9	2	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03790292AAG	9	2	Mag-A	Brick	1.5	0.5	Gry	Blk
A03790292AHD	9	2	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03790292AHF	9	2	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03800292AAA	9	2	Mag-A	Brick	1.8	0.5	Blk	Blk
A03850283AAA	8	1.75	Mag-A	Bar Rib	1.625	0.375	Blk	Blk
A03860276AAA	8.5	1.25	Smooth-B	Rib	1.5	0.375	Wht	Blk
A03910284AAA	8	2	Smooth-A	Bar Groove	1.375	0.5	10082 Gry	Blk
A03910284AAD	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A03910284AAF	8	2	Smooth-A	Bar Groove	1.375	0.5	Brk Ylw	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A03910284AHD	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A03940284AAA	8	2	Smooth-A	Bar Groove	1.525	0.625	Blk	Blk
A03980297AAA	8	2	Smooth-A	Bar Rib	1.407	0.5	Gry	Blk
A04010286AAA	8	1.75	Titan-A	Rib	2.12	0.5	Blk	Blk
A04010305AAA	8	1.75	Titan-A	Rib	2.12	0.5	Blk	Blk
A04040280AAA	8	1.75	Mag-A	Diamond	1.5	0.5	Blk	Blk
A04040281BHA	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry
A04060260AAA	6	1.5	3Spk-A	Diamond	1.5	0.5	Ylw	Blk
A04060260AAF	6	1.5	3Spk-A	Diamond	1.5	0.5	10082 Gry	Blk
A04060260AHE	6	1.5	3Spk-A	Diamond	1.5	0.5	10082 Gry	Blk
A04060261AAB	6	1.5	3Spk-A	Rib	1.5	0.5	Wht	Blk
A04060264AAA	6	1.5	3Spk-A	Smooth	1.5	0.5	12724 Gry	Blk
A04070270AAA	7	1.5	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04070270AAB	7	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04070270AAC	7	1.5	3Spk-A	Diamond	1.5	0.5	Brk Ylw	Blk
A04070270AAD	7	1.5	3Spk-A	Diamond	1.5	0.5	McKinley Wht	Blk
A04070271AAA	7	1.5	3Spk-A	Bar Rib	1.5	0.5	10082 Gry	Gry
A04070271AAB	7	1.5	3Spk-A	Bar Rib	1.5	0.5	Wht	Blk
A04080280AAA	8	1.75	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04080280AAB	8	1.5	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04080280AAD	8	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04080280ARD	8	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04080281AAA	8	1.5	3Spk-A	Rib	1.5	0.5	Wht	Blk
A04080303AAA	8	1.75	3Spk-A	Smooth	1.5	0.5	Quick Slvr	Gry
A04090270AAC	7	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A04090270AHD	7	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A04090271AAB	7	1.5	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
A04090271AHB	7	1.5	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
A04110281AAA	8	1.75	3Spk-A	Rib	1.5	0.625	Blk	Blk
A04160270AAA	7	1.5	3Spk-A	Diamond	1.625	0.5	Gry	Blk
A04170270AAB	7	2	3Spk-A	Diamond	1.63	0.5	Wht	Blk
A04180280AAB	8	2	3Spk-A	Diamond	1.52	0.5	10082 Gry	Blk
A04180280AHB	8	2	3Spk-A	Diamond	1.52	0.5	10082 Gry	Blk
A04180280BAA	8	2	3Spk-A	Diamond	1.52	0.5	11261 Blk	Blk
A04180280BAB	8	2	3Spk-A	Diamond	1.52	0.5	11261 Blk	Blk
A04190275AAA	7	1.75	Mag-A	Brick	1.5	0.375	Blk	Blk
A04210292AAA	9	2	Mag-A	Brick	1.5	0.625	Wht	Blk
A04230260AAA	6	1.5	3Spk-A	Diamond	1.375	0.5	Brk Wht	Blk

A04240270AAA	7	1.5	Mag-A	Diamond	1.4	0.5	Gry	Blk
A04260260AAB	6	1.5	3Spk-A	Diamond	1.5	0.375	Brt Wht	Blk
A04260261AAA	6	1.5	3Spk-A	Rib	1.5	0.375	Blk	Blk
A04260264AAA	6	1.5	3Spk-A	Smooth	1.5	0.375	Blk	Blk
A04260264AAB	6	1.5	3Spk-A	Smooth	1.5	0.375	Brt Ylw	Blk
A04270275AAA	7	1.75	Mag-A	Brick	1.39	0.5	Gry	Blk
A04270275AAB	7	1.75	Mag-A	Brick	1.39	0.5	Brt Wht	Blk
A04270275AAC	7	1.75	Mag-A	Brick	1.39	0.5	Brt Ylw	Blk
A04280274AAA	8	1.75	Mag-A	Brick	1.39	0.5	Gry	Blk
A04280274AAB	8	1.75	Mag-A	Brick	1.39	0.5	Brt Wht	Blk
A04280274AAC	8	1.75	Mag-A	Brick	1.39	0.5	Brt Ylw	Blk
A04280274AAD	8	1.75	Mag-A	Brick	1.39	0.5	Marigold	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A04280274AAF	8	1.75	Mag-A	Brick	1.39	0.5	Storm Gry	Blk
A04280274AAF	8	1.75	Mag-A	Brick	1.39	0.5	Blk	Blk
A04290284AAA	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A04290284AHA	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A04370270AAA	7	1.5	3Spk-A	Diamond	1.39	0.5	Gry	Blk
A04370270AAB	7	1.5	3Spk-A	Diamond	1.39	0.5	Wht	Blk
A04370270AAC	7	1.5	3Spk-A	Diamond	1.39	0.5	Marigold	Blk
A04370270AAD	7	1.5	3Spk-A	Diamond	1.39	0.5	Brt Ylw	Blk
A04370270AAF	7	1.5	3Spk-A	Diamond	1.39	0.5	Lime Grn	Blk
A04370270AAG	7	1.5	3Spk-A	Diamond	1.39	0.5	Blk	Blk
A04370270ARB	7	1.5	3Spk-A	Diamond	1.39	0.5	Wht	Blk
A04400280AAA	8	1.75	Mag-A	Diamond	1.5	0.375	11309 Gry	Blk
A04400280AAC	8	1.75	Mag-A	Diamond	1.5	0.375	Wht	Blk
A04400280AAE	8	1.75	Mag-A	Diamond	1.5	0.375	Blk	Blk
A04400280AHE	8	1.75	Mag-A	Diamond	1.5	0.375	Blk	Blk
A04400281AAA	8	1.75	Mag-A	Rib	1.5	0.375	16035 Gry	Blk
A04400283AAA	8	1.75	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
A04410274AAB	8	1.75	Mag-A	Brick	1.5	0.375	Wht	Blk
A04410274AHB	8	1.75	Mag-A	Brick	1.5	0.375	Wht	Blk
A04430281AAA	8	1.75	Mag-A	Rib	1.5	0.4375	Blk	Gry
A04440280AAA	8	1.75	3Spk-A	Diamond	1.625	0.5	Wht	Blk
A04490281AAA	8	2	3Spk-A	Rib	1.5	0.5	Blk	Gry
A04490281AAC	8	2	3Spk-A	Rib	1.5	0.5	Wht	Gry
A04510311AAA	10	1.75	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04510311AAB	10	1.75	3Spk-A	Diamond	1.5	0.5	Gry	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A04510311AAC	10	1.75	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04510311ARC	10	1.75	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04510761AAA	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Gry
A04510761AAC	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Blk
A04510761AAF	10	1.75	3Spk-A	Rib	1.5	0.5	Wht	Blk
A04510761AAG	10	1.75	3Spk-A	Rib	1.5	0.5	Wht	Gry
A04510761AAH	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Blk
A04510761AAJ	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Gry
A04510761ABA	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Gry
A04510761AHJ	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Gry
A04520311AAA	10	1.72	3Spk-A	Diamond	1.5	0.5	Gry	Blk
A04530761AAB	10	1.75	3Spk-A	Rib	1.5	0.3125	Wht	Blk
A04550281AAA	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A04590311AAB	10	1.75	3Spk-A	Diamond	1.9	0.375	Ylw	Blk
A04660260AAA	6	1.5	3Spk-A	Diamond	1.512	0.5	Wht	Blk
A04660260ARA	6	1.5	3Spk-A	Diamond	1.512	0.5	Wht	Blk
A05010780AAA	8	1.75	3Spk-B	Brick	1.695	0.5	Blk	Blk
A05020780AAA	8	1.75	3Spk-B	Brick	1.395	0.5	Blk	Blk
A05100790AAA	12	1.75	3Spk-B	Brick	1.745	0.5	Gry	Blk
A05400291AAA	10	1.75	Titan-A	Rib	2.02	0.625	Blk	Blk
A05400291AAC	10	1.75	Titan-A	Rib	2.02	0.625	Wht	Blk

A054400761AAA	10	1.75	Titan-A	Rib	2.02	0.625	Wht	Blk
A05420291AAA	10	1.75	Titan-A	Rib	2	0.75	Blk	Blk
A05440291AAA	10	1.75	Titan-A	Rib	1.8959	0.625	Wht	Blk
A05450291AAA	10	1.75	Titan-A	Rib	1.645	0.75	Blk	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A05460291AAB	10	1.75	Titan-A	Rib	2.02	0.5	Cream	Blk
A05470761AAA	10	1.75	Titan-A	Rib	1.74	0.5	Blk	Gry
A05490312AAA	10	1.75	Titan-A	Diamond	2	0.5	Cream	Blk
A05500311AAA	10	1.75	Titan-A	Diamond	1.76	0.625	Blk	Blk
A05500311AAB	10	1.75	Titan-A	Diamond	1.76	0.625	Blk	Blk
A05510312AAA	10	1.75	Titan-A	Diamond	2	0.75	Blk	Blk
A05520312AAA	10	1.75	Titan-A	Diamond	2.225	0.625	Blk	Blk
A05530761AAA	10	1.75	Titan-A	Rib	2.51	0.75	Blk	Blk
A05580315AAA	9.75	2.75	X10-A	Knobby	2.17	0.5	Gry	Blk
A05590315AAA	9.75	2.75	X10-A	Knobby	2.17	0.5	Gry	Blk
A05620604AAA	9.75	2.75	X10-A	Sawtooth	2.17	0.625	Blk	Blk
A05660790BAA	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
A05660790BRA	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
A05660790CAA	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
A05660790CAB	12	1.75	3Spk-B	Brick	1.755	0.5	Blk	Blk
A05660790CAW	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
A05660790CRA	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
A05660790WAA	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
A05690790AAA	12	1.75	5Spk-B	Brick	1.755	0.5	Dk Gry	Blk
A05690790AAB	12	1.75	5Spk-B	Brick	1.755	0.5	LT Gry	Blk
A05690790RAA	12	1.75	5Spk-B	Brick	1.755	0.5	Dk Gry	Blk
A05690790RAB	12	1.75	5Spk-B	Brick	1.755	0.5	LT Gry	Blk
A05720295AAA	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Blk
A05720295AAC	12	1.75	Titan-A	Rib	2.22	0.625	Americart	Grn Blk
A05720295AAE	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Blk

Part Number	Wheel OD	Wheel Width	Hub Style	Tread Style	Bore Length	Bore ID	Hub Color	Tire Color
A05720295AAF	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Pantone 425C
A05740295AAA	12	1.75	Titan-A	Rib	2.2	0.75	Blk	Blk
A05740295AAC	12	1.75	Titan-A	Rib	2.2	0.75	Blk	Gry
A05900300AAA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05900300AAB	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
A05900300AAC	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
A05900300AAD	14	1.75	5Spk-A	Diamond	2.454	0.5	Gry	Blk
A05900300AAE	14	1.75	5Spk-A	Diamond	2.454	0.5	Gry	Blk
A05900300AAG	14	1.75	5Spk-A	Diamond	2.454	0.5	Dk Gry	Blk
A05900300AAI	14	1.75	5Spk-A	Diamond	2.454	0.5	Wht	Blk
A05900300AAN	14	1.75	5Spk-A	Diamond	2.6	0.625	Wht	Blk
A05900300AAP	14	1.75	5Spk-A	Diamond	2.515	0.625	Wht	Blk
A05900300AHA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05900300AHB	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05900300AHC	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
A05910300AAA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05910300AAD	14	1.75	5Spk-A	Diamond	2.454	0.5	Wht	Blk
A05910300AAJ	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05920300AAA	14	1.75	5Spk-A	Diamond	2.454	0.375	Blk	Blk
A05940300AAA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05950300AAA	14	1.75	5Spk-A	Diamond	2.468	0.5	10079 Gry	Blk
A05950300AAB	14	1.75	5Spk-A	Diamond	2.468	0.5	Blk	Blk
A05960300AAA	14	1.75	5Spk-A	Diamond	2.23	0.375	Blk	Blk

Ordering Information

To place an order, please contact our knowledgeable and professional customer service team:

- PHONE: 800-479-4335
- EMAIL: customerservice@cewmail.com

If you cannot find what you need or require a custom part, simply call and speak to one of our knowledgeable wheel specialists. They can walk you through the ordering process quickly and professionally.