











# CEW

CUSTOM ENGINEERED WHEELS, INC. EST. 1976

## PRODUCT CATALOG



-  BLOW MOLDED WHEELS
-  FLAT FREE PU WHEELS
-  X-CORE
-  FOAM FILL

-  FOAM INSERTS
-  PNEUMATIC WHEELS
-  TREAD CAP WHEELS
-  SKYWAY WHEELS

800-479-4335

[customerservice@cewmail.com](mailto:customerservice@cewmail.com)

[cewheelsinc.com](http://cewheelsinc.com)

## Index

Title	Page
Foam Tire Insert	3
Plastic Wheel Hubs	5
One Piece Plastic Wheel Assembly	7
Over Mold Plastic Wheel Assembly	8
Plastic Blow Mold Wheel Assembly	9
Polyurethane Tire	10
Wheelchair Rear Wheels	24
Wheelchair Front Casters	28
Foam Fill Tire	33
Foam Filled Tire Assembly	36
Pneumatic Wheel Assembly	38
Lost Core Wheel Hub	39

## Index

Title	Page
Tread Cap Wheel Assembly	42
Terms	55



## Foam Tire Insert

Made from our proprietary Aero-Flex cellular polyurethane foam, CEW's flat proof tire inserts duplicate the ride comfort of air-inflated tires with total freedom from flats, leaks and repairs. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	TREAD STYLE	TIRE COLOR
QXXXX0121AAC	20	1	Smooth	Dk Gry
QXXXX0400AAA	6	1.25	Smooth	Dk Gry
QXXXX0401AAA	16	1.75	Smooth	Dk Gry
QXXXX0403AAA	12	2.25	Smooth	Dk Gry
QXXXX0403AAC	12	2.25	Smooth	White
QXXXX0403AAD	12	2.25	Smooth	Dk Gry
QXXXX0404AAA	16	1.75	Smooth	White
QXXXX0405AAA	20	1.375	Smooth	Dk Gry
QXXXX0405AAB	20	1.375	Smooth	Dk Gry
QXXXX0405AAC	20	1.375	Smooth	Dk Gry
QXXXX0405AAD	20	1.375	Smooth	Dk Gry
QXXXX0405AAE	22	1.375	Smooth	Dk Gry
QXXXX0405AAF	22	1.375	Smooth	Dk Gry
QXXXX0405AAG	24	1.375	Smooth	Dk Gry
QXXXX0405AAH	24	1.375	Smooth	Dk Gry
QXXXX0405AAJ	24	1.375	Smooth	Dk Gry
QXXXX0405AAK	24	1.375	Smooth	White
QXXXX0405AAM	24	1.375	Smooth	Dk Gry
QXXXX0405AAN	24	1.375	Smooth	Dk Gry



# AIRLESS FOAM INSERTS

PART NUMBER	WHEEL OD	WHEEL WIDTH	TREAD STYLE	TIRE COLOR
QXXXX0405AAP	24	1.375	Smooth	Dk Gry
QXXXX0405AAQ	22	1.375	Smooth	Dk Gry
QXXXX0405AAT	22	1.375	Smooth	Dk Gry
QXXXX0406AAA	20	2.125	Smooth	Dk Gry
QXXXX0406AAB	20	2.125	Smooth	Dk Gry
QXXXX0406AAC	20	2.125	Smooth	Dk Gry
QXXXX0406AAD	20	2.125	Smooth	Dk Gry
QXXXX0407AAA	26	1.375	Smooth	Dk Gry
QXXXX0407AAB	24	1.375	Smooth	Dk Gry
QXXXX0408AAA	24	1.75	Smooth	Dk Gry
QXXXX0409AAA	24	2.125	Smooth	Dk Gry
QXXXX0409AAB	24	2.125	Smooth	Dk Gry
QXXXX0410AAA	6	1.25	Smooth	Dk Gry
QXXXX0411AAA	8	1.25	Smooth	Dk Gry
QXXXX0411AAB	8	1.75	Smooth	Dk Gry
QXXXX0411AAC	8	1.75	Smooth	Dk Gry
QXXXX0412AAA	20	2.125	Smooth	Dk Gry
QXXXX0412AAB	20	2.125	Smooth	Dk Gry
QXXXX0450AAA	12	3	Knobby	Blk
Q-16-2.125-White-Smooth	16	2.125	White	Smooth



## Plastic Wheel Hubs

Just as the name implies this is an all plastic, injection molded wheel with the tread molded directly onto the hub structure. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	BORE LENGTH	BORE ID	HUB COLOR
H00020000AAA	4	2	2pc-A	2.4	0.875	Blk
H00030000AAA	4	2	2pc-A	2.4	0.75	Blk
H0011XXXXAAA	3.5	1	Hollow3spk-A	0.975	0.75	Blk
H0650XXXXRAA	9.75	3	X10-A	2.575	0.625	Blk
H0650XXXXWAA	9.75	3	X10-A	2.575	0.625	Blk
H0883XXXXAAB	20	1.75	7Spk-A	2.4	0.625	Wht
Y70050000RAA	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAB	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAC	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAD	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAE	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAI	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAL	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAO	24	1	5SpkLC-A	-	0.5	Blk
Y70050000RAR	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAU	25	1.375	5SpkLC-B	2.08	1.125	Wht
Y70050000RAV	25	1.375	5SpkLC-B	2.25	1.125	Red
Y70050000RAW	24	1	5SpkLC-B	2.25	0.5	Red
Y70050000RAX	25	1.375	5SpkLC-B	2.25	1.125	Blu



# ALL PLASTIC

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	BORE LENGTH	BORE ID	HUB COLOR
Y70050000RAY	25	1.375	5SpkLC-B	2.25	1.125	Blk
Y70050000RAZ	25	1.375	5SpkLC-B	1.125	0.4375	Blk
Y70050000RBA	25	1.375	5SpkLC-B	2.25	1.375	Wht
Y70050000RBB	25	1.375	5SpkLC-B	1.125	0.5	Blk
Y70070000RAA	20	1.75	5SpkLC-A	2.25	1.375	Blk
Y70070000RAB	20	1	5SpkLC-A	2.3	0.625	Blk
Y70070000RAC	20	1	5SpkLC-A	2.3	0.625	Blk
Y7007XXXXRAA	20	1.75	5SpkLC-A	2.25	1.375	Blk
Y7007XXXXRAB	20	1.75	5SpkLC-A	2.25	1.375	Blk
Y70080000AAC	20	1	5SpkLC-B	2.25	1.125	Blk
Y70080000AAD	20	1	5SpkLC-B	2.25	1.125	PNTWht
Y70080000AAF	20	1	5SpkLC-B	3	1.375	PNTPIN
Y70080000AAG	20	1	5SpkLC-B	3	1.375	PNTBLU
Y70080000RAA	20	1	5SpkLC-A	3	0.5	Blk
Y70080000RAC	20	1	5SpkLC-B	3	1.375	Metallic Blu
Y70080000RAD	20	1	5SpkLC-B	3	1.375	Red
Y70080000RAE	20	1	5SpkLC-B	3	1.375	Wht
Y70080000RAF	20	1	5SpkLC-B	3	1.375	Pnk
Y70090000RAA	22	1.75	5SpkLC-B	1.375	0.625	Blk
Y70090000RAD	22	1	5SpkLC-B	1	1.125	Blk
Y70090000RAE	22	1	5SpkLC-B	3	1.375	Wht
Y70090000RAF	22	1	5SpkLC-B	3	1.375	Pnk
Y70090000RAG	22	1	5SpkLC-B	3	1.375	Metallic Blu
Y70090000RAH	22	1	5SpkLC-B	3	1.375	Red
Y70090000RAI	22	1.75	5SpkLC-B	3	1.375	Red

800-479-4335

customerservice@cewmail.com

cewheelsinc.com

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	BORE LENGTH	BORE ID	HUB COLOR
Y70170000RAB	24	1	3spkLC-B	1.125	0.5	Gloss Blk
Y70170000RAC	24	1	3spkLC-B	1.125	0.5	Blu
Y70170000RAD	24	1	3spkLC-B	1.125	0.5	Ylw
Y70170000RAE	24	1	3spkLC-B	1.125	0.5	Wht
Y70170000RAF	24	1	3spkLC-B	1.125	0.5	Blk
Y70170000RAG	24	1	3spkLC-B	1.125	0.5	Red
Y7018XXXXRAA	24	1	3spkLC-B	1.125	0.5	Blk



## One Piece Plastic Wheel Assembly

Just as the name implies this is an all plastic, injection molded wheel with the tread molded directly onto the hub structure. CEW specializes in high volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR
N03460000AAA	6	1.5	Titan-B	Bar	2.2	0.5	Blk
N03470000AAA	6	1.5	Titan-B	Bar	2.2	0.5	Blk
N05200000AAA	4	1.29	Mag-C	-	1.44	0.3125	Blk
N05540000AAA	10	1.7	Titan-A	-	4.08	0.75	Blk
N09520000AAA	6	1.5	Sunburst-A	Bar	1.5	0.375	Blk
N09520000AAB	6	1.5	Sunburst-A	Bar	1.5	0.375	Blk
N09530000AAA	8	1.7	Titan-A	-	2.1	0.625	Blk
N-6-1.5-Sunburst-A-Bar-1.44-0.3125-Blk	6	1.5	Sunburst-A	Bar	1.44	0.3125	Blk



PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR
<a href="#">N-4-1.29-Mag-C-Bar-1.44-0.3125</a>	4	1.29	Mag-C	Bar	1.44	0.3125	
<a href="#">N-4-1.29-Titan-A-Bar-1.44-0.3125</a>	4	1.29	Titan-A	Bar	1.44	0.3125	



## Over Mold Plastic Wheel Assembly

Just as the name implies this is an all plastic, injection molded wheel with the tread molded directly onto the hub structure. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
<a href="#">W00010001AAA</a>	5	1	6Spk-A	Smooth	0.906	0.3125	Blk	Clear
<a href="#">W00050005AAA</a>	2.5	1	5Spk-E	Smooth	1	0.75	Lighted	Blk
<a href="#">W00630126AAA</a>	8	1	7Spk-C	Smooth	2.087	0.875	Blk	Blk



## Plastic Blow Mold Wheel Assembly

Our plastic blow molded hubs can have significant advantages over injection molded hubs with regards to design flexibility and weight savings. The all plastic hub can then be fitted with a Tread Cap tire completing a true lightweight no flat wheel option. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
D09830308AAA	10	3	Mag-B	Chevron	2.4	0.625	Blk	Blk
D09830308AAB	10	3	Mag-B	Chevron	2.4	0.625	Gry	Blk
D09840308AAA	10	3	Mag-B	Chevron	2.4	0.5	Gry	Blk
D09840308AAC	10	3	Mag-B	Chevron	2.4	0.5	Ylw	Blk
D09840308AAE	10	3	Mag-B	Chevron	2.4	0.5	Gry	Blk
D09880308AAA	10	3	Mag-B	Chevron	2.4	0.75	Dk Gry	Blk
D09880308AAD	10	3	Mag-B	Chevron	2.4	0.75	Gry	Blk
D09890308AAA	10	3	Mag-B	Chevron	2.4	0.75	Blk	Gry



## Polyurethane Tire

Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0001AAA	27	1	-	Herringbone	-	-	Dk Gry
UXXXX0002AAA	6	1.5	-	Smooth	-	-	Blk
UXXXX0003AAA	14	2	-	Block	-	-	Dk Gry
UXXXX0004AAA	9	2	-	Smooth	-	-	Dk Gry
UXXXX0005AAA	9	2	-	Smooth	-	-	Dk Gry
UXXXX0006AAA	24	1	-	Pyramid	-	-	Lt Gry
UXXXX0007AAB	20.5	2.125	-	Knobby	-	-	Blk
UXXXX0009AAA	14	3	-	Smooth	-	-	Blk
UXXXX0011AAA	4	1	-	Smooths	-	-	Blk
UXXXX0011AAB	4	1	-	Smooth	-	-	Red
UXXXX0011AAC	4	1	-	Smooth	-	-	Ylw
UXXXX0011AAD	4	1	-	Smooth	-	-	Blu
UXXXX0011AAE	4	1	-	Smooth	-	-	Blk
UXXXX0012AAB	4	1	-	Smooth	-	-	Blk
UXXXX0012AAC	4	1	-	Smooth	-	-	Red
UXXXX0012AAD	4	1	-	Smooth	-	-	Blu
UXXXX0014AAA	4.3	1.25	-	Smooth	-	-	Blk
UXXXX0014AAB	4.3	1.25	-	Smooth	-	-	Red
UXXXX0014AAC	4.3	1.25	-	Smooth	-	-	Ylw



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0014AAD	4.3	1.25	-	Smooth	-	-	Blu
UXXXX0014AAE	4.3	1.25	-	Smooth	-	-	Blk
UXXXX0015AAA	5	1	-	Pyramid	-	-	Dk Gry
UXXXX0016AAA	5	1	-	Round	-	-	Dk Gry
UXXXX0016AAB	5	1	-	Smooth	-	-	Red
UXXXX0016AAC	5	1	-	Smooth	-	-	Ylw
UXXXX0016AAD	5	1	-	Smooth	-	-	Blu
UXXXX0017AAA	5	1	-	Smooth	-	-	Dk Gry
UXXXX0018AAA	5	1	-	Smooth	-	-	Dk Gry
UXXXX0020AAA	5	1.5	-	Oval	-	-	Dk Gry
UXXXX0020AAC	5	1.5	-	Oval	-	-	Ylw
UXXXX0020AAD	5	1.5	-	Oval	-	-	Blu
UXXXX0020AAE	5	1.5	-	Oval	-	-	Blk
UXXXX0021AAA	6	1	-	Smooth	-	-	Dk Gry
UXXXX0023AAA	6	1	-	Smooth	-	-	Dk Gry
UXXXX0024AAA	6	1.25	-	Rib	-	-	Dk Gry
UXXXX0024AAB	6	1.25	-	Rib	-	-	Lt Gry
UXXXX0024AAD	6	1.25	-	Rib	-	-	Ylw
UXXXX0024AAF	6	1.25	-	Rib	-	-	Blk
UXXXX0024AAG	6	1.25	-	Rib	-	-	Blk
UXXXX0025AAA	6	1.25	-	Rib	-	-	Dk Gry
UXXXX0026AAA	6	1.25	-	Rib	-	-	Lt Gry
UXXXX0026AAB	6	1.25	-	Rib	-	-	Dk Gry
UXXXX0027AAA	6	1.5	-	Oval	-	-	Dk Gry
UXXXX0027AAC	6	1.5	-	Oval	-	-	Ylw



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0028AAA	6	1.25	-	Smooth	-	-	Blk
UXXXX0029AAA	6	2	-	Rib	-	LT Gry	Lt Gry
UXXXX0029AAC	6	2	-	Rib	-	-	Lt Gry
UXXXX0030AAA	6	2	-	Rib	-	-	Lt Gry
UXXXX0031AAB	6	2	-	Smooth	-	-	Blk
UXXXX0032AAA	6.75	2	-	Rib	-	-	Lt Gry
UXXXX0033AAA	7	1	-	Smooth	-	-	Dk Gry
UXXXX0033AAB	7	1	-	Smooth	-	-	Dk Gry
UXXXX0033AAC	7	1	-	Smooth	-	-	Dk Gry
UXXXX0034AAA	7	1	-	Rib	-	-	Dk Gry
UXXXX0037AAA	7.5	1.6	-	Oval	-	-	Dk Gry
UXXXX0037AAC	7.5	1.6	-	Oval	-	-	Dk Gry
UXXXX0038AAA	7	2	-	Rib	-	-	Dk Gry
UXXXX0039AAA	8	1	-	Pyramid	-	-	Dk Gry
UXXXX0041AAA	8	1	-	Smooth	-	-	Dk Gry
UXXXX0041AAB	8	1	-	Smooth	-	-	Blk
UXXXX0043AAA	8	1.25	-	Rib	-	-	Dk Gry
UXXXX0043AAB	8	1.25	-	Rib	-	-	Lt Gry
UXXXX0043AAC	8	1.25	-	Rib	-	-	Dk Gry
UXXXX0043AAE	8	1.25	-	Rib	-	-	Lt Gry
UXXXX0043AAF	8	1.25	-	Rib	-	-	Dk Gry
UXXXX0044AAA	8	1.75	-	2rib	-	-	Dk Gry
UXXXX0044AAC	8	1.75	-	2rib	-	-	Lt Gry
UXXXX0045AAA	8	2	-	Smooth	-	-	Dk Gry
UXXXX0045AAB	8	2	-	Smooth	-	-	Dk Gry



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0046AAA	8	2	-	Rib	-	-	Dk Gry
UXXXX0046AAB	8	2	-	Rib	-	-	Lt Gry
UXXXX0046AAC	8	2	-	Rib	-	-	Blu
UXXXX0047AAA	8	2	-	Rib	-	-	Lt Gry
UXXXX0047AAB	8	2	-	Rib	-	-	Lt Gry
UXXXX0047AAD	8	2	-	Rib	-	-	Lt Gry
UXXXX0047AAE	8	2	-	Rib	-	-	Lt Gry
UXXXX0048AAB	8	2	-	Rib	-	-	Dk Gry
UXXXX0050AAA	8	1.75	-	Rib	-	-	Dk Gry
UXXXX0051AAA	8	1.75	-	Rib	-	-	Lt Gry
UXXXX0051AAB	8	1.75	-	Rib	-	-	Dk Gry
UXXXX0051AAC	8	1.75	-	Rib	-	-	Lt Gry
UXXXX0052AAA	10	3	-	Rib	-	-	Dk Gry
UXXXX0053AAA	10.5	1.5	-	Rib	-	-	Dk Gry
UXXXX0054AAA	11.5	1.5	-	Rib	-	-	Dk Gry
UXXXX0054AAB	11.5	1.5	-	Rib	-	-	Blk
UXXXX0054AAD	11.5	1.5	-	Rib	-	-	Lt Gry
UXXXX0055AAA	12.5	2	-	Smooth	-	-	Dk Gry
UXXXX0056AAA	12.5	2.25	-	Knobby	-	-	Dk Gry
UXXXX0056AAB	12.5	2.25	-	Knobby	-	-	Lt Gry
UXXXX0057AAA	12.5	2.25	-	Street	-	-	Dk Gry
UXXXX0058AAA	14	1.5	-	Street	-	-	Dk Gry
UXXXX0059AAA	14	1.5	-	Smooth	-	-	Dk Gry
UXXXX0060AAA	16	1.75	-	Street	-	-	Dk Gry
UXXXX0060AAB	16	1.75	-	Street	-	-	Dk Gry



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXX0060AAC	16	1.75	-	Street	-	-	Blk
UXXX0060AAD	16	1.75	-	Street	-	-	Lt Gry
UXXX0060AAE	16	1.75	-	Street	-	-	Dk Gry
UXXX0060AAF	16	1.75	-	Street	-	-	Dk Gry
UXXX0061AAA	18	1.75	-	Street	-	-	Dk Gry
UXXX0062AAA	20	1	-	Pyramid	-	-	Dk Gry
UXXX0062AAB	20	1	-	Pyramid	-	-	Dk Gry
UXXX0063AAA	20	1.375	-	Touring	-	-	Lt Gry
UXXX0063AAB	20	1.375	-	Touring	-	-	Dk Gry
UXXX0064AAA	20	1.25	-	Street	-	-	Dk Gry
UXXX0064AAB	20	1.25	-	Street	-	-	Dk Gry
UXXX0064AAC	20	1.25	-	Street	-	-	Lt Gry
UXXX0064AAE	20	1.25	-	Street	-	-	Pnk
UXXX0064AAG	20	1.25	-	Street	-	-	Blk
UXXX0064AAH	20	1.25	-	Street	-	-	Blu
UXXX0065AAA	20	1.5	-	Street	-	-	Dk Gry
UXXX0066AAA	20	1.75	-	Street	-	-	Dk Gry
UXXX0066AAB	20	1.75	-	Street	-	-	Blk
UXXX0066AAC	20	1.75	-	Street	-	-	Dk Gry
UXXX0066AAE	20	1.75	-	Street	-	-	Dk Gry
UXXX0067AAA	20	2.125	-	Lug	-	-	Dk Gry
UXXX0067AAC	20	2.125	-	Lug	-	-	Dk Gry
UXXX0068AAA	20	2.75	-	All Terrain	-	-	Dk Gry
UXXX0069AAA	22	1	-	Pyramid	-	-	Dk Gry
UXXX0069AAB	22	1	-	Pyramid	-	-	Dk Gry



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0069AAC	22	1	-	Pyramid	-	-	Dk Gry
UXXXX0070AAA	22	1.25	-	Street	-	-	Dk Gry
UXXXX0071AAA	22	1.25	-	Street	-	-	Lt Gry
UXXXX0071AAB	22	1.25	-	Street	-	-	Dk Gry
UXXXX0071AAC	22	1.375	-	Street	-	-	Lt Gry
UXXXX0072AAB	22	1.65	-	Chevron	-	-	Dk Gry
UXXXX0072AAC	22	1.65	-	Chevron	-	-	Blk
UXXXX0072AAD	22	1.65	-	Chevron	-	-	Red
UXXXX0072AAF	22	1.65	-	Chevron	-	-	Blu
UXXXX0072AAI	22	1.375	-	Chevron	-	-	Dk Gry
UXXXX0072AAJ	22	1.375	-	Chevron	-	-	Blk
UXXXX0072AAK	22	1.65	-	Herringbone	-	-	Pnk
UXXXX0072AAO	22	1.65	-	Herringbone	-	-	Blk
UXXXX0072AAP	22	1	-	Herringbone	-	-	Blk
UXXXX0073AAA	22	1.375	-	Touring	-	-	Dk Gry
UXXXX0073AAB	22	1.375	-	Touring	-	-	Lt Gry
UXXXX0073AAC	22	1.375	-	Touring	-	-	Med Gry
UXXXX0073AAD	22	1.375	-	Touring	-	-	Lt Gry
UXXXX0074AAA	22	1.375	-	Street	-	-	Dk Gry
UXXXX0074AAB	22	1.375	-	Street	-	-	Lt Gry
UXXXX0074AAC	22	1.375	-	Street	-	-	Lt Gry
UXXXX0074AAD	22	1.375	-	Street	-	-	Dk Gry
UXXXX0075AAA	22	1	-	Pyramid	-	-	Dk Gry
UXXXX0076AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXXX0077AAB	24	1	-	Pyramid	-	-	Lt Gry





# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXX0077AAC	24	1	-	Pyramid	-	-	Dk Gry
UXXX0078AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXX0078AAB	24	1	-	Pyramid	-	-	Dk Gry
UXXX0078AAC	24	1	-	Pyramid	-	-	Dk Gry
UXXX0079AAB	24	1	-	Herringbone	-	-	Dk Gry
UXXX0080AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXX0082AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXX0082AAB	24	1	-	Pyramid	-	-	Lt Gry
UXXX0082AAC	26	1	-	Pyramid	-	-	Dk Gry
UXXX0082AAD	24	1	-	Pyramid	-	-	Dk Gry
UXXX0082AAG	24	1	-	Pyramid	-	-	Blu
UXXX0083AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXX0084AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXX0085AAA	24	1	-	Turbo	-	-	Dk Gry
UXXX0085AAC	25	1	-	Turbo	-	-	Dk Gry
UXXX0085AAD	26	1	-	Turbo	-	-	Dk Gry
UXXX0085AAE	25	1	-	Turbo	-	-	Lt Gry
UXXX0085AAF	25	1	-	Turbo	-	-	Lt Gry
UXXX0086AAA	24	1	-	Herringbone	-	-	Dk Gry
UXXX0086AAC	26	1	-	Herringbone	-	-	Dk Gry
UXXX0087AAA	24	1.25	-	Street	-	-	Dk Gry
UXXX0087AAB	24	1.25	-	Street	-	-	Lt Gry
UXXX0087AAC	24	1.25	-	Street	-	-	Lt Gry
UXXX0087AAE	24	1.25	-	Street	-	-	Lt Gry
UXXX0088AAA	24	1.5	-	Street	-	-	Dk Gry



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0089AAA	24	1.375	-	Touring	-	-	Dk Gry
UXXXX0089AAB	24	1.375	-	Touring	-	-	Dk Gry
UXXXX0089AAC	24	1.375	-	Touring	-	-	Lt Gry
UXXXX0089AAD	26	1.375	-	Touring	-	-	Dk Gry
UXXXX0089AAE	25	1.375	-	Touring	-	-	Dk Gry
UXXXX0089AAF	25	1.375	-	Touring	-	-	Blk
UXXXX0089AAG	24	1.375	-	Touring	-	-	Dk Gry
UXXXX0089AAH	24	1.375	-	Touring	-	-	Lt Gry
UXXXX0090AAA	14	3	-	Knobby	-	-	Dk Gry
UXXXX0090AAB	14	3	-	Knobby	-	-	Lt Gry
UXXXX0091AAA	14	3	-	Knobby	-	-	Dk Gry
UXXXX0093AAA	14	3	-	Knobby	-	-	Lt Gry
UXXXX0094AAA	14	3	-	VTrack	-	-	Lt Gry
UXXXX0094AAC	14	3	-	VTrack	-	-	Lt Gry
UXXXX0095AAA	14	3	-	Knobby	-	-	Lt Gry
UXXXX0095AAB	14	3	-	Knobby	-	-	Dk Gry
UXXXX0096AAA	8	2.5	-	Sawtooth	-	-	Blk
UXXXX0096AAB	8	2.5	-	Sawtooth	-	-	Lt Gry
UXXXX0098AAA	10	3	-	Sawtooth	-	-	Blk
UXXXX0099AAA	10	3	-	Rib	-	-	Blk
UXXXX0099AAB	10	3	-	Rib	-	-	Blk
UXXXX0100AAA	14	4	-	Rib	-	-	Blk
UXXXX0102AAA	9	3	-	Smooth	-	-	Blk
UXXXX0103AAB	9	2.8	-	Rib	-	-	Lt Gry
UXXXX0103AAD	9	2.8	-	Rib	-	-	Blk



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXX0105AAA	8.5	2	-	Lug	-	-	Dk Gry
UXXX0106AAA	9	2.8	-	Lug	-	-	Dk Gry
UXXX0107AAA	9	3	-	Lug	-	-	Dk Gry
UXXX0108AAA	10	3	-	Lug	-	-	Dk Gry
UXXX0108AAB	10	3	-	Lug	-	-	Dk Gry
UXXX0108AAD	10	2	-	Lug	-	-	Dk Gry
UXXX0109AAA	10.5	3	-	Lug	-	-	Dk Gry
UXXX0110AAA	10.5	3	-	Lug	-	-	Dk Gry
UXXX0111AAA	6	1	-	Smooth	-	Dk Gry	Dk Gry
UXXX0112AAA	6	1	-	Smooth	-	Dk Gry	Dk Gry
UXXX0113AAA	8	1	-	Smooth	-	-	Dk Gry
UXXX0114AAA	8	1	-	Smooth	-	-	Dk Gry
UXXX0115AAA	12	2.25	-	Smooth	-	-	Dk Gry
UXXX0115AAB	12	2.25	-	Smooth	-	-	Wht
UXXX0116AAA	12	2.25	-	Smooth	-	-	Dk Gry
UXXX0117AAA	16	1.75	-	Smooth	-	-	Dk Gry
UXXX0118AAA	20	1.75	-	Smooth	-	-	Dk Gry
UXXX0119AAA	20	1.25	-	Smooth	-	-	Dk Gry
UXXX0119AAC	20	2.125	-	Smooth	-	-	Wht
UXXX0119AAE	18	1.25	-	Smooth	-	-	Dk Gry
UXXX0119AAF	20	1.25	-	Smooth	-	-	Wht
UXXX0120AAA	20	2.125	-	Smooth	-	-	Dk Gry
UXXX0121AAA	20	1.375	-	Smooth	-	-	Dk Gry
UXXX0121AAB	20	1.375	-	Smooth	-	-	Dk Gry
UXXX0122AAA	22	1.375	-	Smooth	-	-	Dk Gry



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0122AAB	22	1.375	-	Smooth	-	-	Dk Gry
UXXXX0123AAA	24	1.375	-	Smooth	-	-	Dk Gry
UXXXX0123AAB	24	1.375	-	Smooth	-	-	Dk Gry
UXXXX0123AAC	24	1.375	-	Smooth	-	-	Dk Gry
UXXXX0123AAE	26	1.375	-	Smooth	-	-	Wht
UXXXX0124AAA	24	1.375	-	Smooth	-	-	Dk Gry
UXXXX0125AAA	24	1.75	-	Smooth	-	-	Dk Gry
UXXXX0126AAA	24	2.125	-	Smooth	-	-	Dk Gry
UXXXX0126AAB	24	2	-	Smooth	-	-	Dk Gry
UXXXX0128AAA	25	1.375	-	Smooth	-	-	Dk Gry
UXXXX0129AAA	24	1	-	Herringbone	-	-	Dk Gry
UXXXX0129AAB	24	1	-	Herringbone	-	-	Blk
UXXXX0129AAC	24	1	-	Herringbone	-	-	Red
UXXXX0129AAD	24	1	-	Herringbone	-	-	Ylw
UXXXX0129AAE	24	1	-	Herringbone	-	-	Blu
UXXXX0129AAF	24	1	-	Herringbone	-	-	Lt Gry
UXXXX0129AAH	24	1	-	Herringbone	-	-	Blk
UXXXX0129AAJ	24	1	-	Herringbone	-	-	Ylw
UXXXX0129AAL	24	1	-	Herringbone	-	-	Lt Gry
UXXXX0129AAM	24	1	-	Herringbone	-	-	Dk Gry
UXXXX0129AAN	24	1	-	Herringbone	-	-	Blk
UXXXX0129AAP	24	1	-	Herringbone	-	-	Ylw
UXXXX0129AAR	24	1	-	Herringbone	-	-	Lt Gry
UXXXX0129AAS	24	1	-	Herringbone	-	-	Dk Gry
UXXXX0129AAT	24	1	-	Herringbone	-	-	Blk



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXX0129AAU	24	1	-	Herringbone	-	-	Red
UXXX0129AAV	24	1	-	Herringbone	-	-	Ylw
UXXX0129AAW	24	1	-	Herringbone	-	-	Blu
UXXX0129AAX	25	1	-	Herringbone	-	-	Blk
UXXX0129AAZ	25	1	-	Herringbone	-	-	Dk Gry
UXXX0129AAZ	25	1	-	Herringbone	-	-	Lt Gry
UXXX0129ABA	25	1	-	Herringbone	-	-	Red
UXXX0129ABB	25	1	-	Herringbone	-	-	Ylw
UXXX0129ABC	25	1	-	Herringbone	-	-	Blu
UXXX0129ABD	25	1	-	Herringbone	-	-	Lt Gry
UXXX0129ABF	25	1	-	Herringbone	-	-	Blk
UXXX0129ABH	25	1	-	Herringbone	-	-	Ylw
UXXX0129ABJ	25	1	-	Herringbone	-	-	Lt Gry
UXXX0129ABL	25	1	-	Herringbone	-	-	Blk
UXXX0129ABN	25	1	-	Herringbone	-	-	Ylw
UXXX0129ABO	25	1	-	Herringbone	-	-	Blu
UXXX0129ABP	25	1	-	Herringbone	-	-	Lt Gry
UXXX0129ABR	25	1	-	Herringbone	-	-	Blk
UXXX0129ABT	25	1	-	Herringbone	-	-	Ylw
UXXX0129ABU	25	1	-	Herringbone	-	-	Blu
UXXX0129ABV	25	1	-	Herringbone	-	-	Lt Gry
UXXX0129ABW	26	1	-	Herringbone	-	-	Dk Gry
UXXX0129ABX	26	1	-	Herringbone	-	-	Blk
UXXX0129ABY	26	1	-	Herringbone	-	-	Red
UXXX0129ACA	26	1	-	Herringbone	-	-	Blu



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0129ACB	26	1	-	Herringbone	-	-	Lt Gry
UXXXX0129ACD	26	1	-	Herringbone	-	-	Blk
UXXXX0129ACF	26	1	-	Herringbone	-	-	Ylw
UXXXX0129ACJ	26	1	-	Herringbone	-	-	Blk
UXXXX0129ACL	26	1	-	Herringbone	-	-	Ylw
UXXXX0129ACN	26	1	-	Herringbone	-	-	Lt Gry
UXXXX0129ACO	26	1	-	Herringbone	-	-	Dk Gry
UXXXX0129ACP	26	1	-	Herringbone	-	-	Blk
UXXXX0129ACQ	26	1	-	Herringbone	-	-	Red
UXXXX0129ACR	26	1	-	Herringbone	-	-	Ylw
UXXXX0129ACS	26	1	-	Herringbone	-	-	Blu
UXXXX0129ACT	26	1	-	Herringbone	-	-	Lt Gry
UXXXX0129ACU	24	1	-	Herringbone	-	-	Pnk
UXXXX0129ACV	25	1	-	Herringbone	-	-	Pnk
UXXXX0129ACW	26	1	-	Herringbone	-	-	Pnk
UXXXX0129ACX	24	1	-	Herringbone	-	-	Dk Gry
UXXXX0135AAA	5	1	Hollow3spk-A	Oval	0.3125	Blk	Dk Gry
UXXXX0226AAA	12	3	-	Knobby	-	-	Lt Gry
UXXXX0229AAA	14	3	-	Knobby	-	-	Lt Gry
UXXXX0243AAA	14	3	-	Knobby	-	-	Lt Gry
UXXXX0260AAA	Obsolete M00900441AAA	-	-	-	-	-	-
UXXXX0261AAA	8.5	2	-	Lug	-	-	Blk
UXXXX0300AAA	16	4	-	Diamond	-	-	Blk
UXXXX0301AAA	24	1	-	Pyramid	-	-	Blk
UXXXX0448AAA	24	1	-	Pyramid	-	-	Blk



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXX0453AAA	8	1	-	Smooth	-	-	Lt Gry
UXXX0455AAA	5	1	-	Smooth	-	-	Blk
UXXX0456AAA	6	1.5	-	Smooth	-	-	Lt Gry
UXXX0457AAA	6	2	-	Smooth	-	-	Blk
UXXX0459AAA	8	1.75	-	Rib	-	-	Lt Gry
UXXX0460AAA	8	2	-	Smooth	-	-	Blk
UXXX0461AAA	8	2	-	Smooth	-	-	Lt Gry
UXXX0462AAA	12.5	2.25	-	Knobby	-	-	Blk
UXXX0463AAA	20	1.25	-	Street	-	-	Lt Gry
UXXX0464AAA	20	1.75	-	Knobby	-	-	Blk
UXXX0465AAA	20	1.75	-	Knobby	-	-	Blk
UXXX0467AAA	20	1.375	-	Street	-	-	Lt Gry
UXXX0468AAA	22	1.375	-	Street	-	-	Lt Gry
UXXX0469AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXX0470AAA	24	1.375	-	Herringbone	-	-	Lt Gry
UXXX0471AAA	12	2.125	-	Smooth	-	-	Dk Gry
UXXX0472AAA	16	1.75	-	Smooth	-	-	Wht
UXXX0479AAA	26	1	-	Smooth	-	-	Dk Gry
UXXX0481AAA	24	1	-	Street	-	-	Dk Gry
UXXX0483AAA	24	1.5	-	Street	-	-	Lt Gry
UXXX0484AAA	24	1	-	Pyramid	-	-	Dk Gry
UXXX0533AAA	26	1.25	-	Smooth	-	-	Wht
UXXX0534AAA	4	1	-	Smooth	-	-	Dk Gry
UXXX0535AAA	14	2.125	-	Smooth	-	-	Dk Gry
UXXX0535AAB	14	2.125	-	Smooth	-	-	Wht



# FLAT FREE PU

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXX0600AAA	24	1	-	All Terrain	-	-	Pnk
UXXX0601AAA	24	1	-	All Terrain	-	-	Dk Gry
UXXX0601AAB	24	1	-	All Terrain	-	-	Blk
UXXX0601AAC	24	1	-	All Terrain	-	-	Red
UXXX0601AAD	24	1	-	All Terrain	-	-	Ylw
UXXX0601AAE	24	1	-	All Terrain	-	-	Blu
UXXX0601AAF	24	1	-	All Terrain	-	-	Lt Gry
UXXX0601AAG	24	1	-	All Terrain	-	-	Pnk
UXXX0601AAH	25	1	-	All Terrain	-	-	Dk Gry
UXXX0601AAI	25	1	-	All Terrain	-	-	Blk
UXXX0601AAJ	25	1	-	All Terrain	-	-	Red
UXXX0601AAK	25	1	-	All Terrain	-	-	Ylw
UXXX0601AAL	25	1	-	All Terrain	-	-	Blu
UXXX0601AAM	25	1	-	All Terrain	-	-	Lt Gry
UXXX0601AAN	25	1	-	All Terrain	-	-	Pnk
UXXX0601AAP	26	1	-	All Terrain	-	-	Dk Gry
UXXX0601AAQ	26	1	-	All Terrain	-	-	Blk
UXXX0601AAR	26	1	-	All Terrain	-	-	Red
UXXX0601AAS	26	1	-	All Terrain	-	-	Ylw
UXXX0601AAT	26	1	-	All Terrain	-	-	Blu
UXXX0601AAU	26	1	-	All Terrain	-	-	Lt Gry
UXXX0601AAV	26	1	-	All Terrain	-	-	Pnk
UXXX0601AAW	24	1	-	All Terrain	-	-	Blk
UXXX0601AAX	24	1	-	Herringbone	-	-	Dk Gry
UXXX0602AAA	6	2	-	Rib	-	-	Blk



PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE ID	HUB COLOR	TIRE COLOR
UXXXX0603AAA	10.5	3	-	Lug	-	-	Dk Gry
UXXXX0604AAA	10	3	-	Sawtooth	-	-	Blk
UXXXX0605AAA	20	1	-	Herringbone	-	-	Blk
UXXXX0605AAB	20	1	-	Herringbone	-	-	Blu
UXXXX0605AAC	20	1	-	Herringbone	-	-	Pnk
UXXXX0606AAA	10	3	-	Knobby	-	-	Dk Gry
UXXXX0607AAA	10	3	-	Aqua	-	-	Lt Gry
UXXXX0607AAB	10	3	-	Aqua	-	-	Dk Gry
UXXXX0610AAA	20	1.75	-	Street	-	-	Dk Gry
UXXXX0611AAA	24	1	-	Street	-	-	Blk
UXXXX0612AAA	24	1	-	Herringbone	-	-	Blk
UXXXX0613AAA	25	1	-	Herringbone	-	-	Blk
UXXXX0614AAA	26	1	-	Herringbone	-	-	Blk
UXXXX0615AAA	8	2.5	-	Rib	-	-	Blk
U-20-2-Hollow3spk-A	20	2	Hollow3spk-A				



## Wheelchair Rear Wheels

Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M08860007RAA	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk



# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M08860007RAB	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
M08860007WAA	20	2	7Spk-A	Knobby	2.285	0.625	Blk	Blk
M70050000RAI	24	1	5SpkLC-B	-	2.125	0.5	Blk	Dk Gry
M70050087AAA	24	1	5SpkLC-B	Street	3	0.5	Blk	Dk Gry
M70050087AAB	24	1	5SpkLC-B	Street	3	0.5	Blk	Lt Gry
M70050087AAC	24	1	5SpkLC-B	Street	1.125	0.5	Wht	Dk Gry
M70050087AAD	24	1	5SpkLC-B	Street	1.125	0.5	Blu	Dk Gry
M70050087AAE	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70050087AAF	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70050087AAG	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70050089AAD	24	1	5SpkLC-B	Touring	2.125	0.5	Blk	Dk Gry
M70050089AAG	24	1	5SpkLC-B	Touring	3	0.625	Blk	Dk Gry
M70050089AAH	24	1	5SpkLC-B	Street	2.25	1.38	Blk	Lt Gry
M70050089AAJ	24	1	5SpkLC-B	Touring	2.125	0.5	Blk	Dk Gry
M70050089AAK	24	1	5SpkLC-B	Touring	2.25	1.25	Blk	Lt Gry
M70050089AAL	24	1	5SpkLC-B	Touring	2.25	1.125	Blk	Lt Gry
M70050129AAC	24	1	5SpkLC-B	Herringbone	2.25	1.25	Blk	Red
M70050129AAD	24	1	5SpkLC-B	Herringbone	2.25	1.25	Blk	Blk
M70050129AAE	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Blk
M70050129AAF	24	1	5SpkLC-A	Herringbone	3	0.5	Blk	Blk
M70050129AAJ	24	1	5SpkLC-A	Herringbone	3	0.4375	Blk	Blk
M70050129AAK	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blu	Blk
M70050129AAL	24	1	5SpkLC-B	Herringbone	2.25	1.125	Red	Blk
M70050129AAM	24	1	5SpkLC-B	Herringbone	2.25	1.125	Wht	Blk
M70050129AAN	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Blk



# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M70050129AAO	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Red
M70050129AAP	24	1	5SpkLC-B	Herringbone	2.25	1.125	Blk	Red
M70050129AAQ	24	1	5SpkLC-B	Herringbone	1	1.125	Red	Red
M70050129AAR	24	1	5SpkLC-B	Herringbone	1	1.125	Blu	Blu
M70050129AAS	24	1	5SpkLC-B	Herringbone	2.25	1.125	Gloss Blk	Red
M70050129AAT	24	1	5SpkLC-B	Herringbone	2.25	1.125	Wht	Red
M70050129AAU	24	1	5SpkLC-B	Herringbone	1.125	0.5	Wht	Blu
M70050129AAV	24	1	5SpkLC-B	Herringbone	2.25	0.5	Blk	Blk
M70050129AAW	24	1	5SpkLC-B	Herringbone	1.125	0.5	Blk	Red
M70050129AAX	24	1	5SpkLC-B	Herringbone	1.125	0.5	Wht	Pnk
M70070007AAA	20.5	2.15	5SpkLC-A	Knobby	2.25	0.625	Blk	Blk
M70070007AAC	20.5	2.15	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007AAF	20.5	2.15	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007RAA	20.5	2.125	5SpkLC-A	Knobby	1.375	0.5	Blk	Blk
M70070007RAE	20.5	1	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007RAF	20.5	2.25	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070007RAG	20.5	1	5SpkLC-A	Knobby	2.3	0.625	Blk	Blk
M70070066AAC	20	1.75	5SpkLC-A	Street	2.25	1.38	Blk	Dk Gry
M70070066AAG	20	1.75	5SpkLC-A	Round	2.25	0.5	Blk	Lt Gry
M70070066AAI	20	2	5SpkLC-A	Street	2.25	1.375	Blk	Dk Gry
M70070067AAA	20	2.125	5SpkLC-A	Lug	2.25	0.5	Blk	Dk Gry
M70070465AAA	20	2.25	5SpkLC-A	Knobby	2.25	1.38	Blk	Blk
M70070466AAD	20.5	2.15	5SpkLC-A	Street	2.25	0.625	Blk	Blk
M70070466AAH	20.5	1.75	5SpkLC-A	Street	2.25	1.375	Blk	Lt Gry
M70070466AAJ	20.5	1.75	5SpkLC-A	Smooth	2.75	1.36	Blk	Lt Gry

800-479-4335

customerservice@cewmail.com

cewheelsinc.com



# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M70080064RAA	20	1	5SpkLC-B	Street	3	1.375	Blk	Dk Gry
M70080064RAB	20	1	5SpkLC-B	Street	3	1.375	Wht	Blk
M70080064RAC	20	1	5SpkLC-B	Street	3	1.375	Blu	Blk
M70080064RAD	20	1	5SpkLC-B	Street	3	1.125	Gloss Blk	Blk
M70080064RAE	20	1	5SpkLC-B	Street	3	1.125	Red	Blk
M70080064RAF	20	1	5SpkLC-B	Street	3	0.625	Gloss Blk	Dk Gry
M70080064RAG	20	1	5SpkLC-B	Street	1.625	0.5	Wht	Dk Gry
M70080064RAH	20	1	5SpkLC-B	Street	1.625	0.5	Pnk	Pnk
M70080064RAI	20	1	5SpkLC-B	Street	1.625	0.5	Blu	Blu
M70080064RAJ	20	1	5SpkLC-B	Street	1.375	0.625	Blk	Dk Gry
M70080064RAK	20	1	5SpkLC-B	Street	1.125	0.5	Pnk	Dk Gry
M70080064RAL	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70080064RAM	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70080064RAN	20	1	5SpkLC-B	Street	2.25	0.5	Blkk	Dk Gry
M70080605AAA	20	1	5SpkLC-B	Herringbone	1.625	0.5	Red	Blk
M70080605AAB	20	1	5SpkLC-B	Herringbone	1.625	0.5	Blu	Blu
M70080605AAC	20	1	5SpkLC-B	Herringbone	1.625	0.5	Wht	Blk
M70080605AAD	20	1	5SpkLC-B	Herringbone	1.375	0.625	Blk	Blk
M70090070RAA	22	1	5SpkLC-B	Street	3	1.375	Blk	Dk Gry
M70090070RAB	22	1	5SpkLC-B	Street	1.375	0.625	Blk	Dk Gry
M70090070RAC	22	1	5SpkLC-B	Street	1.375	0.5	Red	Blk
M70090070RAD	22	1	5SpkLC-B	Street	1.375	0.5	Blu	Blk
M70090070RAE	22	1	5SpkLC-B	Street	1.375	0.5	Wht	Blk
M70090070RAF	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry
M70090070RAG	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Dk Gry

800-479-4335

customerservice@cewmail.com

cewheelsinc.com



# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M70170129AAA	24	1	3spkLC-B	Herringbone	1.125	1.6	Gloss Blk	Red
M70170129AAB	24	1	3spkLC-B	Herringbone	1.125	1.6	Wht	Blk
M70170129AAC	24	1	3spkLC-B	Herringbone	1.125	1.6	Red	Blk
M70170129AAD	24	1	3spkLC-B	Herringbone	1.125	1.6	Red	Red
M70170129AAE	24	1	3spkLC-B	Herringbone	1.125	1.6	Blk	Blk
M70170129AAF	24	1	3spkLC-B	Herringbone	1.125	1.6	Wht	Red
M70170129AAG	24	1	3spkLC-B	Herringbone	1.125	0.5	Ylw	Blk
M70170129AAH	24	1	3spkLC-B	Herringbone	1.125	0.5	Blu	Blu
M70180129AAC	24	1	3spkLC-B	Herringbone	1	1.24	Gloss Blk	Red
M80460065AAA	20	1.5	5Spk-A	Street	2.34	0.5625	Blk	Dk Gry
M80470066AAA	20	1.75	5Spk-A	Street	2.295	0.5	Blk	Dk Gry
M80490129ACX	24	1	WireSpk	Herringbone	2.5	0.5	Slvr	Dk Gry
M80500064AAB	20	1.25	WireSpk	Street	2.5	0.5	Slvr	Dk Gry
M99980001AAA	35	1	WireSpk	Street	2.25	1.375	Slvr	Dk Gry
M90030089AAA	24	1	WireSpk	Street	1	0.5	Slvr	Lt Gry



## Wheelchair Front Casters

Made of cellular polyurethane, these wheels eliminate flat tires and improve productivity while maintaining pneumatic like function. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00010011AAA	4	1	A	Smooth	1	0.3125	Blk	Blk
M00010012AAA	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk



# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00010012AAB	4	1	Hollow3spk-A	Smooth	1	0.75	Blk	Blk
M00010012AAC	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Red
M00010012AAD	4	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blu
M00010014AAA	4.3	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
M00010014AAB	4.3	1	Hollow3spk-A	Smooth	0.806	1	Blk	Blk
M00010015AAA	5	1	Hollow3spk-A	Pyramid	1	0.3125	Blk	Dk Gry
M00010015AAB	5	1	Hollow3spk-A	Pyramid	1	0.3125	Blk	Dk Gry
M00010015AAC	5	1	Hollow3spk-A	Pyramid	1	0.75	Blk	Dk Gry
M00010016AAA	5	1	Hollow3spk-A	Smooth	1	0.75	Blk	Dk Gry
M00010016AAB	5	1	Hollow3spk-A	Smooth	1	0.3125	Blk	Dk Gry
M00010016AAC	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Dk Gry
M00010016AAD	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Red
M00010016AAE	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Ylw
M00010016AAF	5	1	Hollow3spk-A	Smooth	0.975	0.3125	Blk	Blu
M00010016AAG	5	1	Hollow3spk-A	Smooth	0.806	1	Blk	Red
M00010020AAA	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blk
M00010020AAB	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Red
M00010020AAC	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Ylw
M00010020AAD	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blu
M00010020AAE	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Dk Gry
M00010020AAF	5	1.5	Hollow3spk-A	Oval	0.975	0.3125	Blk	Blk
M00010024AAA	6	1.25	Hollow3spk-A	Pyramid	0.975	0.3125	Blk	Dk Gry
M00010024AAC	6	1.25	Hollow3spk-A	Rib	0.975	0.3125	Blk	Ylw
M00010024AAE	6	1.25	Hollow3spk-A	Rib	0.975	0.3125	Blk	Blk
M00010024AAF	6	1.25	Hollow3spk-A	Rib	0.975	0.875	Blk	Blk



# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00010027AAD	6	1.5	Hollow3spk-A	Smooth	1	0.3125	Blk	Blk
M00010027AAE	6	1.5	Hollow3spk-A	Smooth	1	0.3125	Blk	Dk Gry
M00010027AAF	6	1.5	Hollow3spk-A	Smooth	1	0.875	Blk	Blk
M00020029AAA	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
M00020029AAB	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
M00020029AAD	6	2	2pc-A	Rib	2.4	0.875	Blk	Lt Gry
M00020457AAA	6	2	2pc-A	Rib	1	0.875	Blk	Blk
M00020602AAA	6	2	2pc-A	Rib	2.4	0.4375	Blk	Blk
M00030029AAA	6	2	2pc-A	Rib	2.4	0.3125	Blk	Dk Gry
M00030029AAB	6	2	2pc-A	Rib	2.4	0.3125	Blk	Lt Gry
M00030032AAA	6	2	2pc-A	Rib	0.806	1	Blk	Lt Gry
M00030457AAA	6	2	2pc-A	Rib	2.4	0.75	Blk	Blk
M00030457AAB	6	2	2pc-A	Rib	2.4	0.3125	Blk	Blk
M00030457AAC	6	2	2pc-A	Rib	0.806	1	Blk	Blk
M00040031AAB	6	2	2pc-A	Rib	2.4	0.4375	Slvr	Lt Gry
M00040031AAD	6	2	2pc-A	Rib	2.4	0.625	Slvr	Blk
M00040031AAE	6	2	2pc-A	Rib	2.4	0.4375	Blk	Blk
M00050031AAA	6	2	2pc-A	Rib	2.43	0.4375	Blk	Lt Gry
M00050031AAB	6	2	2pc-A	Rib	2.43	0.3125	Blk	Lt Gry
M00050031AAC	6	2	2pc-A	Rib	2.4	0.875	Pnt Slv	Lt Gry
M00050031AAE	6	2	2pc-A	Rib	2.4	0.875	Slvr	Lt Gry
M00050031AAF	6	2	2pc-A	Smooth	2.4	0.875	Blk	Blk
M00050031AAG	6	2	2pc-A	Rib	2.4	0.4375	Slvr	Blk
M00500016AAF	5	1	Hollow3spk-A	Round	0.866	0.3125	Blk	Dk Gry
M00500020AAE	5	1	Hollow3spk-A	Oval	0.866	0.3125	Blk	Dk Gry



# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M00500024AAF	6	1.25	Hollow3spk-A	Rib	0.866	0.3125	Blk	Lt Gry
M00500027AAE	6	1	Hollow3spk-A	Oval	0.866	0.3125	Blk	Dk Gry
M00510025AAA	5	1	8spk-B	Rib	0.866	0.3125	Blk	Dk Gry
M00520019AAA	5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00520026AAA	5	1	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00540021AAA	6	1.5	5Spk-A	Smooth	0.866	0.3125	Blk	Dk Gry
M00680011AAA	4	1	3Spk-A	Smooth	1	0.75	Blk	Red
M00680011AAB	4	1	Hollow3spk-A	Smooth	1	0.75	Blk	Ylw
M00680011AAE	4	1	Hollow3spk-A	Smooth	0.866	0.3125	Blk	Blk
M00680011AAF	4	1	Hollow3spk-A	Smooth	1	0.75	Blk	Blk
M00680014AAA	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Red
M00680014AAB	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Ylw
M00680014AAC	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Blu
M00680014AAD	4	1.25	Hollow3spk-A	Smooth	1	0.75	Blk	Blk
M00680014AAE	4	1.25	Hollow3spk-A	Smooth	0.866	0.3125	Blk	Blk
M04210029AAA	6	2	2pc-A	Rib	2.4	0.875	Blk	Dk Gry
M90010014AAC	4.3	1.25	3Spk-D	Smooth	1	0.75	Slvr	Red
M90010014AAD	4.3	1.25	3Spk-D	Smooth	1	0.75	Slvr	Ylw
M90010016AAA	5	1	3Spk-D	Smooth	1	0.75	Slvr	Blu
M90010016AAB	5	1	3Spk-D	Smooth	1	0.75	Slvr	Ylw
M90010016AAC	4	1	3Spk-D	Round	1	0.3125	Silver	Blk
M90010020AAA	5	1.5	3Spk-D	Oval	1	0.75	Slvr	Blk
M90010024AAA	6	1.25	3Spk-D	Rib	1	0.875	Slvr	Blk
M90040016AAC	5	1	3Spk-D	Smooth	1	0.75	Slvr	Red
M90040020AAA	5	1.5	3Spk-D	Smooth	1	0.875	Slvr	Blu





# POLYURETHANE WHEEL ASSEMBLY

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
M90040020AAB	5	1.5	3Spk-D	Smooth	1	0.875	Slvr	Blk
M90040020AAC	5	1.5	3Spk-D	Smooth	1	0.3125	Slvr	Red
M90040020AAD	5	1.5	3Spk-D	Smooth	1	0.75	Blk	Ylw
M90040024AAB	6	1.25	3Spk-D	Rib	1	0.875	Slvr	Blk
M90040027AAA	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Blk
M90040027AAB	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Red
M90040027AAC	6	1.5	3Spk-D	Oval	1	0.875	Slvr	Ylw
M99990011AAA	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Red
M99990011AAB	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Blu
M99990011AAC	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Blk
M99990011AAD	4	1	3Spk-D	Smooth	1	0.3125	Slvr	Ylw
M99990014AAA	4.3	1.25	3Spk-D	Smooth	1	0.3125	Slvr	Blu
M99990014AAB	4.3	1.25	3Spk-D	Smooth	1	0.3125	Slvr	Blk

800-479-4335

customerservice@cewmail.com

cewheelsinc.com



## Foam Fill Tire

Our unique SPIN-CAST molding creates dense, firm tread area while keeping the side wall area flexible for a smooth, pneumatic like ride. Classic material in dark grey color and white color fills are for heavy duty applications. Comfort track material in green color is softer, more air-like ride. Our Dual Density Foam Fills are a perfect combination of Aero-Flex I and II compounds offering best in the market performance and durability. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	HUB COLOR	TIRE COLOR
FXXXX0001AAA	12.5	2.25	-	Knobby	-	Lt Gry
FXXXX0008AAA	8	2	-	Rib	-	Lt Gry
FXXXX0008AAB	8	2	-	Rib	-	Lt Gry
FXXXX0008AAC	8	2	-	Rib	-	Lt Gry
FXXXX0008AAE	8	2	-	Rib	-	Lt Gry
FXXXX0011AAA	8	2	-	Knobby	-	Lt Gry
FXXXX0012AAA	8	2	-	Knobby	-	Lt Gry
FXXXX0013AAA	8	2	-	Durotrap	-	Lt Gry
FXXXX0014AAB	10	3	-	Durotrap	-	Lt Gry
FXXXX0015AAA	10	3	-	Rib	-	Lt Gry
FXXXX0015AAB	10	3	-	Rib	-	Dk Gry
FXXXX0015AAD	10	3	-	Rib	-	Lt Gry
FXXXX0016AAA	10	3	-	Knobby	-	Lt Gry
FXXXX0016AAB	10	3	-	Knobby	-	Lt Gry
FXXXX0016AAC	10	3	-	Knobby	-	Lt Gry
FXXXX0016AAE	10	3	-	Knobby	-	Lt Gry
FXXXX0016AAF	10	3	-	Knobby	-	Lt Gry
FXXXX0017AAA	9	3.5	-	Knobby	-	Lt Gry
FXXXX0017AAB	9	3.5	-	Knobby	-	Lt Gry



# FOAM FILL

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	HUB COLOR	TIRE COLOR
FXXXX0017AAC	9	3.5	-	Knobby	-	Lt Gry
FXXXX0017AAD	9	3.5	-	Knobby	-	Lt Gry
FXXXX0018AAA	9	3	-	Durotrap	-	Lt Gry
FXXXX0019AAB	9	3	-	Rib	-	Lt Gry
FXXXX0019AAC	9	3	-	Rib	-	Lt Gry
FXXXX0019AAD	9	3	-	Rib	-	Lt Gry
FXXXX0019AAE	9	3	Rib C-179	Rib	LT Gry	940Grms
FXXXX0019AAF	9	3	-	Rib	-	Lt Gry
FXXXX0020AAA	9	3	-	Sawtooth	-	Lt Gry
FXXXX0020AAB	9	3	-	Sawtooth	-	Lt Gry
FXXXX0020AAC	9	3	-	Sawtooth	-	Lt Gry
FXXXX0020AAD	9	3	-	Sawtooth	-	Lt Gry
FXXXX0021AAA	10	3	-	Knobby	-	Lt Gry
FXXXX0021AAB	10	3	-	Knobby	-	Lt Gry
FXXXX0021AAC	10	3	-	Knobby	-	Lt Gry
FXXXX0021AAD	10	3	-	Knobby	-	-
FXXXX0021AAE	10	3	-	Knobby	-	Lt Gry
FXXXX0022AAB	13	4	-	Knobby	-	Blk
FXXXX0023AAB	14	3	-	Knobby	-	Lt Gry
FXXXX0024AAB	12	3	-	Knobby	-	Lt Gry
FXXXX0025AAA	12	3	-	Center Ridge	-	Lt Gry
FXXXX0025AAB	12	3	-	Center Ridge	-	Lt Gry
FXXXX0026AAA	12	3	-	400-6 C-166	-	Lt Gry
FXXXX0026AAB	12	3	-	Knobby	-	Lt Gry
FXXXX0026AAC	14	3	-	Knobby	-	Lt Gry



# FOAM FILL

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	HUB COLOR	TIRE COLOR
FXXXX0026AAD	12	3	-	Knobby	-	Lt Gry
FXXXX0027AAA	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAB	14	3	Knobby C-248	Powertrax Turf	LT Gry	Lt Gry
FXXXX0027AAC	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAG	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAJ	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAL	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAN	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAP	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAQ	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAR	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAS	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAT	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAU	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0027AAV	14	3	-	Powertrax Turf	-	Lt Gry
FXXXX0028AAA	16	3	-	Rib	-	Lt Gry
FXXXX0031AAA	14	3	-	Access C-917	-	Lt Gry
FXXXX0031AAD	14	3	-	Access C-917	-	Lt Gry
FXXXX0033AAA	16	3	-	Durotrap	-	Lt Gry
FXXXX0050AAA	14	3	-	Knobby	-	Lt Gry
FXXXX0051AAA	10	3	-	Knobby	-	Lt Gry
FXXXX0052AAA	10	3	-	Rib	-	Lt Gry
FXXXX0517AAA	14	3	-	Access	-	Lt Gry
FXXXX0900AAA	10	3	-	Sawtooth	-	Blk
FXXXX0901AAA	9	2.8	-	Sawtooth	-	Blk

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	HUB COLOR	TIRE COLOR
UXXXX0189AAA	8	2	-	Knobby	-	Lt Gry
FXXXX0018AAB	9	3	-	Durotrap	-	Lt Gry



## Foam Filled Tire Assembly

Our unique SPIN-CAST molding creates dense, firm tread area while keeping the side wall area flexible for a smooth, pneumatic like ride. Classic material in dark grey color and white color fills are for heavy duty applications. Comfort track material in green color is softer, more air-like ride. Our Dual Density Foam Fills are a perfect combination of Aero-Flex I and II compounds offering best in the market performance and durability. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
G00030008AAA	8	2	2pc-A	Rib	2.41	0.875	Blk	Lt Gry
G00030008AAB	8	2	2pc-A	Rib	2.41	0.3125	Blk	Lt Gry
G00030013AAA	8	2	2pc-A	Rib	2.41	0.3125	Blk	Blk
G00030187AAA	8	2	5Spk-D	Rib	0.906	0.3125	Blk	Dk Gry
G00100471AAA	12	2.25	5Spk-A	Knobby	2.16	0.625	Blk	Blk
G00740001AAA	12.5	2.125	3Spk-D	Knobby	2.5	0.5	Blk	Lt Gry
G00750002AAA	12.5	2.25	3Spk-D	Street	2.4	1.125	Blk	Lt Gry
G70050038RAA	24	1.375	5SpkLC-B	Street	2.25	1.125	Blk	Lt Gry
G70050038RAB	24	1.375	5SpkLC-B	Street	2.25	1.375	Blk	Lt Gry
G70050038RAC	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
G70050038RAD	24	1	5SpkLC-B	Street	2.25	0.3125	Blk	Gry
G70050038RAE	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
G70050123AAA	24	1	5SpkLC-B	Street	1.125	0.5	Blk	Lt Gry
G70080040RAA	20	1.375	5SpkLC-B	Street	2.25	0.5	Blk	Gry
G70080040RAB	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry



# FOAM FILL

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
G70080040RAC	20	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
G70090039RAA	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
G70090039RAB	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
G70090039RAC	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
G99990021AAA	10	3	2pc-A	Knobby	2	1.375	Blk	Lt Gry
G-10-3-2pc-A- Knobby-Blk	10	3	2pc-A	Knobby	Blk			
G-20-1.375-5Spk-A- Street-Blk	20	1.375	5Spk-A	Street	Blk			



## Pneumatic Wheel Assembly

Rubber tires and tubes are inflated with air for the ultimate in ride and performance. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
J00850005AAA	8	1	8Spk-A	Rib	1.5	0.3125	Blk	Lt Gry
J70050038RAA	24	1	5SpkLC-B	Street	3	0.5	Blk	Lt Gry
J70050038RAB	24	1	5SpkLC-B	Street	3	0.5	Blk	Lt Gry
J70050038RAC	24	1	5SpkLC-B	Street	2.25	0.4375	Blk	Lt Gry
J70050038RAD	24	1.375	5SpkLC-B	Street	2.25	1.375	Blk	Lt Gry
J70050038RAH	24	1	5SpkLC-B	Street	2.25	1.125	Blk	Lt Gry
J70050038RAI	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
J70050038RAJ	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
J70050038RAK	24	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
J70050620AAA	24	1.375	5SpkLC-B	Street	2.25	1.125	Blk	Lt Gry
J70070010RAA	20	1.75	5SpkLC-A	Street	2.25	1.375	Blk	Blk
J70070039RAB	20	1	5SpkLC-A	Knobby	2.5	0.625	Blk	Blk
J70070039RAD	20	1	5SpkLC-A	Knobby	2.5	-	Blk	-
J70090039RAA	22	1	5SpkLC-B	Street	2.25	0.5	Blk	Gry
J70170602AAA	24	1	3spkLC-B	Street	1.6	1.125	Gloss Blk	Lt Gry
J70170602AAB	24	1	3spkLC-B	Herringbone	1.125	0.5	Red	Lt Gry
J70180620AAA	24	1	3spkLC-B	Street	1	1.125	Gloss Blk	Lt Gry
J-20-1.75-5SpkLC-A-Street-3-1.375-Blk-Blk	20	1.75	5SpkLC-A	Street	3	1.375	Blk	Blk

## Lost Core Wheel Hub



X-CORE® wheels are manufactured following a

very unique molding process known as *lost core*. The wheels manufactured using the *lost core* method will be extremely sturdy and lightweight. Moreover, those wheels will be unrivaled in performance and durability. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	BORE LENGTH	BORE ID	HUB COLOR
Y7001XXXXRAA	25	1.4	5SpkLC-C	1.6	1.8	Blk
Y7002XXXXRAA	24	1.4	5SpkLC-C	1.6	0.625	Blk
Y70050000RAA	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAB	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAC	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAD	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAE	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAI	24	1	5SpkLC-A	3	0.4375	Blk
Y70050000RAL	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAO	24	1	5SpkLC-A	-	0.5	Blk
Y70050000RAR	24	1	5SpkLC-A	3	0.5	Blk
Y70050000RAU	25	1.375	5SpkLC-B	2.08	1.125	Wht
Y70050000RAV	25	1.375	5SpkLC-B	2.25	1.125	Red
Y70050000RAW	24	1	5SpkLC-B	2.25	0.5	Red
Y70050000RAX	25	1.375	5SpkLC-B	2.25	1.125	Blu
Y70050000RAY	25	1.375	5SpkLC-B	2.25	1.125	Blk
Y70050000RAZ	25	1.375	5SpkLC-B	1.125	0.4375	Blk
Y70050000RBA	25	1.375	5SpkLC-B	2.25	1.375	Wht
Y70050000RBB	25	1.375	5SpkLC-B	1.125	0.5	Blk



PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	BORE LENGTH	BORE ID	HUB COLOR
Y70070000RAA	20	1.75	5SpkLC-A	2.25	1.375	Blk
Y70070000RAB	20	1	5SpkLC-A	2.3	0.625	Blk
Y70070000RAC	20	1	5SpkLC-A	2.3	0.625	Blk
Y7007XXXXRAA	20	1.75	5SpkLC-A	2.25	1.375	Blk
Y7007XXXXRAB	20	1.75	5SpkLC-A	2.25	1.375	Blk
Y70080000AAC	20	1	5SpkLC-B	2.25	1.125	Blk
Y70080000AAD	20	1	5SpkLC-B	2.25	1.125	PNTWht
Y70080000AAF	20	1	5SpkLC-B	3	1.375	PNTPIN
Y70080000AAG	20	1	5SpkLC-B	3	1.375	PNTBLU
Y70080000RAA	20	1	5SpkLC-A	3	0.5	Blk
Y70080000RAC	20	1	5SpkLC-B	3	1.375	Metallic Blu
Y70080000RAD	20	1	5SpkLC-B	3	1.375	Red
Y70080000RAE	20	1	5SpkLC-B	3	1.375	Wht
Y70080000RAF	20	1	5SpkLC-B	3	1.375	Pnk
Y70090000RAA	22	1.75	5SpkLC-B	1.375	0.625	Blk
Y70090000RAD	22	1	5SpkLC-B	1	1.125	Blk
Y70090000RAE	22	1	5SpkLC-B	3	1.375	Wht
Y70090000RAF	22	1	5SpkLC-B	3	1.375	Pnk
Y70090000RAG	22	1	5SpkLC-B	3	1.375	Metallic Blu
Y70090000RAH	22	1	5SpkLC-B	3	1.375	Red
Y70090000RAI	22	1.75	5SpkLC-B	3	1.375	Red
Y70170000RAB	24	1	3spkLC-B	1.125	0.5	Gloss Blk
Y70170000RAC	24	1	3spkLC-B	1.125	0.5	Blu
Y70170000RAD	24	1	3spkLC-B	1.125	0.5	Ylw
Y70170000RAE	24	1	3spkLC-B	1.125	0.5	Wht



# PNEUMATIC

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	BORE LENGTH	BORE ID	HUB COLOR
Y70170000RAF	24	1	3spkLC-B	1.125	0.5	Blk
Y70170000RAG	24	1	3spkLC-B	1.125	0.5	Red
Y7018XXXXRAA	24	1	3spkLC-B	1.125	0.5	Blk

800-479-4335

[customerservice@cewmail.com](mailto:customerservice@cewmail.com)

[cewheelsinc.com](http://cewheelsinc.com)



## Tread Cap Wheel Assembly

Our Tread Cap assembly is altogether different. Neither inflated air nor air pockets are involved. It's the cellular structure of the hub that provides the support, strength and exceptional durability. The injection molded tread cap™ is stretched, mounted and fit firmly onto the hub. CEW specializes in high-volume production.

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A03410260AAA	6	1.5	Mag-A	Diamond	1.5	0.5	Wht	Blk
A03410260AAB	6	1.5	Mag-A	Diamond	1.5	0.5	Gry	Blk
A03410261AAA	6	1.5	Mag-A	Rib	1.5	0.5	Blk	Gry
A03420260AAC	6	1.5	Mag-A	Diamond	1.375	0.5	Brт Wht	Blk
A03420260AAD	6	1.5	Mag-A	Diamond	1.375	0.5	10082 Gry	Blk
A03420260AAE	6	1.5	Mag-A	Diamond	1.375	0.5	Blk	Blk
A03420260AAF	6	1.5	Mag-A	Diamond	1.375	0.5	14191 Gry	Blk
A03420260AAG	6	1.5	Mag-A	Diamond	1.375	0.5	Dk Gry	Blk
A03420260AHC	6	1.5	Mag-A	Diamond	1.375	0.5	Brт Wht	Blk
A03430260AAA	6	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03450260AAA	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03450260AAC	6	1.5	Mag-A	Diamond	1.5	0.375	Wht	Blk
A03450260AAE	6	1.5	Mag-A	Diamond	1.5	0.375	Orange	Blk
A03450261AAA	6	1.5	Mag-A	Rib	1.5	0.375	Blk	Blk
A03450261AAC	6	1.5	Mag-A	Rib	1.5	0.375	Wht	Blk
A03480260AAA	6	1.5	Mag-A	Diamond	1.5	0.375	Wht	Blk
A03480260AAC	6	1.5	Mag-A	Diamond	1.5	0.375	Brт Wht	Blk
A03480260AAE	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03480260AAF	6	1.5	Mag-A	Diamond	1.5	0.375	Quick Slvr	Blk

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A03480260AAG	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03480260AHE	6	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A03480261AAB	6	1.5	Mag-A	Rib	1.5	0.375	Quick Slvr	Blk
A03480261AAD	6	1.5	Mag-A	Rib	1.5	0.375	Beige	Blk
A03490260AAA	6	1.5	Mag-A	Diamond	1.5	0.4375	Gry	Blk
A03510270AAA	7	1.5	Mag-A	Diamond	1.5	0.5	Blk	Blk
A03510270AAB	7	1.5	Mag-A	Diamond	1.5	0.5	Gry	Blk
A03510270AAC	7	1.5	Mag-A	Diamond	1.5	0.5	11308 Gry	Blk
A03510270AAD	7	1.5	Mag-A	Diamond	1.5	0.5	Mocha	Blk
A03510270AAE	7	1.5	Mag-A	Diamond	1.5	0.5	10082 Gry	Blk
A03510270AHC	7	1.5	Mag-A	Diamond	1.5	0.5	11308 Gry	Blk
A03510271AAC	7	1.5	Mag-A	Rib	1.5	0.5	Wht	Blk
A03510271AHC	7	1.5	Mag-A	Rib	1.5	0.5	Wht	Blk
A03520270AAA	7	1.5	Mag-A	Diamond	1.375	0.5	Blk	Blk
A03520270AAB	7	1.5	Mag-A	Diamond	1.375	0.5	10082 Gry	Blk
A03520270AAC	7	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03520270AAD	7	1.5	Mag-A	Diamond	1.375	0.5	Cream	Blk
A03520270AAE	7	1.5	Mag-A	Diamond	1.375	0.5	Gry	Blk
A03520270AHC	7	1.5	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03540271AAA	7	1.5	Mag-A	Rib	1.43	0.5	Wht	Blk
A03550270AAD	7	1.5	Mag-A	Diamond	1.625	0.5	10079 Gry	Blk
A03550270AAH	7	1.5	Mag-A	Diamond	1.625	0.5	Wht	Blk
A03550270AAJ	7	1.5	Mag-A	Diamond	1.625	0.5	Brn Ylw	Blk
A03560270AAA	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270AAB	7	1.5	Mag-A	Diamond	1.595	0.5	Brn Ylw	Blk

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A03560270AAC	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
A03560270AAD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270AAF	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
A03560270ARD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270BAD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270BRD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270TAA	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03560270TAB	7	1.5	Mag-A	Diamond	1.595	0.5	Brn Ylw	Blk
A03560270TAC	7	1.5	Mag-A	Diamond	1.595	0.5	Wht	Blk
A03560270WAD	7	1.5	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03580271AAB	7	1.5	Mag-A	Rib	1.5	0.5625	Gry	Gry
A03600286AAA	8	1.75	Titan-A	Rib	2.105	0.625	Blk	Blk
A03600286AHA	8	1.75	Titan-A	Rib	2.105	0.625	Blk	Blk
A03610280AAB	8	1.7	Mag-A	Diamond	1.5	0.5	Blk	Blk
A03610280AAD	8	1.7	Mag-A	Diamond	1.5	0.5	Wht	Blk
A03610280AAE	8	1.7	Mag-A	Diamond	1.5	0.5	16131 Ylw	Blk
A03610280AAF	8	1.7	Mag-A	Diamond	1.5	0.5	Pewter	Blk
A03610280AAG	8	1.75	Mag-A	Diamond	1.5	0.5	Blk	Blk
A03610280AAH	8	1.7	Mag-A	Diamond	1.5	0.5	180014 Ylw	Blk
A03610280AAI	8	1.7	Mag-A	Diamond	1.5	0.5	Gry	Blk
A03610280AAJ	8	1.7	Mag-A	Diamond	1.5	0.5	180018 Ylw	Blk
A03610281AAA	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Blk
A03610281AAC	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Gry
A03610281AAE	8	1.75	Mag-A	Rib	1.5	0.5	10082 Gry	Blk
A03610281AAF	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry



# TREAD CAP

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A03610281AAG	8	1.7	Mag-A	Rib	1.5	0.5	Wht	Blk
A03610281AHF	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry
A03610281BAC	8	1.7	Mag-A	Rib	1.5	0.5	Blk	Gry
A03610287AAA	8	1.75	Mag-A	Offset Bar	1.5	0.5	Gry	Blk
A03610287AAB	8	1.75	Mag-A	Offset Bar	1.5	0.5	Blk	Blk
A03620280AAA	8	1.75	Mag-A	Diamond	1.375	0.5	Blk	Blk
A03620280AAC	8	1.75	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03620280AAE	8	1.75	Mag-A	Diamond	1.375	0.5	Dk Gry	Blk
A03620280AHC	8	1.75	Mag-A	Diamond	1.375	0.5	Wht	Blk
A03620281AAB	8	1.75	Mag-A	Rib	1.375	0.5	Wht	Blk
A03620281AAD	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A03620281AAE	8	1.75	Mag-A	Rib	1.375	0.5	10082 Gry	Blk
A03620281AAF	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A03620281AHD	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A03640280AAA	8	1.75	Mag-A	Diamond	1.43	0.5	10079 Gry	Blk
A03640281AAB	8	1.75	Mag-A	Rib	1.43	0.5	Wht	Blk
A03640283AAB	8	1.75	Mag-A	Bar Rib	1.43	0.5	12724 Gry	Blk
A03640283AAC	8	1.75	Mag-A	Bar Rib	1.43	0.5	10079 Gry	Blk
A03640283AAD	8	1.75	Mag-A	Bar Rib	1.43	0.5	16046 Grn	Blk
A03640283AHC	8	1.75	Mag-A	Bar Rib	1.43	0.5	10079 Gry	Blk
A03650280AAB	8	1.75	Mag-A	Diamond	1.1625	0.5	Wht	Blk
A03650280AAD	8	1.75	Mag-A	Diamond	1.1625	0.5	Pewter	Blk
A03670286AAA	8	1.75	Titan-A	Rib	2.12	0.625	Blk	Blk
A03680280AAA	8	1.7	Mag-A	Diamond	2.25	0.625	Wht	Blk
A03690280AAB	8	1.75	Mag-A	Diamond	1.66	0.5	LT Gry	Blk

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A03720270AHA	7	1.5	Mag-A	Diamond	1.5	0.5	Brt Wht	Blk
A03730280AAA	8	1.75	Mag-A	Diamond	1.595	0.5	Gry	Blk
A03740275AAA	7	1.75	Mag-A	Brick	1.75	0.375	Blk	Blk
A03740275AHA	7	1.75	Mag-A	Brick	1.75	0.375	Blk	Blk
A03770275AAB	7	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03770275AAE	7	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03770275AAF	7	1.75	Mag-A	Brick	1.5	0.5	Grip Gry	Blk
A03770275AHB	7	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03770275AHE	7	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03780274AAA	8	1.75	Mag-A	Brick	1.5	0.5	Blk	Blk
A03780274AAB	8	1.75	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03780274AAE	8	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03780274AHE	8	1.75	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03790292AAA	9	2	Mag-A	Brick	1.5	0.5	Blk	Blk
A03790292AAD	9	2	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03790292AAF	9	2	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03790292AAG	9	2	Mag-A	Brick	1.5	0.5	Gry	Blk
A03790292AHD	9	2	Mag-A	Brick	1.5	0.5	11308 Gry	Blk
A03790292AHF	9	2	Mag-A	Brick	1.5	0.5	Dk Gry	Blk
A03800292AAA	9	2	Mag-A	Brick	1.8	0.5	Blk	Blk
A03850283AAA	8	1.75	Mag-A	Bar Rib	1.625	0.375	Blk	Blk
A03860276AAA	8.5	1.25	Smooth-B	Rib	1.5	0.375	Wht	Blk
A03910284AAA	8	2	Smooth-A	Bar Groove	1.375	0.5	10082 Gry	Blk
A03910284AAD	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A03910284AAF	8	2	Smooth-A	Bar Groove	1.375	0.5	Br Ylw	Blk



# TREAD CAP

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A03910284AHD	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A03940284AAA	8	2	Smooth-A	Bar Groove	1.525	0.625	Blk	Blk
A03980297AAA	8	2	Smooth-A	Bar Rib	1.407	0.5	Gry	Blk
A04010286AAA	8	1.75	Titan-A	Rib	2.12	0.5	Blk	Blk
A04010305AAA	8	1.75	Titan-A	Rib	2.12	0.5	Blk	Blk
A04040280AAA	8	1.75	Mag-A	Diamond	1.5	0.5	Blk	Blk
A04040281BHA	8	1.75	Mag-A	Rib	1.5	0.5	14191 Gry	Gry
A04060260AAA	6	1.5	3Spk-A	Diamond	1.5	0.5	Ylw	Blk
A04060260AAE	6	1.5	3Spk-A	Diamond	1.5	0.5	10082 Gry	Blk
A04060260AHE	6	1.5	3Spk-A	Diamond	1.5	0.5	10082 Gry	Blk
A04060261AAB	6	1.5	3Spk-A	Rib	1.5	0.5	Wht	Blk
A04060264AAA	6	1.5	3Spk-A	Smooth	1.5	0.5	12724 Gry	Blk
A04070270AAA	7	1.5	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04070270AAB	7	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04070270AAC	7	1.5	3Spk-A	Diamond	1.5	0.5	Brt Ylw	Blk
A04070270AAD	7	1.5	3Spk-A	Diamond	1.5	0.5	McKinley Wht	Blk
A04070271AAA	7	1.5	3Spk-A	Bar Rib	1.5	0.5	10082 Gry	Gry
A04070271AAB	7	1.5	3Spk-A	Bar Rib	1.5	0.5	Wht	Blk
A04080280AAA	8	1.75	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04080280AAB	8	1.5	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04080280AAD	8	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04080280ARD	8	1.5	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04080281AAA	8	1.5	3Spk-A	Rib	1.5	0.5	Wht	Blk
A04080303AAA	8	1.75	3Spk-A	Smooth	1.5	0.5	Quick Slvr	Gry
A04090270AAC	7	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk



PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A04090270AHD	7	1.5	Mag-A	Diamond	1.5	0.375	Blk	Blk
A04090271AAB	7	1.5	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
A04090271AHB	7	1.5	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
A04110281AAA	8	1.75	3Spk-A	Rib	1.5	0.625	Blk	Blk
A04160270AAA	7	1.5	3Spk-A	Diamond	1.625	0.5	Gry	Blk
A04170270AAB	7	2	3Spk-A	Diamond	1.63	0.5	Wht	Blk
A04180280AAB	8	2	3Spk-A	Diamond	1.52	0.5	10082 Gry	Blk
A04180280AHB	8	2	3Spk-A	Diamond	1.52	0.5	10082 Gry	Blk
A04180280BAA	8	2	3Spk-A	Diamond	1.52	0.5	11261 Blk	Blk
A04180280BAB	8	2	3Spk-A	Diamond	1.52	0.5	11261 Blk	Blk
A04190275AAA	7	1.75	Mag-A	Brick	1.5	0.375	Blk	Blk
A04210292AAA	9	2	Mag-A	Brick	1.5	0.625	Wht	Blk
A04230260AAA	6	1.5	3Spk-A	Diamond	1.375	0.5	Brt Wht	Blk
A04240270AAA	7	1.5	Mag-A	Diamond	1.4	0.5	Gry	Blk
A04260260AAB	6	1.5	3Spk-A	Diamond	1.5	0.375	Brt Wht	Blk
A04260261AAA	6	1.5	3Spk-A	Rib	1.5	0.375	Blk	Blk
A04260264AAA	6	1.5	3Spk-A	Smooth	1.5	0.375	Blk	Blk
A04260264AAB	6	1.5	3Spk-A	Smooth	1.5	0.375	Brt Ylw	Blk
A04270275AAA	7	1.75	Mag-A	Brick	1.39	0.5	Gry	Blk
A04270275AAB	7	1.75	Mag-A	Brick	1.39	0.5	Brt Wht	Blk
A04270275AAC	7	1.75	Mag-A	Brick	1.39	0.5	Brt Ylw	Blk
A04280274AAA	8	1.75	Mag-A	Brick	1.39	0.5	Gry	Blk
A04280274AAB	8	1.75	Mag-A	Brick	1.39	0.5	Brt Wht	Blk
A04280274AAC	8	1.75	Mag-A	Brick	1.39	0.5	Brt Ylw	Blk
A04280274AAD	8	1.75	Mag-A	Brick	1.39	0.5	Marigold	Blk

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A04280274AAE	8	1.75	Mag-A	Brick	1.39	0.5	Storm Gry	Blk
A04280274AAF	8	1.75	Mag-A	Brick	1.39	0.5	Blk	Blk
A04290284AAA	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A04290284AHA	8	2	Smooth-A	Bar Groove	1.375	0.5	14191 Gry	Blk
A04370270AAA	7	1.5	3Spk-A	Diamond	1.39	0.5	Gry	Blk
A04370270AAB	7	1.5	3Spk-A	Diamond	1.39	0.5	Wht	Blk
A04370270AAC	7	1.5	3Spk-A	Diamond	1.39	0.5	Marigold	Blk
A04370270AAD	7	1.5	3Spk-A	Diamond	1.39	0.5	Brt Ylw	Blk
A04370270AAF	7	1.5	3Spk-A	Diamond	1.39	0.5	Lime Grn	Blk
A04370270AAG	7	1.5	3Spk-A	Diamond	1.39	0.5	Blk	Blk
A04370270ARB	7	1.5	3Spk-A	Diamond	1.39	0.5	Wht	Blk
A04400280AAA	8	1.75	Mag-A	Diamond	1.5	0.375	11309 Gry	Blk
A04400280AAC	8	1.75	Mag-A	Diamond	1.5	0.375	Wht	Blk
A04400280AAE	8	1.75	Mag-A	Diamond	1.5	0.375	Blk	Blk
A04400280AHE	8	1.75	Mag-A	Diamond	1.5	0.375	Blk	Blk
A04400281AAA	8	1.75	Mag-A	Rib	1.5	0.375	16035 Gry	Blk
A04400283AAA	8	1.75	Mag-A	Bar Rib	1.5	0.375	Wht	Blk
A04410274AAB	8	1.75	Mag-A	Brick	1.5	0.375	Wht	Blk
A04410274AHB	8	1.75	Mag-A	Brick	1.5	0.375	Wht	Blk
A04430281AAA	8	1.75	Mag-A	Rib	1.5	0.4375	Blk	Gry
A04440280AAA	8	1.75	3Spk-A	Diamond	1.625	0.5	Wht	Blk
A04490281AAA	8	2	3Spk-A	Rib	1.5	0.5	Blk	Gry
A04490281AAC	8	2	3Spk-A	Rib	1.5	0.5	Wht	Gry
A04510311AAA	10	1.75	3Spk-A	Diamond	1.5	0.5	Blk	Blk
A04510311AAB	10	1.75	3Spk-A	Diamond	1.5	0.5	Gry	Blk



# TREAD CAP

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A04510311AAC	10	1.75	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04510311ARC	10	1.75	3Spk-A	Diamond	1.5	0.5	Wht	Blk
A04510761AAA	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Gry
A04510761AAC	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Blk
A04510761AAF	10	1.75	3Spk-A	Rib	1.5	0.5	Wht	Blk
A04510761AAG	10	1.75	3Spk-A	Rib	1.5	0.5	Wht	Gry
A04510761AAH	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Blk
A04510761AAJ	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Gry
A04510761ABA	10	1.75	3Spk-A	Rib	1.5	0.5	Gry	Gry
A04510761AHJ	10	1.75	3Spk-A	Rib	1.5	0.5	Blk	Gry
A04520311AAA	10	1.72	3Spk-A	Diamond	1.5	0.5	Gry	Blk
A04530761AAB	10	1.75	3Spk-A	Rib	1.5	0.3125	Wht	Blk
A04550281AAA	8	1.75	Mag-A	Rib	1.375	0.5	Blk	Blk
A04590311AAB	10	1.75	3Spk-A	Diamond	1.9	0.375	Ylw	Blk
A04660260AAA	6	1.5	3Spk-A	Diamond	1.512	0.5	Wht	Blk
A04660260ARA	6	1.5	3Spk-A	Diamond	1.512	0.5	Wht	Blk
A05010780AAA	8	1.75	3Spk-B	Brick	1.695	0.5	Blk	Blk
A05020780AAA	8	1.75	3Spk-B	Brick	1.395	0.5	Blk	Blk
A05100790AAA	12	1.75	3Spk-B	Brick	1.745	0.5	Gry	Blk
A05400291AAA	10	1.75	Titan-A	Rib	2.02	0.625	Blk	Blk
A05400291AAC	10	1.75	Titan-A	Rib	2.02	0.625	Wht	Blk
A05400761AAA	10	1.75	Titan-A	Rib	2.02	0.625	Wht	Blk
A05420291AAA	10	1.75	Titan-A	Rib	2	0.75	Blk	Blk
A05440291AAA	10	1.75	Titan-A	Rib	1.8959	0.625	Wht	Blk
A05450291AAA	10	1.75	Titan-A	Rib	1.645	0.75	Blk	Blk

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A05460291AAB	10	1.75	Titan-A	Rib	2.02	0.5	Cream	Blk
A05470761AAA	10	1.75	Titan-A	Rib	1.74	0.5	Blk	Gry
A05490312AAA	10	1.75	Titan-A	Diamond	2	0.5	Cream	Blk
A05500311AAA	10	1.75	Titan-A	Diamond	1.76	0.625	Blk	Blk
A05500311AAB	10	1.75	Titan-A	Diamond	1.76	0.625	Blk	Blk
A05510312AAA	10	1.75	Titan-A	Diamond	2	0.75	Blk	Blk
A05520312AAA	10	1.75	Titan-A	Diamond	2.225	0.625	Blk	Blk
A05530761AAA	10	1.75	Titan-A	Rib	2.51	0.75	Blk	Blk
A05580315AAA	9.75	2.75	X10-A	Knobby	2.17	0.5	Gry	Blk
A05590315AAA	9.75	2.75	X10-A	Knobby	2.17	0.5	Gry	Blk
A05620604AAA	9.75	2.75	X10-A	Sawtooth	2.17	0.625	Blk	Blk
A05660790BAA	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
A05660790BRA	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
A05660790CAA	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
A05660790CAB	12	1.75	3Spk-B	Brick	1.755	0.5	Blk	Blk
A05660790CAW	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
A05660790CRA	12	1.75	3Spk-B	Brick	1.725	0.5	Dk Gry	Blk
A05660790WAA	12	1.75	3Spk-B	Brick	1.22	0.5	Dk Gry	Blk
A05690790AAA	12	1.75	5Spk-B	Brick	1.755	0.5	Dk Gry	Blk
A05690790AAB	12	1.75	5Spk-B	Brick	1.755	0.5	LT Gry	Blk
A05690790RAA	12	1.75	5Spk-B	Brick	1.755	0.5	Dk Gry	Blk
A05690790RAB	12	1.75	5Spk-B	Brick	1.755	0.5	LT Gry	Blk
A05720295AAA	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Blk
A05720295AAC	12	1.75	Titan-A	Rib	2.22	0.625	Americart Grn	Blk
A05720295AAE	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Blk



# TREAD CAP

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A05720295AAF	12	1.75	Titan-A	Rib	2.22	0.625	Blk	Pantone 425C
A05740295AAA	12	1.75	Titan-A	Rib	2.2	0.75	Blk	Blk
A05740295AAC	12	1.75	Titan-A	Rib	2.2	0.75	Blk	Gry
A05900300AAA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05900300AAB	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
A05900300AAC	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
A05900300AAD	14	1.75	5Spk-A	Diamond	2.454	0.5	Gry	Blk
A05900300AAE	14	1.75	5Spk-A	Diamond	2.454	0.5	Gry	Blk
A05900300AAG	14	1.75	5Spk-A	Diamond	2.454	0.5	Dk Gry	Blk
A05900300AAI	14	1.75	5Spk-A	Diamond	2.454	0.5	Wht	Blk
A05900300AAN	14	1.75	5Spk-A	Diamond	2.6	0.625	Wht	Blk
A05900300AAP	14	1.75	5Spk-A	Diamond	2.515	0.625	Wht	Blk
A05900300AHA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05900300AHB	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05900300AHC	14	1.75	5Spk-A	Diamond	2.454	0.5	Noma Gry	Blk
A05910300AAA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05910300AAD	14	1.75	5Spk-A	Diamond	2.454	0.5	Wht	Blk
A05910300AAJ	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05920300AAA	14	1.75	5Spk-A	Diamond	2.454	0.375	Blk	Blk
A05940300AAA	14	1.75	5Spk-A	Diamond	2.454	0.5	Blk	Blk
A05950300AAA	14	1.75	5Spk-A	Diamond	2.468	0.5	10079 Gry	Blk
A05950300AAB	14	1.75	5Spk-A	Diamond	2.468	0.5	Blk	Blk
A05960300AAA	14	1.75	5Spk-A	Diamond	2.23	0.375	Blk	Blk
A-8.5-2-5Spk-B-Bar Rib-1.39-0.5625- 14191 Gry- Pantone 425C	8.5	2	5Spk-B	Bar Rib	1.39	0.5625	14191 Gry	Pantone 425C

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A-8-1.5-10082 Gry	8	1.5	2pc-A	Bar	2.4	0.875	10082 Gry	Blk
A-8-1.5-3Spk-A-10082 Gry	8	1.5	3Spk-A	Bar	2.4	0.875	10082 Gry	Blk
A-8-1.5-3Spk-B-10082 Gry	8	1.5	3Spk-B	Bar	2.4	0.875	10082 Gry	Blk
A-8-1.5-5Spk-A-10082 Gry	8	1.5	5Spk-A	Bar	2.4	0.875	10082 Gry	Blk
A-8-1.5-5Spk-A-10082 Gry	8	1.5	5Spk-A	10082 Gry				
A-8-1.5-5Spk-A-0.4375	8	1.5	5Spk-A	0.4375				
A-8-1.5-3Spk-A-Brick-1.22-0.5-11261 Blk-Gry	8	1.5	3Spk-A	Brick	1.22	0.5	11261 Blk	Gry
A-8-2-5Spk-A	8	2	5Spk-A					
A-10-1.7-Diamond-1.5-0.5-11261 Blk-Blk	10	1.7	Diamond	1.5	0.5	11261 Blk	Blk	
A-Diamond-Pantone 425C	Diamond	Pantone 425C						
A-Diamond-Pantone 425C	Diamond	Pantone 425C						
A-10-5Spk-A-Bar Rib-2.6-0.5-10079 Gry-Blk	10	5Spk-A	Bar Rib	2.6	0.5	10079 Gry	Blk	



# TREAD CAP

PART NUMBER	WHEEL OD	WHEEL WIDTH	HUB STYLE	TREAD STYLE	BORE LENGTH	BORE ID	HUB COLOR	TIRE COLOR
A-10-5Spk-A-Bar Rib-2.6-0.5-10079 Gry-Blk	10	5Spk-A	Bar Rib	2.6	0.5	10079 Gry	Blk	

800-479-4335

customerservice@cewmail.com

cewheelsinc.com



## General Terms And Conditions of Sale

In conjunction with contractual documentation from CEW, Inc.

### **Entire Agreement; Binding Effect.**

The terms and conditions set forth below and on the front of this document constitute the entire agreement between Seller and Buyer with respect to the goods described herein. For the parties' administrative convenience, Buyer may authorize production of the goods described herein by issuing purchase orders or other documents on Buyer's forms and Seller may acknowledge such purchase order or other document by signing and returning a copy thereof, but Seller hereby expressly rejects in advance any terms of such purchase orders or other documents which differ materially from, or are in addition to, the terms stated herein, notwithstanding any language in Buyer's forms to the contrary (including any statement to the effect that acceptance of such order constitutes consent to the terms of such form without change), whether or not such forms are signed by a representative of Seller. Buyer agrees that no such different or additional terms, and no modification or waiver of any of the terms of this agreement, will be binding on Seller unless approved by Seller's authorized representative in writing separate from such purchase order or other document stating the particular modification or waiver to be effected.

### **Warranty.**

Seller warrants to Buyer that at the time of their sale to Buyer the goods produced hereunder will conform to any specifications expressly set forth in this agreement, or if none, then to Seller's standard specifications for like goods.

### **SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE.**

Buyer's sole remedy for any breach of Seller's warranty shall be the repair or replacement of nonconforming goods, or, at Seller's option, the refund of the purchase price therefor.

Buyer agrees to inspect the goods promptly upon receipt and to notify Seller of any claimed defect or breach of warranty within 15 days after receipt and in any event before the goods are used in any manner. If requested by Seller, Buyer will retain any allegedly defective goods and make them available for Seller's inspection and testing, or ship the same to or as directed by Seller for inspection and testing, at Seller's expense. Failure of Buyer to notify Seller within such time period or to retain the goods and make them available as required shall void the foregoing warranty, if and to the extent Seller is thereby unable to inspect the goods in their original form or conduct reliable testing on them.

### **Returns.**

No goods may be returned for any reason without Seller's prior consent, and Seller may decline to allow any claim or credit for goods returned without such consent. Transportation charges for the return of any goods shall be paid by Buyer, unless otherwise expressly agreed by Seller.





**Limitation of Liability.**

Seller shall not be liable for, and Buyer assumes responsibility for, all personal injury and property damage resulting from the handling, possession, processing or use of the goods.

**IN NO EVENT SHALL SELLER BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER BUYER'S CLAIM BE IN CONTRACT, TORT, STRICT LIABILITY OR OTHERWISE.**

**SELLER'S LIABILITY FOR ANY AND ALL LOSSES OR DAMAGES FROM ANY CAUSE WHATSOEVER SHALL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE PRODUCT IN RESPECT OF WHICH THE CLAIM IS MADE.**

**Quantities.**

Shipment quantities will conform as closely to order quantity given constraints of skid/box packaging and efficient shipping methods. Skid/box quantities will be disclosed on the associated quote for reference. All order quantities should conform to those multipliers.

**Shipments.**

Goods produced hereunder shall be shipped F.O.B. Seller's plant, and no allowance will be made by Seller for loss or damage to the goods after delivery to the carrier.

Any specified shipping dates are estimates and not guarantees. If this agreement covers goods to be produced under a blanket order and shipped by Seller over a period of more than one month, Buyer agrees to furnish at Seller's request monthly estimates of its requirements for the following three months.

**Taxes and Freight.**

Taxes or other governmental charges imposed with respect to manufacture, sale, delivery or use of goods shall be added as required by the laws in effect at time of delivery. Any increase in the cost to Seller of producing, selling or delivering the goods or of procuring materials used therein resulting from action or regulation by carrier or by any governmental authority, may at Seller's option be added to the price of the goods, retroactive to the effective date of the increase.

**Payment and Credit.**

In the event Buyer fails to pay for any shipment or installment when due, or if Buyer's credit or financial situation becomes unsatisfactory to Seller, Seller reserves the right, among other remedies, to require immediate payment for all goods theretofore delivered, to suspend further deliveries, to require cash payment in advance or upon delivery, or to require other security acceptable to Seller. Any suspended deliveries may, at Seller's option, be eliminated from this agreement without liability. Buyer shall be liable to Seller for all loss or damage sustained by reason of Buyer's failure to stay within agreed payment terms, including Seller's reasonable attorneys' fees incurred in collecting any past-due amounts whether or not suit is instituted.

**Patents.**

Any recommendations of Seller are not intended to suggest uses or operations which would infringe any patents, and Seller assumes no responsibility or liability for any such infringement. Seller may without liability to Buyer cancel deliveries of any goods the manufacture, sale or use of which may, in Seller's judgment, infringe any patent. Buyer shall hold Seller harmless from and indemnify Seller against any



judgment, loss or expense, including reasonable attorneys' fees, incurred by Seller as a result of any claim of infringement of intellectual property rights resulting from Seller's compliance with any designs, specifications or instructions of Buyer or from Buyer's forming, reprocessing or use of the goods.

**Compliance with Laws.**

Seller represents that in producing the goods sold hereunder, it will comply with the Fair Labor Standards Act, as amended, and the regulations and orders of the U.S. Department of Labor thereunder, and all other applicable laws and regulations.

**Confidentiality.**

The terms and conditions of this agreement are proprietary business information of both parties and shall be considered confidential. Unless expressly agreed to by the other party, neither party shall disclose the terms of this agreement to any third party (other than its affiliates).

**Excuse of Performance.**

Neither party shall be subject to any liability for delay or nonperformance to the extent that such delay or nonperformance results from fire, flood, earthquake, windstorm or other natural catastrophe or Act of God, explosion, accident, breakdown, labor shortage or labor trouble including strike and lockout, embargo, war, terrorism, riot or criminal activity, action or request of any governmental authority, delay or failure of carriers, contractors or public utilities, inability to obtain necessary raw materials, supplies or energy, or any other cause reasonably beyond the control of such party.