



PRODUCT SELECTOR GUIDE



WHEELS: **STANDARD**

- 5 MAG-A
- 9 MAG-B
- 10 MAG-C
- 11 3SPK-A
- 13 3SPK-B
- 14 5SPK-A
- 15 5SPK-B
- 16 7SPK-A
- 17 TITAN-A
- 18 TITAN-B
- 19 X10-A
- 20 Smooth-A
- 21 Sunburst-A



STANDARD PRODUCTS

Treadcap

Our treadcap assembly is altogether different. Neither inflated air nor air pockets are involved. It's the cellular structure of the hub that provides the support, strength and exceptional durability. The injection molded tread cap is stretched, mounted and fit firmly onto the hub.

Hub styles: 3Spk-A, 3Spk-B, 5Spk-A, 5Spk-B, Mag-A, Smooth-A, Smooth-B, Titan-A, X10-A

All Plastic

Just as the name implies this is an all plastic injection molded wheel with the tread molded directly onto the hub structure.

Hub styles: Mag-C, Sunburst-A, Titan-B

Flat Free

Made of cellular polyurethane, these wheels can eliminate flat tires and improve productivity while maintaining pneumatic like function.

Hub styles: 7Spk-A, X10-A

Blow Molded

Our plastic blow molded hubs can have significant advantages over injection molded hubs with regards to design flexibility and weight savings. The all plastic hub can then be fitted with a treadcap tire completing a true lightweight no flat wheel option.

Hub styles: Mag-B

MARKETS SERVED

Lawn & Garden

Walk-behind mowers, Snow throwers, Seeders, Spreaders, Sweepers, Aerators, Wagons, Carts, Wheel Barrows, Trillers, Trimmers, Edgers etc.

Industrial & Commercial

Generators, Power Washers, Air Compressors, Floor Cleaning Equipment, Diagnostic Equipment, Testers, Toys, Strollers, Joggers, Bicycle trailers, BBQ Grills etc.

Lightweight Material Handling

Hand Trucks, Dollies, Carts, Wagons, Trailers, etc.

Waste & Recycling Containers

Refuse Carts, Trash Containers, Recycling Containers, Trash Bins, Recycling Bins, Scrap Carts, etc.



CEW WHEEL **CHARACTERISTICS**

- Molded Axle Housing
- Freedom from Flat Spotting
- Lightweight
- Superior Shock Absorption
- Unsurpassed Durability
- Dimensional Consistency
- Truer Wheel Run-Out
- Reduced Noise Levels
- No Tire Roll-off
- No Rust or Corrosion
- 100% recyclable plastic

TREAD **OPTIONS**



Bar



Bar Rib



Bar-Grv



Brick



Chevron



Diamond



Knobby



Knobby 2



Offset Bar



Rib



Sawtooth



Smooth





TIRE MEASUREMENTS

MAG A




The classic MAG A wheel design incorporates performance and value.

By engineering for both design and performance, CEW's classic tread cap design has set the stage for the world market in composite wheels. Many others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have come to expect from the world's leader in composite wheels.





SECTION A-A



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Bar Rib	A04090271AAB	7	1.5	1.5	0.38	black	white
	A04090271AHB	7	1.5	1.5	0.38	black	white
	A03850283AAA	8	1.75	1.625	0.377	black	black
	A04400283AAA	8	1.75	1.5	0.38	black	white
	A03640283AAB	8	1.75	1.43	0.501	black	12724 grey
	A03640283AAC	8	1.75	1.43	0.501	black	10079 grey
	A03640283AAD	8	1.75	1.43	0.501	black	16046 Grn
	A03640283AHC	8	1.75	1.43	0.501	black	10079 grey
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Brick	A03740275AAA	7	1.75	1.75	0.377	black	black
	A03740275AHA	7	1.75	1.75	0.377	black	black
	A04190275AAA	7	1.75	1.5	0.377	black	black
	A04270275AAA	7	1.75	1.39	0.501	black	grey
	A04270275AAB	7	1.75	1.39	0.501	black	bright white
	A04270275AAC	7	1.75	1.39	0.501	black	bright Ylw
	A03770275AAB	7	1.75	1.5	0.505	black	11308 grey
	A03770275AAE	7	1.75	1.5	0.505	black	dark grey
	A03770275AAF	7	1.75	1.5	0.505	black	Grip grey
	A03770275AHB	7	1.75	1.5	0.505	black	11308 grey
	A03770275AHE	7	1.75	1.5	0.505	black	dark grey
	A04410274AAB	8	1.75	1.5	0.38	black	white
	A04410274AHB	8	1.75	1.5	0.38	black	white
	A04280274AAA	8	1.75	1.39	0.501	black	grey
	A04280274AAB	8	1.75	1.39	0.501	black	bright white
	A04280274AAC	8	1.75	1.39	0.501	black	bright Ylw
	A04280274AAD	8	1.75	1.39	0.501	black	Marigold
	A04280274AAE	8	1.75	1.39	0.501	black	Storm grey
	A04280274AAF	8	1.75	1.39	0.501	black	black
	A03780274AAA	8	1.75	1.5	0.505	black	black
	A03780274AAB	8	1.75	1.5	0.505	black	11308 grey
	A03780274AAE	8	1.75	1.5	0.505	black	dark grey
	A03780274AHE	8	1.75	1.5	0.505	black	dark grey
	A03800292AAA	9	2	1.8	0.5	black	black
	A03790292AAA	9	2	1.5	0.505	black	black
	A03790292AAD	9	2	1.5	0.505	black	11308 grey
	A03790292AAF	9	2	1.5	0.505	black	dark grey
	A03790292AAG	9	2	1.5	0.505	black	grey
	A03790292AHD	9	2	1.5	0.505	black	11308 grey
	A03790292AHF	9	2	1.5	0.505	black	dark grey
	A04210292AAA	9	2	1.5	0.626	black	white
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Diamon	A03480260AAE	6	1.5	1.5	0.377	black	black
	A03480260AAG	6	1.5	1.5	0.377	black	black

	A03480260AHE	6	1.5	1.5	0.377	black	black
	A03450260AAA	6	1.5	1.5	0.38	black	black
	A03450260AAC	6	1.5	1.5	0.38	black	white
	A03450260AAE	6	1.5	1.5	0.38	black	Orange
	A03480260AAA	6	1.5	1.5	0.387	black	white
	A03480260AAC	6	1.5	1.5	0.387	black	bright white
	A03480260AAF	6	1.5	1.5	0.387	black	Quick Silver
	A03490260AAA	6	1.5	1.5	0.473	black	grey
	A03410260AAB	6	1.5	1.5	0.502	black	grey
	A03420260AAC	6	1.5	1.375	0.502	black	bright white
	A03420260AAD	6	1.5	1.375	0.502	black	10082 grey
	A03420260AAE	6	1.5	1.375	0.502	black	black
	A03420260AAF	6	1.5	1.375	0.502	black	14191 grey
	A03420260AAG	6	1.5	1.375	0.502	black	dark grey
	A03420260AHC	6	1.5	1.375	0.502	black	bright white
	A03410260AAA	6	1.5	1.5	0.505	black	white
	A03430260AAA	6	1.5	1.375	0.506	black	white
	A04090270AAC	7	1.5	1.5	0.38	black	black
	A04090270AHD	7	1.5	1.5	0.38	black	black
	A03510270AAA	7	1.5	1.5	0.501	black	black
	A03510270AAB	7	1.5	1.5	0.501	black	grey
	A03510270AAC	7	1.5	1.5	0.501	black	11308 grey
	A03510270AAD	7	1.5	1.5	0.501	black	Mocha
	A03510270AAE	7	1.5	1.5	0.501	black	10082 grey
	A03510270AHC	7	1.5	1.5	0.501	black	11308 grey
	A03520270AAA	7	1.5	1.375	0.501	black	black
	A03520270AAB	7	1.5	1.375	0.501	black	10082 grey
	A03520270AAC	7	1.5	1.375	0.501	black	white
	A03520270AAD	7	1.5	1.375	0.501	black	Cream
	A03520270AAE	7	1.5	1.375	0.501	black	grey
	A03550270AAD	7	1.5	1.625	0.501	black	10079 grey
	A03550270AAH	7	1.5	1.625	0.501	black	white
	A03550270AAJ	7	1.5	1.625	0.501	black	bright Ylw
	A04240270AAA	7	1.5	1.4	0.501	black	grey
	A03560270AAA	7	1.5	1.595	0.503	black	grey
	A03560270AAB	7	1.5	1.595	0.503	black	bright Ylw
	A03560270AAC	7	1.5	1.595	0.503	black	white
	A03560270AAD	7	1.5	1.595	0.503	black	grey
	A03560270AAF	7	1.5	1.595	0.503	black	white
	A03560270ARD	7	1.5	1.595	0.503	black	grey
	A03560270BAD	7	1.5	1.595	0.503	black	grey
	A03560270BRD	7	1.5	1.595	0.503	black	grey
	A03560270TAA	7	1.5	1.595	0.503	black	grey
	A03560270TAB	7	1.5	1.595	0.503	black	bright Ylw
	A03560270TAC	7	1.5	1.595	0.503	black	white
	A03720270AHA	7	1.5	1.5	0.507	black	bright white

	A04400280AAA	8	1.75	1.5	0.38	black	11309 grey
	A04400280AAC	8	1.75	1.5	0.38	black	white
	A04400280AAE	8	1.75	1.5	0.38	black	black
	A04400280AHE	8	1.75	1.5	0.38	black	black
	A03610280AAB	8	1.7	1.5	0.501	black	black
	A03610280AAD	8	1.7	1.5	0.501	black	white
	A03610280AAE	8	1.7	1.5	0.501	black	16131 Ylw
	A03610280AAF	8	1.7	1.5	0.501	black	Pewter
	A03610280AAG	8	1.75	1.5	0.501	black	black
	A03610280AAH	8	1.7	1.5	0.501	black	180014 Ylw
	A03610280AAI	8	1.7	1.5	0.501	black	grey
	A03610280AAJ	8	1.7	1.5	0.501	black	180018 Ylw
	A03640280AAA	8	1.75	1.43	0.501	black	10079 grey
	A03650280AAB	8	1.75	1.1625	0.501	black	white
	A03650280AAD	8	1.75	1.1625	0.501	black	Pewter
	A03730280AAA	8	1.75	1.595	0.501	black	grey
	A03620280AAA	8	1.75	1.375	0.502	black	black
	A03620280AAC	8	1.75	1.375	0.502	black	white
	A03620280AAE	8	1.75	1.375	0.502	black	dark grey
	A03620280AHC	8	1.75	1.375	0.502	black	white
	A03690280AAB	8	1.75	1.66	0.504	black	Light grey
	A04040280AAA	8	1.75	1.5	0.511	black	black
	A03680280AAA	8	1.7	2.25	0.625	black	white
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Offset Ba	A03610287AAA	8	1.75	1.5	0.501	black	grey
	A03610287AAB	8	1.75	1.5	0.501	black	black
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Rib	A03450261AAA	6	1.5	1.5	0.38	black	black
	A03450261AAC	6	1.5	1.5	0.38	black	white
	A03480261AAB	6	1.5	1.5	0.387	black	Quick Silver
	A03480261AAD	6	1.5	1.5	0.387	black	Beige
	A03410261AAA	6	1.5	1.5	0.502	grey	black
	A03540271AAA	7	1.5	1.43	0.5	black	white
	A03510271AAC	7	1.5	1.5	0.501	black	white
	A03510271AHC	7	1.5	1.5	0.501	black	white
	A03580271AAB	7	1.5	1.5	0.618	grey	grey
	A04400281AAA	8	1.75	1.5	0.38	black	16035 grey
	A04430281AAA	8	1.75	1.5	0.438	grey	black
	A03610281AAA	8	1.7	1.5	0.501	black	black
	A03610281AAC	8	1.7	1.5	0.501	grey	black
	A03610281AAE	8	1.75	1.5	0.501	black	10082 grey
	A03610281AAF	8	1.75	1.5	0.501	grey	14191 grey
	A03610281AAG	8	1.7	1.5	0.501	black	white
	A03610281AHF	8	1.75	1.5	0.501	grey	14191 grey
	A03610281BAC	8	1.7	1.5	0.501	grey	black
	A03640281AAB	8	1.75	1.43	0.501	black	white

	A03620281AAB	8	1.75	1.375	0.502	black	white
	A03620281AAD	8	1.75	1.375	0.502	black	black
	A03620281AAE	8	1.75	1.375	0.502	black	10082 grey
	A03620281AAF	8	1.75	1.375	0.502	black	black
	A03620281AHD	8	1.75	1.375	0.502	black	black
	A04040281BHA	8	1.75	1.5	0.508	grey	14191 grey
	A04550281AAA	8	1.75	1.375	0.515	black	black

If you don't see the size, color, tread assembly combo you need, no problem.

We can manufacture a custom wheel assembly to your exact specifications.


Call 800-479-4335.

MAG B

The blow molded MAG B wheel design incorporates performance and value.

By engineering for both design and performance, CEW's classic blow molded design has set the stage for the world market in composite wheels. Others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have come to expect from the world's leader in composite wheels.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Chevron	D09840308AAC	10	3	2.4	0.5	black	yellow
	D09840308AAE	10	3	2.4	0.5	black	grey
	D09840308AAA	10	3	2.4	0.501	black	grey
	D09830308AAA	10	3	2.4	0.625	black	black
	D09830308AAB	10	3	2.4	0.625	black	grey
	D09880308AAA	10	3	2.4	0.751	black	dark grey
	D09880308AAD	10	3	2.4	0.751	black	grey
	D09890308AAA	10	3	2.4	0.751	grey	black


If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**

MAG C

This modern MAG C wheel design incorporates performance and value.

We developed this low cost all plastic wheel for the market based on customer feedback and demand. This wheel can use up to 100% recycled material content while still standing up to rigorous applications our customers require. CEW has become the vendor of choice that the top OEM's have come to trust for their composite wheel needs. It is what to expect from the world's leader in composite wheels. Come experience what CEW can do for you!



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Offset Bar Rib	N05200000AAA	4	1.29	1.44	0.33	black	black
							



If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**



3SPK A

The classic 3Spk A wheel design incorporates performance and value.

By engineering for both design and performance, CEW's classic tread cap design has set the stage for the world market in composite wheels. Many others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have come to expect from the world's leader in composite wheels.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
	A04070271AAA	7	1.5	1.5	0.501	grey	10082 grey
	A04070271AAB	7	1.5	1.5	0.501	black	white
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
	A04260260AAB	6	1.5	1.5	0.38	black	bright white
	A04060260AAA	6	1.5	1.5	0.501	black	yellow
	A04060260AAE	6	1.5	1.5	0.501	black	10082 grey
	A04060260AHE	6	1.5	1.5	0.501	black	10082 grey
	A04230260AAA	6	1.5	1.375	0.501	black	bright white
	A04660260AAA	6	1.5	1.512	0.501	black	white
	A04660260ARA	6	1.5	1.512	0.501	black	white
	A04070270AAA	7	1.5	1.5	0.501	black	black
	A04070270AAB	7	1.5	1.5	0.501	black	white
	A04070270AAC	7	1.5	1.5	0.501	black	bright yellow
	A04070270AAD	7	1.5	1.5	0.501	black	white
	A04160270AAA	7	1.5	1.625	0.501	black	grey
	A04170270AAB	7	2	1.63	0.501	black	white
	A04370270AAA	7	1.5	1.39	0.501	black	grey
	A04370270AAB	7	1.5	1.39	0.501	black	white
	A04370270AAC	7	1.5	1.39	0.501	black	Marigold
	A04370270AAD	7	1.5	1.39	0.501	black	bright yellow
	A04370270AAF	7	1.5	1.39	0.501	black	Lime Green
	A04370270AAG	7	1.5	1.39	0.501	black	black
	A04370270ARB	7	1.5	1.39	0.501	black	white
	A04080280AAA	8	1.75	1.5	0.501	black	black
	A04080280AAB	8	1.5	1.5	0.501	black	black
	A04080280AAD	8	1.5	1.5	0.501	black	white
	A04080280ARD	8	1.5	1.5	0.501	black	white
	A04180280AAB	8	2	1.52	0.501	black	10082 grey
	A04180280AHB	8	2	1.52	0.501	black	10082 grey
	A04440280AAA	8	1.75	1.625	0.505	black	white
	A04590311AAB	10	1.75	1.9	0.375	black	yellow

	A04520311AAA	10	1.72	1.5	0.501	black	grey
	A04510311AAA	10	1.75	1.5	0.504	black	black
	A04510311AAB	10	1.75	1.5	0.504	black	grey
	A04510311AAC	10	1.75	1.5	0.504	black	white
	A04510311ARC	10	1.75	1.5	0.504	black	white
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Rib	A04260261AAA	6	1.5	1.5	0.38	black	black
	A04060261AAB	6	1.5	1.5	0.501	black	white
	A04080281AAA	8	1.5	1.5	0.501	black	white
	A04490281AAA	8	2	1.5	0.506	grey	black
	A04490281AAC	8	2	1.5	0.506	grey	white
	A04110281AAA	8	1.75	1.5	0.63	black	black
	A04530761AAB	10	1.75	1.5	0.313	black	white
	A04510761AAA	10	1.75	1.5	0.504	grey	grey
	A04510761AAC	10	1.75	1.5	0.504	black	grey
	A04510761AAF	10	1.75	1.5	0.504	black	white
	A04510761AAG	10	1.75	1.5	0.504	grey	white
	A04510761AAH	10	1.75	1.5	0.504	black	black
	A04510761AAJ	10	1.75	1.5	0.504	grey	black
	A04510761ABA	10	1.75	1.5	0.504	grey	grey
	A04510761AHJ	10	1.75	1.5	0.504	grey	black
	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
	A04260264AAA	6	1.5	1.5	0.38	black	black
	A04260264AAB	6	1.5	1.5	0.38	black	bright yellow
	A04060264AAA	6	1.5	1.5	0.501	black	12724 grey
	A04080303AAA	8	1.75	1.5	0.501	grey	Quick Silver
Tread Style	A04260264AAA	6	1.5	1.5	0.38	black	black
Smooth	A04260264AAB	6	1.5	1.5	0.38	black	bright yellow
	A04060264AAA	6	1.5	1.5	0.501	black	12724 grey
	A04080303AAA	8	1.75	1.5	0.501	grey	Quick Silver


If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. Call 800-479-4335.

3SPK B

The modern 3Spk B wheel design incorporates performance and value with great looks.

By engineering for both design and performance, CEW's tread cap design has set the stage for the world market in composite wheels. The 8 in wheel features a closed face design whereas the 12 in wheel has an open spoke-like design. Built with the performance and quality that top OEM's have come to expect from the world's leader in composite wheels.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Brick	A05010780AAA	8	1.75	1.695	0.501	black	black
	A05020780AAA	8	1.75	1.395	0.501	black	black
	A05100790AAA	12	1.75	1.745	0.501	black	grey
	A05660790CAA	12	1.75	1.725	0.502	black	dark grey
	A05660790CAB	12	1.75	1.755	0.502	black	black
	A05660790BAA	12	1.75	1.22	0.53	black	dark grey


If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**

5SPK A

The classic 5Spk A wheel design incorporates performance and value.

By engineering for both design and performance, CEW's classic tread cap design has set the stage for the world market in composite wheels. Many others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have come to expect from the world's leader in composite wheels.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Diamond	A05920300AAA	14	1.75	2.454	0.381	black	black
	A05960300AAA	14	1.75	2.23	0.391	black	black
	A05950300AAA	14	1.75	2.468	0.5	black	10079 Grey
	A05950300AAB	14	1.75	2.468	0.5	black	black
	A05900300AAA	14	1.75	2.454	0.501	black	black
	A05900300AAB	14	1.75	2.454	0.501	black	Grey
	A05900300AAC	14	1.75	2.454	0.501	black	Grey
	A05900300AAD	14	1.75	2.454	0.501	black	Grey
	A05900300AAE	14	1.75	2.454	0.501	black	Grey
	A05900300AAG	14	1.75	2.454	0.501	black	Dark Grey
	A05900300AAI	14	1.75	2.454	0.501	black	white
	A05900300AHA	14	1.75	2.454	0.501	black	black
	A05900300AHB	14	1.75	2.454	0.501	black	black
	A05900300AHC	14	1.75	2.454	0.501	black	Grey
	A05910300AAA	14	1.75	2.454	0.501	black	black
	A05910300AAD	14	1.75	2.454	0.501	black	white
	A05910300AAJ	14	1.75	2.454	0.501	black	black
	A05940300AAA	14	1.75	2.454	0.511	black	black
	A05900300AAP	14	1.75	2.515	0.628	black	white
	A05900300AAN	14	1.75	2.6	0.635	black	white


If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. Call 800-479-4335.

5SPK B

The modern 5Spk B wheel design incorporates performance and value with great looks.

By engineering for both design and performance, CEW's classic tread cap design has set the stage for the world market in composite wheels. Many others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have come to expect from the world's leader in composite wheels.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Brick	A05690790AAA	12	1.75	1.755	0.502	Black	Dark Grey
	A05690790AAB	12	1.75	1.755	0.502	Black	Light Grey


If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**

7SPK A

The sleek 7Spk A wheel design incorporates performance and value.

By engineering for both design and performance, this wheel featuring both semi pneumatic and polyurethane tire options, has set the stage for the world market in composite wheels. Many others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have come to expect from the world's lead in composite wheels.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Knobby	M08860007RAA	20	2	2.285	0.626	Black	Black
							



If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. Call 800-479-4335.

TITAN A



The traditional Titan A wheel design incorporates performance and value.

By engineering for both design and performance, CEW's classic tread cap design has set the stage for the world market in composite wheels. Many others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have cometo expect from the world's leader in composite wheels.


Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Diamond	A05490312AAA	10	1.75	2	0.505	Black	Cream
	A05500311AAA	10	1.75	1.76	0.628	Black	Black
	A05500311AAB	10	1.75	1.76	0.628	Black	Black
	A05520312AAA	10	1.75	2.225	0.628	Black	Black
	A05510312AAA	10	1.75	2	0.753	Black	Black
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Rib	A04010286AAA	8	1.75	2.12	0.501	Black	Black
	A04010305AAA	8	1.75	2.12	0.501	Black	Black
	A03670286AAA	8	1.75	2.12	0.626	Black	Black
	A03600286AAA	8	1.75	2.105	0.63	Black	Black
	A03600286AHA	8	1.75	2.105	0.63	Black	Black
	A05460291AAB	10	1.75	2.02	0.501	Black	Cream
	A05470761AAA	10	1.75	1.74	0.501	Grey	Black
	A05410291AAB	10	1.75	1.68	0.626	Black	Black
	A05400291AAA	10	1.75	2.02	0.628	Black	Black
	A05400291AAC	10	1.75	2.02	0.628	Black	White
	A05400761AAA	10	1.75	2.02	0.628	Black	White
	A05440291AAA	10	1.75	1.8959	0.628	Black	White
	A05420291AAA	10	1.75	2	0.753	Black	Black
	A05450291AAA	10	1.75	1.645	0.753	Black	Black
	A05530761AAA	10	1.75	2.51	0.765	Black	Black
	A05720295AAA	12	1.75	2.22	0.63	Black	Black
	A05720295AAC	12	1.75	2.22	0.63	Black	Green
	A05720295AAE	12	1.75	2.22	0.63	Black	Black
	A05720295AAF	12	1.75	2.22	0.63	Pantone425C	Black
	A05740295AAC	12	1.75	2.2	0.73	Grey	Black
	A05740295AAA	12	1.75	2.2	0.753	Black	Black
	A05790295AAA	12	1.75	1.72	0.849	Black	Black
	A05790302AAB	12	1.75	1.72	0.849	Black	White
	A05700295AAB	12	1.75	2.22	0.876	Black	White
	A05710295AAA	12	1.75	1.75	0.876	Black	Black
	A05710295AAC	12	1.75	1.75	0.876	Black	White

TITAN B

The traditional Titan B wheel design incorporates performance and value.

CEW has developed wheels specifically for the Waste Management Industry that maximize performance and minimize cost. CEW is proud to offer unique, engineered plastic solutions to the Refuse market and in being "Lean and Green". This wheel also features an easy Snap-On Hub with unique stainless steel pin and spring with Axle Locking Feature.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Bar Rib	N03460000AAA	6	1.5	2.2	0.5	black	Black
	N05540000AAA	10	1.7	4.08	0.849	black	Black



If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**

X10 A

The modern X10 A wheel design incorporates performance and value with great looks.

This composite wheel has flexible options for tire, bore, materials and colors that offers the market a No Flat Polyurethane Tire solution for the most demanding applications along with a low cost tread cap option. The X10 is a smooth combination of styling and performance to set customers' product apart from the competition.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Knobby	A05580315AAA	9.75	2.75	2.17	0.506	Black	Grey
							
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Sawtooth	M06500182RAA	9.75	3	2.575	0.627	Black	Black
							



If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**

SMOOTH A

The classic Smooth A wheel design incorporates performance and value.

By engineering for both design and performance, CEW's classic semi pneumatic design has set the stage for the world market in composite wheels. Many others have attempted to duplicate our original design in looks, but cannot touch the performance and quality that the top OEM's have come to expect from the world's leader in composite wheels.



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Bar Groove	A03910284AAA	8	2	1.375	0.502	Black	10082 Grey
	A03910284AAD	8	2	1.375	0.502	Black	14191 Grey
	A03910284AAF	8	2	1.375	0.502	Black	Brt Ylw
	A03910284AHD	8	2	1.375	0.502	Black	14191 Grey
	A04290284AAA	8	2	1.375	0.508	Black	14191 Grey
	A04290284AHA	8	2	1.375	0.508	Black	14191 Grey
	A03940284AAA	8	2	1.525	0.72	Black	Black
Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Bar Rib	A03980297AAA	8	2	1.407	0.501	Black	Grey
							


If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**

SUNBURST A

The classic Sunburst A wheel design incorporates performance and value.

We developed this low cost all plastic wheel for the market based on customer feedback and demand. This wheel can use up to 100% recycled material content while still standing up to rigorous applications our customers require. CEW has become the vendor of choice that the top OEM's have come to trust for their composite wheel needs. It is what to expect from the world's leader in composite wheels. what CEW can do for you!



Tread Style	Part Number	Wheel OD	Wheel Width	Bore Length	Bore ID	Tire Color	Hub Color Options
Bar	N09520000AAA	6	1.5	1.5	0.379	black	Black
	N09520000AAB	6	1.5	1.5	0.379	black	Black

If you don't see the size, color, tread assembly combo you need, no problem. We can manufacture a custom wheel assembly to your exact specifications. **Call 800-479-4335.**



OUR BRANDS



OUR LOCATIONS



BALDWIN, MISSISSIPPI



REYNOSA, MEXICO



HEADQUARTERS

Custom Engineered Wheels, Inc. • 309 Robert M Coggins Jr. Dr • Baldwin, Mississippi 38824, U.S.A. • cewheelsinc.com

1-800-479-4355